
HP 9000 Superdome Enterprise Server
using
HP-UX 11.i 64-bit
and
Oracle9i Database Enterprise Edition

TPC Benchmark™ H

Full Disclosure Report

Third Edition

October 29, 2002



Third Edition - October 29, 2002

Hewlett-Packard Company, the sponsor of this benchmark test, believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. The sponsors assume no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, the sponsors provide no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark H should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report was obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. No warranty of system performance or price/performance is expressed or implied in this report.

© Copyright Hewlett-Packard Company, 2002.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text on the title page of each item reproduced.

Printed in U.S.A., October 29, 2002.

HP, HP-UX, HP C/HP-UX, HP 9000 are registered trademarks of Hewlett-Packard Company.

ORACLE9i, SQL*DBA, SQL*Loader, SQL*Net, SQL*Plus, Pro *C, and PL/SQL are trademarks of the Oracle Corporation

UNIX is a registered trademark in the United States, and other countries, licensed exclusively through X/Open Company Limited.

TPC Benchmark and TPC-H are registered trademarks of the Transaction Processing Performance Council.

All other brand or product names mentioned herein must be considered trademarks or registered trademarks of their respective owners.

Overview

This report documents the methodology and results of the TPC Benchmark™ H test conducted on the HP 9000 Superdome Enterprise Server, in conformance with the requirements of the TPC Benchmark™ H Standard Specification, Revision 2. The operating system used for the benchmark was HP-UX 11.i 64-bit; the DBMS was Oracle9i .

Standard and Executive Summary Statements

The pages following this preface contain the Executive Summary and Numerical Quantities Summary of the benchmark results.

Auditor

The benchmark configuration, environment and methodology used to produce and validate the test results and the pricing model used to calculate the cost per QphH was audited by Brad Askins, InfoSizing, to verify compliance with the relevant TPC specifications.

TPC Benchmark H Overview

The TPC Benchmark™ H (TPC-H) is a decision support benchmark. It consists of a suite of business oriented ad-hoc queries and concurrent data modifications. The queries and the data populating the database have been chosen to have broad industry-wide relevance while maintaining a sufficient degree of ease of implementation. This benchmark illustrates decision support systems that

- Examine large volumes of data;
- Execute queries with a high degree of complexity;
- Give answers to critical business questions.

TPC-H evaluates the performance of various decision support systems by the execution of sets of queries against a standard database under controlled conditions. The TPC-H queries:

- Give answers to real-world business questions;
- Simulate generated ad-hoc queries(e.g., via a point and click GUI interface);
- Are far more complex than most OLTP transactions;
- Include a rich breadth of operators and selectivity constraints;
- Generate intensive activity on the part of the database server component of the system under test;
- Are executed against a database complying to specific population and scaling requirements;
- Are implemented with constraints derived from staying closely synchronized with an on-line production database.

The TPC-H operations are modeled as follows:

- The database is continuously available 24 hours a day, 7 days a week, for ad-hoc queries from multiple end users and updates against all tables, except possibly during infrequent (e.g., once a month) maintenance sessions;
- The TPC-H database tracks, possibly with some delay, the state of the OLTP database through on-going updates which batch together a number of modifications impacting some part of the decision support database;
- Due to the world-wide nature of the business data stored in the TPC-H database, the queries and the updates may be executed against the database at any time, especially in relation to each other. In addition, this mix of queries and updates is subject to specific ACIDity requirements, since queries and updates may execute concurrently;

- To achieve the optimal compromise between performance and operational requirements the database administrator can set, once and for all, the locking levels and the concurrent scheduling rules for queries and updates.

The minimum database required to run the benchmark holds business data from 10,000 suppliers. It contains almost ten million rows representing a raw storage capacity of about 1 GB. Compliant benchmark implementations may also use one of the larger permissible database populations (e.g. 3000 GB), as defined in Clause 4.1.3.

The performance metrics reported by TPC-H measure multiple aspects of the capability of the system to process queries. The TPC-H metric at the selected size ($QphH@Size$) is the performance metric. To be compliant with the TPC-H standard, all references to TPC-H results for a given configuration must include all required reporting components (see Clause 5.4.7). The TPC believes that comparisons of TPC-H results measured against different database sizes are misleading and discourages such comparisons.

The TPC-H database must be implemented using a commercially available database management system (DBMS), and the queries executed via an interface using dynamic SQL. The specification provides for variants of SQL, as implementers are not required to have implemented a specific SQL standard in full. TPC-D uses terminology and metrics that are similar to other benchmarks, originated by the TPC and others. Such similarity in terminology does not in any way imply that TPC-H results are comparable to other benchmarks. The only benchmark results comparable to TPC-H are other TPC-H results compliant with the same revision.

Despite the fact that this benchmark offers a rich environment representative of many decision support systems, this benchmark does not reflect the entire range of decision support requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-H approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-H should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.


Benchmark sponsors are permitted several possible system designs, provided that they adhere to the model described in Clause 6. A full disclosure report (FDR) of the implementation details, as specified in Clause 8, must be made available along with the reported results.

General Implementation Guidelines

The purpose of TPC benchmarks is to provide relevant, objective performance data to industry users. To achieve that purpose, TPC benchmark specifications require that benchmark tests be implemented with systems, products, technologies and pricing that:

- Are generally available to users;
- Are relevant to the market segment that the individual TPC benchmark models or represents (e.g. TPC-H models and represents complex, high data volume, decision support environments);
- Would plausibly be implemented by a significant number of users in the market segment the benchmark models or represents.

Hewlett-Packard Company does not warrant or represent that a user can or will achieve performance similar to the benchmark results contained in this report. No warranty of system performance or price/performance is expressed or implied by this report

	HP 9000 Superdome Enterprise Server	TPC-H Rev 2						
		Report Date: August 26, 2002 Updated October 29, 2002						
Total System Cost	Composite Query per Hour Metric	Price/Performance						
\$5,761,053	27,094.3 QphH@3000GB	\$213 QphH@3000GB						
Database Size	Database Manager	Operating System						
3000 GB*	Oracle9i Database Enterprise Edition with Partitioning v9.2.0.2.0	HP-UX 11.i 64-bit						
Other Software		Availability Date						
		None						
		October 30, 2002						
 <p>Query times in seconds</p> <table border="1"> <tr> <td>Database Load Time = 08:48</td> <td>Load Includes Backup: N</td> <td>Total Data Storage/Database Size = 8.93</td> </tr> <tr> <td>RAID (Base Tables Only): N</td> <td>RAID (Base Tables and Auxiliary Data Structures): N</td> <td>RAID (All): Y</td> </tr> </table> <p>System Configuration</p> <p>Processors: 64 PA-RISC 8700 875MHz, .75MB I-cache, 1.5MB D-cache</p> <p>Memory: 128 GB</p> <p>Disk Drives: 1 hp surestore disk system 2100 with 3 - 18GB Ultra 3 SCSI LVD disks and 99 SureStore VA7100 (with a total of 1485 18GB 15K RPM LVD disks)</p> <p>Total Disk Storage 26784GB (In this calculation one GB is defined as 1024*1024*1024 bytes)</p> <p>Lan Controllers 1 HP 10/100 Base-T Lan Adapter</p>			Database Load Time = 08:48	Load Includes Backup: N	Total Data Storage/Database Size = 8.93	RAID (Base Tables Only): N	RAID (Base Tables and Auxiliary Data Structures): N	RAID (All): Y
Database Load Time = 08:48	Load Includes Backup: N	Total Data Storage/Database Size = 8.93						
RAID (Base Tables Only): N	RAID (Base Tables and Auxiliary Data Structures): N	RAID (All): Y						

*Database Size includes only raw data (e.g. no temp, index, redundant storage space, etc.)



HP 9000 Superdome Enterprise Server

TPC-H Rev 2

Report Date: August 26, 2002
Updated October 29, 2002

Description	Part Number	Source	Reference Price	Qty	Extended Price	3 yr. Maint. Price
Server Hardware						
Super Dome left chassis (support includes hardware, services, and support)	A5201A, Opt. 429	1	205,840	1	205,840	268,626
Super Dome right chassis	A5202A, Opt. 429	1	218,435	1	218,435	
Memory module - 2 GB	A5198A, Opt. 0D1	1	14,000	64	896,000	
I/O enclosures	A4856A, Opt. 0D1	1	14,805	9	133,245	
PDCA Redundant Power Source	A5800A, Opt. 0D1	1	578	2	1,156	
Cell Board with 4 PA-8700 875MHz Processors	A6862A	1	10,080	16	161,280	
ICOD right to use processor (support includes hardware, services, and support)	A6885A, Opt. 429	1	23,000	64	1,472,000	403,392
Super Dome PCI Core I/O card	A6865A, Opt. 0D1	1	1,045	1	1,045	
I/O Expansion Power/Utilities Subsystem	A5861A	1	34,860	1	34,860	
I/O Chassis Enclosure (ICE)	A5862A	1	25,725	1	25,725	
1.6m Expansion Cabinet	A4901A	1	1,820	1	1,820	
PCI Dual FWD SCSI-2 Card	A5159A, Opt 0D1	1	1,245	2	2,490	
PCI 1000BT Lan Adapter	A4926A, Opt. 0D1	1	2,135	1	2,135	
PCI Fibre Channel 2X	A5158A, Opt 0D1	1	2,240	99	221,760	
RackInstallation Kit	A5170A, Opt 0D1	1	410	1	410	
DVD-ROM (includes SCSI-2 card, cables, enclosures)	C7499A	1	3,503	1	3,503	
HP9000 A500 Support Management Station (includes memory,CPU,lan card,disk,OS, etc)	A5570B	1	11,780	1	11,780	
hp surestore disk system 2100	A5675A	1	700	1	700	
1-18GB FWD disk module	A6537A	1	525	3	1,575	
5m SCSI-2 Cable	C2978B	1	99	1	99	
				Subtotal	3,395,858	672,018
Server Software						
Oracle9i Database Enterprise Edition Release 2, Named User Plus for 3 years		2	10,000	64	640,000	
Partitioning, Named User Plus for 3 years		2	2,500	64	160,000	
Oracle Database Server Support Package for 3 years:		2	6,000	1	0	6,000
HP-UX 11i LTU	B9088AC, Opt AAF	1		1	0	
HP-UX 11i Media	B3920EA, Opt UM9	1		1	0	
HP-UX 11i	B3920EA, Opt OD1	1		1	0	
HP-UX 11.i Factory Integration	B3920EA, Opt AAF	1	520	1	520	
				Subtotal	800,520	6,000
Storage						
Surestore VA 7100 w/dual controllers 512MB cache	A6262A	1	44,250	99	4,380,750	363,726
18GB 15K RPM FC HDD	A6191A, Opt. 0D1	1	914	1485	1,357,290	
16 meter Fibre Optic Cable	A3531AR	1	170	99	16,830	
HP9000 Std. Rack System E41	A4902A	1	1,910	9	17,190	
Modular Power Dist.	A5137AZ	1	145	33	4,785	
200-240 Volts	A5137AZ, Opt AW4	1	94	33	3,102	
				Subtotal	5,779,947	363,726
				Total	9,976,325	1,041,744
Oracle Mandatory E-Business Discount on (Licenses and Support) Large Configuration Discount and Support Prepayment*						
					(161,200)	
					(4,691,918)	(403,899)
Notes:						
Source: 1=HP,					3-yr Cost of Ownership: \$	5,761,053
2=Oracle (Pricing Contact: MaryBeth Pierantoni (see Appendix G)					QphH@3000GB:	27,094.3
*All discounts are based on US list prices and for similar quantities and configurations					\$QphH@3000GB: \$	213
Audited By: Brad Askins for InfoSizing (www.sizing.com)						

Prices used in TPC benchmarks reflect actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts rereflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.



HP 9000 Superdome Enterprise Server

TPC-H Rev 2

Report Date: August 26, 2002
Updated October 29, 2002

Measurement Results

Database Scaling (SF/size)	3000
Total Data Storage/Database Size	8.93
Start of Database Load Time	2002-08-08 09:27:14
End of Database Load Time	2002-08-08 18:15:12
Database Load Time	08:48
Query Streams for Throughput Test (S)	8
TPC-H Power	37,452.5
TPC-H Throughput	19,600.9
TPC-H Composite Query-per-Hour Metric (QphH@3000GB)	27,094.3
Total System Price Over 3 Years	\$5,761,053
TPC-H Price/Performance Metric (\$/QphH@3000GB)	\$213

Measurement Intervals

Measurement Interval in Throughput Test (Ts)	96,975
--	--------

Duration of Stream Execution:

	SEED	Start Date/Time	End Date/Time	Duration
Stream 00	0808181512	08/08/2002 18:41:27	08/08/2002 21:59:15	3:17:48
Stream 01	0808181513	08/08/2002 22:00:12	08/09/2002 21:04:07	23:03:55
Stream 02	0808181514	08/08/2002 22:00:12	08/09/2002 23:47:53	25:47:41
Stream 03	0808181515	08/08/2002 22:00:12	08/09/2002 20:04:50	22:04:38
Stream 04	0808181516	08/08/2002 22:00:12	08/09/2002 20:05:56	22:05:44
Stream 05	0808181517	08/08/2002 22:00:12	08/09/2002 23:43:43	25:43:31
Stream 06	0808181518	08/08/2002 22:00:12	08/09/2002 18:52:42	20:52:30
Stream 07	0808181519	08/08/2002 22:00:12	08/09/2002 23:59:15	25:59:03
Stream 08	0808181520	08/08/2002 22:00:12	08/09/2002 23:31:01	25:30:49
Refresh		08/08/2002 23:59:15	08/09/2002 0:56:27	0:57:12



HP 9000 Superdome Enterprise Server

TPC-H Rev 2

Report Date: August 26, 2002
Updated October 29, 2002

TPC-H Timing Intervals (in seconds)

Duration of stream execution:

Stream ID	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12
Stream 00	1252.5	147.6	79.5	68.1	278.2	59.6	419.3	265.3	1163.4	199.7	246.0	196.0
Stream 01	3121.9	1646.1	987.3	141.2	2472.3	139.5	3567.9	1450.0	7686.3	1136.9	1633.4	1586.8
Stream 02	3156.5	1508.3	317.1	153.1	2128.9	92.3	2933.5	1415.0	8729.6	1019.9	590.1	879.8
Stream 03	6550.7	1594.3	467.1	434.3	2153.6	145.1	3420.0	2814.2	7789.8	965.7	1262.7	951.3
Stream 04	6010.5	1257.5	639.6	391.1	1273.3	143.3	3461.0	1319.5	6630.3	1072.2	1043.1	1077.5
Stream 05	6363.6	1386.8	1208.3	353.9	1126.6	119.9	2516.3	948.6	3388.5	437.7	1211.2	5015.0
Stream 06	6481.5	1599.2	911.9	333.4	2122.7	176.3	2854.4	1627.8	8540.2	529.9	1062.4	1317.1
Stream 07	6539.9	1475.5	214.2	700.3	910.0	59.5	1673.4	1660.2	5491.3	299.0	1159.3	352.0
Stream 08	6026.67	1461.81	808.19	389	2087.2	111.34	2853.7	1832.64	7976.19	1111.46	740.21	1380.51
Minimum	3121.9	1257.5	214.2	141.2	910.0	59.5	1673.4	948.6	3388.5	299.0	590.1	352.0
Average	5531.4	1491.2	694.2	362.0	1784.3	123.4	2910.0	1633.5	7029.0	821.6	1087.8	1570.0
Maximum	6550.7	1646.1	1208.3	700.3	2472.3	176.3	3567.9	2814.2	8729.6	1136.9	1633.4	5015.0

Stream ID	Q13	Q14	Q15a	Q16	Q17	Q18	Q19	Q20	Q21	Q22	RF1	RF2
Stream 00	1057.6	72.4	117.6	322.2	575.7	2324.0	452.4	165.9	1745.8	196.5	242.6	217.8
Stream 01	5151.7	339.7	812.4	1865.8	1879.7	19900.0	2232.2	1365.4	21552.3	2366.4	209.6	210.0
Stream 02	26100.5	320.3	948.3	2531.6	4748.9	23861.9	2203.8	502.2	5925.0	2794.7	225.6	221.0
Stream 03	6242.8	352.6	997.8	1832.0	2310.9	20317.0	2165.8	831.5	13035.5	2844.1	204.1	211.6
Stream 04	5931.9	274.3	1399.8	1936.9	2000.0	23903.0	2447.8	987.9	14064.5	2280.0	226.1	214.1
Stream 05	5881.5	387.3	4667.4	1657.0	1176.0	23452.3	1946.7	558.1	25840.1	2969.0	223.7	202.9
Stream 06	5709.9	310.9	1117.2	1743.3	1927.2	17336.1	2068.5	1269.4	13922.5	2188.8	238.1	207.2
Stream 08	5884.53	281.7	937.23	1851.33	2746.18	30321.61	3953.16	1204.07	15797.41	2092.86	219.9	204.01
Stream 07	4090.2	78.1	118.7	729.9	2309.9	43239.3	792.2	1568.7	14936.5	5145.4	210.1	203.5
Minimum	4090.2	78.1	118.7	729.9	1176.0	17336.1	792.2	502.2	5925.0	2092.9	204.1	202.9
Average	8124.1	293.1	1374.9	1768.5	2387.4	25291.4	2226.3	1035.9	15634.2	2835.1	219.7	209.3
Maximum	26100.5	387.3	4667.4	2531.6	4748.9	43239.3	3953.2	1568.7	25840.1	5145.4	238.1	221.0



Benchmark Sponsors:	Juergen Mueller Performance Engineer Hewlett Packard Company 19111 Pruneridge Avenue Cupertino CA 95014	Ray Glasstone Manager, DSS Performance Oracle Corporation 100 Oracle Parkway Redwood Shores, CA 94065
---------------------	---	---

August 20, 2002

I verified the TPC Benchmark™ H performance of the following configuration:

Platform: **HP 9000 Superdome Enterprise Server**

Database Manager: Oracle 9i Database Enterprise Edition with Partitioning
v9.2.0.2.0

Operating System: HP-UX 11.i 64-bit

The results were:

CPU (Speed)	Memory	Disks	QphH@3000GB
HP 9000 Superdome Enterprise Server			
64 x PA-RISC 8700 (875 MHz)	.75MB I-cache, 1.5MB D-cache per CPU 128 GB Main	1485 x 18 GB	27,094.3

In my opinion, this performance result was produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were defined with the proper layout and size
- The database population was generated using DBGEN

- The database was properly scaled to 3000GB and populated accordingly
- The compliance of the database auxiliary data structures was verified
- The database load time was correctly measured and reported
- The required ACID properties were verified and met
- The query input variables were generated by QGEN
- The query text was produced using minor modifications and one variant
- The execution of the queries against the SF1 database produced compliant answers
- A compliant implementation specific layer was used to drive the tests
- The throughput tests involved 8 query streams
- The ratio between the longest and the shortest query was such that no query timing was adjusted
- The execution times for queries and refresh functions were correctly measured and reported
- The repeatability of the measured results was verified
- The required amount of database log was configured
- The system pricing was verified for major components and maintenance
- The major pages from the FDR were verified for accuracy

Additional Audit Notes:

The measured system included 3 9GB disk drives that were substituted by 3 18GB disk drives in the priced configuration. Based on the specifications of these disks and on additional performance data collected on these disks, it is my opinion that this substitution does not have a material effect on the reported performance.

Respectfully Yours,



François Raab, President



Bradley J. Askins, Auditor

Overview.....	ii
1 General Items.....	1
1.1 Benchmark Sponsor.....	1
1.2 Parameter Settings	1
1.3 Configuration Diagrams	1
2 Clause 1 Logical Database Design Related Items	2
2.1 Database Definition Statements.....	2
2.2 Physical Organization.....	2
2.3 Horizontal Partitioning	2
2.4 Replication.....	2
3 Clause 2 Queries and Refresh Functions.....	3
3.1 Query Language	3
3.2 Verifying Method for Random Number Generation.....	3
3.3 Generating Values for Substitution Parameters	3
3.4 Query Text and Output Data from Qualification Database	3
3.5 Query Substitution Parameters and Seeds Used	3
3.6 Query Isolation Level	3
3.7 Source Code of Refresh Functions	3
4 Clause 3 Database System Properties.....	4
4.1 ACID Properties	4
4.2 Atomicity.....	4
4.3 Consistency.....	4
4.4 Isolation	5
4.5 Durability.....	6
5 Clause 4 Scaling and Database Population	7
5.1 Ending Cardinality of Tables.....	7
5.2 Distribution of Tables and Logs Across Media	7
5.3 Database Partition/Replication Mapping.....	7
5.4 RAID Feature	8
5.5 DBGEN Modification.....	8
5.6 Database Load Time	8
5.7 Data Storage Ratio	8
5.8 Database Load Mechanism Details and Illustration	8
5.9 Qualification Database Configuration	8
6 Clause 5 Performance Metrics and Execution-Rules.....	10
6.1 System Activity Between Load and Performance Tests	10
6.2 Steps in the Power Test.....	10
6.3 Timing Intervals for Each Query and Refresh Functions	10
6.4 Number of Streams for the Throughput Test.....	10
6.5 Start and End Date/Time of Each Query Stream	10
6.6 Total Elapsed Time of the Measurement Interval.....	10
6.7 Refresh Function Start Date/Time and Finish Date/Time	10
6.8 Timing Intervals for Each Query and Each Refresh Function for Each Stream	11
6.9 Performance Metrics.....	11
6.10 The Performance Metric and Numerical Quantities from Both Runs.....	11
6.11 System Activity Between Performance Tests.....	11
7 Clause 6 SUT and Driver Implementation Related Items	12
7.1 Driver.....	12

7.2	Implementation-Specific Layer (ISL).....	12
7.3	Profile-Directed Optimization	12
8	Clause 7 Pricing.....	13
8.1	Hardware and Software Used in the Priced System	13
8.2	Total Three Year Price.....	13
8.3	Availability Date.....	13
9	Clause 8 Auditor's Information and Attestation Letter.....	14
9.1	Auditor's Report.....	14
10	Report Availability	15
Appendix A	Parameter Settings	16
A.1	init_build.ora.....	16
A.2	init_run.ora	16
A.3	system.....	16
A.4	profile	17
Appendix B	Build Programs and Scripts	18
B.1	3TB.DAT.....	18
B.2	bumpx.pl.....	56
Appendix C Acid Scripts		61
a_query.sql	61	
a_query2.sql	61	
atom.sh	61	
atranspl.c	62	
atranspl.h.....	68	
ckpt.sh	69	
cnt_hist.sql	70	
consist.sh.....	70	
consist.sql.....	71	
count_tx.sh	72	
d_hist.sql	72	
end_acid.sh.....	72	
gettime.c	73	
iso1.sh	76	
iso2.sh	77	
iso3.sh	78	
iso4.sh	79	
iso5.sh	80	
iso6.sh	81	
randkey.c	82	
randpsup.c	84	
sample.sh.....	85	
sample.sql.....	86	
atrans.sql	86	
run_acid.sh	87	
Appendix D Query text and Output.....		89
1.log	89	
2.log	89	
3.log	90	
4.log	90	
5.log	91	

6.log	91
7.log	91
8.log	92
9.log	92
10.log	93
11.log	94
12.log	95
13.log	95
14.log	96
15.log	96
16.log	96
17.log	97
18.log	97
19.log	99
20.log	99
21.log	100
22.log	100
Appendix E Seed and Input Parameters.....	102
seed	102
stream00	102
stream01	102
stream02	102
stream03	102
stream04	102
stream05	103
stream06	103
stream07	103
stream08	103
Appendix F Benchmark Scripts.....	105
dbtables.sql.....	105
gen_seed.sh	106
gtime.c	106
qexecpl.c	106
qexecpl.h	114
runTPCHall	116
runTPCHpt	117
runTPCHus.....	119
runuf1.sh	120
runuf2.sh	121
audit_stream.sh.....	122
tstart	124
tshut	124
set_queue.....	125
Appendix G Price Quotes.....	136

1 General Items

1.1 Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

Hewlett-Packard Company is the test sponsor of this TPC Benchmark H benchmark.

1.2 Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including but not limited to:

Database Tuning Options

Optimizer/Query execution options

Query processing tool/language configuration parameters

Recovery/commit options

Consistency/locking options

Operating system and configuration parameters

Configuration parameters and options for any other software component incorporated into the pricing structure;

Compiler optimization options.

Appendix A contains the HP-UX and Oracle9i Database Enterprise Edition with Partitioning 9.2.0.2.0 parameters used in this benchmark.

1.3 Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

Measured Configuration:

- 64 875MHz PA-RISC 8700 CPUs each with .75MB I-cache, 1.5MB D-cache.
- 128 GB Memory
- 99 PCI Fibre Channel 2X Card
- 1 I/O Expansion Cabinet
- 1 HP 1000 BaseSX PCI Lan Adapter
- 99 SureStore VA7100 (with a total of 1485 18GB Disks)
- 1 High Availability Storage System (with a total of 3 9 GB Ultra 3 SCSI LVD Disks)
- 1 DVD ROM
- 2 SCSI Cards

Priced Configuration:

- 64 875MHz PA-RISC 8700 CPUs each with .75MB I-cache, 1.5MB D-cache.
- 128 GB Memory
- 99 PCI Fibre Channel 2X Card
- 1 HP 1000 BaseSX PCI Lan Adapter
- 99 SureStore VA7100 (with a total of 1485 18GB Disks)
- 1 hp surestore disk system 2100 (with a total of 3 18 GB Ultra 3 SCSI LVD Disks)

- 1 DVD ROM
- 2 SCSI Cards

The difference between measured and priced was the we used a High Availability Storage System for the root disk which currently is obsolete so for the priced system we used a Surestore Disk System 2100.



Measured Configuration

HP 9000 Superdome Enterprise Server



64 - 875MHz

PA-RISC 8700 Processors

128GB Memory

.75MB I-Cache, 1.5MB D-Cache

LAN

SCSI


SCSI

HP DVD-ROM

99 HP Surestore Virtual Array 7100

- 1485 18GB 15K RPM Disk Drives

99 Fiber Channel Adapters



Additional I/O Chassis

High Availability Storage System
3 9.1GB LVD Ultra2-SCSI Disk



Terminal

Keyboard

Mouse

Priced Configuration

HP 9000 Superdome Enterprise Server



64 - 875MHz

PA-RISC 8700 Processors

128GB Memory

.75MB I-Cache, 1.5MB D-Cache

LAN

SCSI


SCSI

HP DVD-ROM

99 HP Surestore Virtual Array 7100

- 1485 18GB 15K RPM Disk Drives

99 Fiber Channel Adapters



Additional I/O Chassis

1 hp surestore disk system 2100

With 3 – 18GB Disks



2 Clause 1 Logical Database Design Related Items

2.1 Database Definition Statements

Listings must be provided for all table definition statements and all other statements used to set up the test and qualification databases.

Appendix B describes the scripts that define, create, and analyze the tables and indices for the TPC-H database.

2.2 Physical Organization

The physical organization of tables and indices, within the test and qualification databases, must be disclosed. If the column ordering of any table is different from that specified in Clause 1.4, it must be noted.

No record clustering or index clustering was used. Columns were reordered in the tables – please refer to the table create statements for the ordering.

2.3 Horizontal Partitioning

Horizontal partitioning of tables and rows in the test and qualification databases (see Clause 1.5.4) must be disclosed.

Horizontal partitioning was used for all base and index tables except NATION and REGION. The details of this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B. Similar partitioning was used in the qualification database size.

Section 5.2 describes the distribution of tables and logs across all media.

2.4 Replication

Any replication of physical objects must be disclosed and must conform to the requirements of Clause 1.5.6.

No replication was used.

3 Clause 2 Queries and Refresh Functions

3.1 Query Language

The query language used to implement the queries must be identified.

SQL was the query language used to implement all queries.

3.2 Verifying Method for Random Number Generation

The method of verification for the random number generation must be described unless the supplied DBGEN and QGEN were used.

TPC supplied versions 1.3.0 of DBGEN and QGEN were used for this TPC-H benchmark.

3.3 Generating Values for Substitution Parameters

The method used to generate values for substitution parameters must be disclosed. If QGEN is not used for this purpose, then the source code of any non-commercial tool used must be disclosed. If QGEN is used, the version number, release number, modification number, and patch level of QGEN must be disclosed.

QGEN version 1.3.0 was used to generate the substitution parameters.

3.4 Query Text and Output Data from Qualification Database

The executable query text used for query validation must be disclosed along with the corresponding output data generated during the execution of the query text against the qualification database. If minor modifications (see Clause 2.2.3) have been applied to any functional query definition or approved variants in order to obtain executable query text, these modifications must be disclosed and justified. The justification for a particular minor query modification can apply collectively to all queries for which it has been used. The output data for the power and throughput tests must be made available electronically upon request.

- Appendix C contains the actual query text and query output.

3.5 Query Substitution Parameters and Seeds Used

The query substitution parameters used for all performance tests must be disclosed in tabular format, along with the seeds used to generate these parameters.

Appendix E contains the seed and query substitution parameters.

3.6 Query Isolation Level

The isolation level used to run the queries must be disclosed. If the isolation level does not map closely to the levels defined in Clause 3.4, additional descriptive detail must be provided.

The queries and transactions were run with the isolation level set to "Level 3" (repeatable read).

3.7 Source Code of Refresh Functions

The details of how the refresh functions were implemented must be disclosed (including source code of any non-commercial program used).

The refresh function is part of the implementation-specific layer/driver code included in Appendix F.

4 Clause 3 Database System Properties

4.1 ACID Properties

The ACID (Atomicity, Consistency, Isolation, and Durability) properties of transaction processing systems must be supported by the system under test during the timed portion of this benchmark. Since TPC-H is not a transaction processing benchmark, the ACID properties must be evaluated outside the timed portion of the test.

Source code for ACID test is included in Appendix C.

4.2 Atomicity

The system under test must guarantee that transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially completed operations leave any effects on the data.

Completed Transaction

Perform the ACID Transaction for a randomly selected set of input data and verify that the appropriate rows have been changed in the ORDERS, LINEITEM, and HISTORY tables.

1. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1.
3. The ACID Transaction committed.
4. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had been changed.

Aborted Transaction

Perform the ACID Transaction for a randomly selected set of input data, substituting a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the appropriate rows have not been changed in the ORDERS, LINEITEM, and HISTORY tables.

1. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1. The transaction was stopped prior to the commit.
3. The ACID Transaction was ROLLED BACK.
4. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had not been changed.

4.3 Consistency

Consistency is the property of the application that requires any execution of transactions to take the database from one consistent state to another.

Consistency Test

Verify that ORDERS and LINEITEM tables are initially consistent, submit the prescribed number of ACID Transactions with randomly selected input parameters, and re-verify the consistency of the ORDERS and LINEITEM.

1. The consistency of the ORDERS and LINEITEM tables was verified based on a sample of order keys.
2. 100 ACID Transactions were submitted from each of 8 execution streams.
3. The consistency of the ORDERS and LINEITEM tables was re-verified.

4.4 Isolation

Operations of concurrent transactions must yield results, which are indistinguishable from the results, which would be obtained by forcing each transaction to be serially executed to completion in some order.

Read-Write Conflict with Commit

Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is committed.

1. An ACID Transaction was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID Transaction was suspended prior to COMMIT.
2. An ACID Query was started for the same O_KEY used in step 1. The ACID Query blocked and did not see any uncommitted changes made by the ACID Transaction.
3. The ACID Transaction was resumed, and COMMITTED.
4. The ACID Query completed. It returned the data as committed by the ACID Transaction.

Read-Write Conflict with Rollback

Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is rolled back.

1. An ACID Transaction was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID Transaction was suspended prior to ROLLBACK.
2. An ACID Query was started for the same O_KEY used in step 1. The ACID Query did not see the uncommitted changes made by the ACID Transaction.
3. The ACID Transaction was ROLLED BACK.
4. The ACID Query completed.

Write-Write Conflict with Commit

Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is committed.

1. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID transaction T1 was suspended prior to COMMIT.
2. Another ACID Transaction, T2, was started using the same O_KEY and L_KEY and a randomly selected DELTA.
3. T2 waited.
4. T1 was allowed to COMMIT and T2 completed.
5. It was verified that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE + (DELTA1 * (T1.L_EXTENDEDPRICE / T1.L_QUANTITY))$

Write-Write Conflict with Rollback

Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is rolled back.

1. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID transaction T1 was suspended prior to ROLLBACK.
2. Another ACID Transaction, T2, was started using the same O_KEY and L_KEY and a randomly selected DELTA.
3. T2 waited.
4. T1 was allowed to ROLLBACK and T2 completed.
5. It was verified that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE$.

Concurrent Progress of Read and Write on Different Tables

Demonstrate the ability of read and write transactions affecting different database tables to make progress concurrently.

1. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. T1 was suspended prior to COMMIT.

2. Another ACID transaction, T2 was started using random values for PS_PARTKEY and PS_SUPPKEY, all columns of the PARTSUPP table for which PS_PARTKEY and PS_SUPPKEY are equal are returned.
3. ACID Transaction T2 completed.
4. T1 was allowed to COMMIT.
5. It was verified that the appropriate rows in the ORDER, LINEITEM, and HISTORY tables have been changed.

Read-Only Query Conflict with Update Transactions

Demonstrates that the continuous submission of arbitrary (read-only) queries against one or more tables of the database does not indefinitely delay update transactions affecting those tables from making progress.

1. A Transaction, T1, was started which executed Q1 against the qualification database, was started using a randomly selected DELTA.
2. An ACID Transaction, T2, was started for a randomly selected O_KEY, L_KEY and DELTA.
3. T2 completed and appropriate rows in the ORDERS, LINEITEM and HISTORY tables had been changed.
4. Transaction T1 completed executing Q1.

4.5 Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transactions and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

Failure of a Durable Medium

Guarantee the database and committed updates are preserved across a permanent irrecoverable failure of any single durable medium containing TPC-H database tables or recovery log tables.

The disks containing TPC-H tables and log files were on RAID 1/0 protected disk groups. During the durability test, one disk was removed from each RAID group containing the data and the log. The test continued uninterrupted, because of the RAID protection.

System Crash

Guarantee the database and committed updates are preserved across an instantaneous interruption (system crash/system hang) in processing which requires the system to reboot to recover.

The system crash and memory failure tests were combined. Power to the servers was turned off during the durability test. When power was restored, the system rebooted and the database was restarted. The durability success file and the HISTORY table were compared and the counts matched.

Memory Failure

Guarantee the database and committed updates are preserved across failure of all or part of memory (loss of contents).

See the previous section.

5 Clause 4 Scaling and Database Population

5.1 Ending Cardinality of Tables

The cardinality (e.g., the number of rows) of each table of the test database, as it existed at the completion of the database load (see clause 4.2.5) must be disclosed.

Table	Cardinality
ORDER	4,500,000,000
LINEITEM	18,000,048,306
CUSTOMER	450,000,000
PART	600,000,000
SUPPLIER	30,000,000
PARTSUPP	2,400,000,000
NATION	25
REGION	5

5.2 Distribution of Tables and Logs Across Media

On each VA7100 array, several LUNs were created in RAID 1/0 mode.

These LUNs were for:

- flat-files
- swap
- lineitem + other tables
- partsupp table
- custkey index
- okey index
- lkey index
- temp
- misc (logs/sys/default, etc).

12 logical volumes were created across the 96 arrays with 8 LUNs in each volume group. Each of these volume groups was divided into 17 lvols. For lineitem table, 14 of these lvols from each of the 12 volume groups was used as an independent Oracle tablespace (168 in all).

The remaining 3 lvols from each of the 12 volume groups was used as an Oracle tablespace for loading orders and other tables (12 tablespaces total).

For partsupp and indexes, 12 volume groups each across 8 LUNs were created. A single Oracle tablespace with 12 datafiles each (one from each volume group) was used for partsupp table. A similar configuration was used for the indexes, across all arrays. 1 volume group was used for temp space. This was split into 70 datafiles in one tablespace. Sys/default/undo/logs were also created out of this tablespace.

5.3 Database Partition/Replication Mapping

The mapping of database partitions/replications must be explicitly described.

Horizontal partitioning was used for all base and index tables except NATION and REGION. The details of this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B. Similar partitioning was used in the qualification database size.

Section 5.2 describes the distribution of tables and logs across all media..

5.4 RAID Feature

Implementation may use some form of RAID to ensure high availability. If used for data, auxiliary storage (e.g. indexes) or temporary space, the level of RAID must be disclosed for each device.

RAID1/0 was used for log, data, temp, index, and all storage disks.

5.5 DBGEN Modification

Any modifications to the DBGEN (see clause 4.2.1) source code must be disclosed. In the event that a program other than DBGEN was used to populate the database, it must be disclosed in its entirety.

The supplied DBGEN version 1.3.0 was not modified to generate the database population for this benchmark.

5.6 Database Load Time

The database load time for the test database (see clause 4.3) must be disclosed.

The database load time was 08:48

5.7 Data Storage Ratio

The data storage ratio must be disclosed. It is computed as the ratio between the total amount of priced disk space, and the chosen test database size as defined in Clause 4.1.3.

The data storage ratio is computed from the following information:

Type	Quantity	Disk Size	Total
1 hp surestore disk system 2100	3	18	54
99 SureStore VA7100	1485	18	26,730.0
TOTAL			26,784.0
Scale Factor			3,000
Storage Ratio			8.93

5.8 Database Load Mechanism Details and Illustration


The details of the database load must be described, including a block diagram illustrating the overall process.

The database was loaded using data generation stored on the flat files all on the tested and priced configuration

5.9 Qualification Database Configuration

Any differences between the configuration of the qualification database and the test database must be disclosed.

The qualification database used identical scripts to create and load the data with changes to adjust for the database scale factor.



6 Clause 5 Performance Metrics and Execution-Rules

6.1 System Activity Between Load and Performance Tests

Any system activity on the SUT that takes place between the conclusion of the load test and the beginning of the performance test must be fully disclosed.

A script was run to display the hardware configurations of the SUT.

Auditor requested queries were run against the database to verify the correctness of the database load.

The database was restarted.

All scripts and queries used are included in Appendix E.

6.2 Steps in the Power Test

The details of the steps followed to implement the power test (e.g., system boot, database restart, etc.) must be disclosed.

The following steps were used to implement the power test:

1. Database started
2. RF1 Refresh Transaction
3. Stream 00 Execution
4. RF2 Refresh Transaction

6.3 Timing Intervals for Each Query and Refresh Functions

The timing intervals for each query for both refresh functions must be reported for the power test.

The timing intervals for each query and both update functions are given in the Numerical Quantities Summary earlier in this document.

6.4 Number of Streams for the Throughput Test

The number of execution streams used for the throughput test must be disclosed.

8 streams were used for the throughput test.

6.5 Start and End Date/Time of Each Query Stream

The start time and finish time for each query stream must be reported for the throughput test.

The throughput test start time and finish time for each stream are given in the Numerical Quantities Summary earlier in this document.

6.6 Total Elapsed Time of the Measurement Interval

The total elapsed time of the measurement interval must be reported for the throughput test.

The total elapsed time of the throughput test is given in the Numerical Quantities Summary earlier in this document.

6.7 Refresh Function Start Date/Time and Finish Date/Time

Start and finish time for each update function in the update stream must be reported for the throughput test.

The start and finish time for each refresh function in the refresh stream are given in the Numerical Quantities Summary earlier in this document.

6.8 Timing Intervals for Each Query and Each Refresh Function for Each Stream

The timing intervals for each query of each stream and for each refresh function must be reported for the throughput test.

The timing intervals for each query and each update function are given in the Numerical Quantities Summary earlier in this document.

6.9 Performance Metrics

The computed performance metric, related numerical quantities and price performance metric must be reported.

The performance metrics, and the numbers, on which they are based, is given in the Numerical Quantities Summary earlier in this document.

6.10 The Performance Metric and Numerical Quantities from Both Runs

The performance metric and numerical quantities from both runs must be disclosed.

Performance results from the first two executions of the TPC-H benchmark indicated the following percent difference for the metric points:

	QppH@3000GB	QthH@3000GB	QphH@3000GB
Reported Run	37452.5	19600.9	27094.3
Reproducibility Run	37743.5	20076.5	27527.4
% Difference	0.8%	2.4%	1.6%

6.11 System Activity Between Performance Tests

Any activity on the SUT that takes place between the conclusion of the Reported Run and the beginning of Reproducibility Run must be disclosed.

The database was restarted between the two runs.

7 Clause 6 SUT and Driver Implementation Related Items

7.1 Driver

A detailed description of how the driver performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the driver.

All stream executions are performed by a single script. QGEN is used to produce query text.

For each power-test run:

- The SQL for RF1 is submitted to the database
- Then the queries as generated by QGEN are submitted in the order defined by Clause 5.3.5.4
- The SQL for RF2 is submitted to the database.

7.2 Implementation-Specific Layer (ISL)

If an implementation specific layer is used, then a detailed description of how it performs its functions must be provided. All related source code, scripts and configuration files must be disclosed. The information provided should be sufficient for an independent reconstruction of the implementation specific layer.

The source code for the "qexec" utility can be found in Appendix E.

7.3 Profile-Directed Optimization

If profile-directed optimization as described in Clause 5.2. is used, such use must be disclosed..

Profile-directed optimization subject to the requirements of 5.2.9 and 5.2.10 was not used.

8 Clause 7 Pricing

8.1 Hardware and Software Used in the Priced System

A detailed list of hardware and software used in the priced system must be reported. Each item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package pricing is used, contents of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported.

A detailed list of hardware and software used in the priced system is included in the pricing sheet in the executive summary. All prices are currently effective.

8.2 Total Three Year Price

The total 3-year price of the entire configuration must be reported including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

A detailed pricing sheet of all the hardware and software used in this configuration and the 3-year maintenance costs, demonstrating the computation of the total 3-year price of the configuration, is included in the executive summary at the beginning of this document.

8.3 Availability Date

The committed delivery date for general availability of products used in the priced calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

Availability Dates:

Server Hardware	Available Now
Server Software	Available Now
Storage	Available Now
Database Manager (Oracle9i Database Enterprise Edition with Partitioning 9.2.0.2.0)	October 30, 2002

9 Clause 8 Auditor's Information and Attestation Letter

9.1 Auditor's Report

The auditor's agency name, address, phone number, and Attestation letter with a brief audit summary report indicating compliance must be included in the full disclosure report. A statement should be included specifying who to contact in order to obtain further information regarding the audit process.

This implementation of the TPC Benchmark H was audited by Brad Askins for InfoSizing. Further information regarding the audit process may be obtained from:

Brad Askins
InfoSizing
18 Varick Road
(617) 984-8477
(650) 949-1352

The auditor's attestation letter is included at the front of this report.

10 Report Availability

Requests for this TPC Benchmark H Full Disclosure Report should be sent to:

Transaction Processing Performance Council

404 Balboa Street
San Francisco, CA 94118
Voice: 415-750-8260
Fax: 415-751-4829

or your local Hewlett-Packard sales office

Appendix A Parameter Settings

A.1 init_build.ora

```

audit_trail          = FALSE
compatible          = 9.0.0.0
control_files        =
(/dbms/oracle9i/dbs/control1,/dbms/oracle9i/dbs/
control2)
db_block_buffers     = 10000
db_block_size        = 8192
db_file_multiblock_read_count = 32
db_files             = 1200
db_name              = 1tb
db_writer_processes = 4
dml_locks            = 40000
enqueue_resources   = 40000
global_names         = FALSE
instance_name        = tpch
large_pool_size      =
2000000000
max_dump_file_size  = 25000
nls_date_format     = YYYY-MM-DD
open_cursors         = 1024
optimizer_mode       = CHOOSE
parallel_execution_message_size = 16384
parallel_max_servers = 512
parallel_min_servers = 32
sort_area_size       = 30000000
hash_area_size       = 70000000
processes            = 800
max_rollback_segments = 516
sessions             = 800
shared_pool_size     = 200000000
transaction_auditing = FALSE
transactions         = 512
undo_management     = auto

```

A.2 init_run.ora

```

fast_start_io_target = 61000
statistics_level    = BASIC
audit_trail          = FALSE
compatible          = 9.0.0.0
control_files        =
(/dbms/oracle9i/dbs/control1,/dbms/oracle9i/dbs/
control2)
cpu_count            = 64
db_block_checksum    = false
db_block_size        = 8192
db_cache_size        = 20g
db_file_multiblock_read_count = 256
db_files             = 1200
db_name              = 1tb
db_writer_processes = 20
dml_locks            = 40000
enqueue_resources   = 40000
global_names         = FALSE
instance_name        = tpch
large_pool_size      =
3000000000
log_buffer           = 33554432
log_checkpoints_to_alert = true
max_dump_file_size  = 25000
max_rollback_segments = 516

```

```

nls_date_format      = YYYY-MM-DD
open_cursors          = 1024
optimizer_features_enable = 9.2.0.1
optimizer_index_cost_adj = 50
optimizer_mode        = CHOOSE
parallel_adaptive_multi_user = TRUE
parallel_automatic_tuning = TRUE
parallel_execution_message_size = 16384
parallel_max_servers = 1024
parallel_min_servers = 1024
pga_aggregate_target = 90g
processes             = 1500
query_rewrite_enabled = true
recovery_parallelism = 32
replication_dependency_tracking = false
sessions              = 800
shared_pool_size      = 200000000
transaction_auditing = FALSE
transactions          = 512
undo_management      = auto
undo_retention        = 200000

```

A.3 system

```

*****
* Source: /ux/core/kern/filesets.info/CORE-
KRN/generic
* @(#) vw: -f      selectors: -- ph_ic20_i80
'CUPI80_IC20' 'BE11.11_IC20'
*
*****
* Additional drivers required in every machine-
type to create a complete
* system file during cold install. This list is
every driver that the
* master.d/ files do not force on the system or
is not identifiable by
* ioscan.
* Other CPU-type specific files can exist for
their special cases.
* see create_sysfile (1m).
*****
*
* Drivers/Subsystems
sba
lba
asio0
c720
sctl
sdisk
cdfs
cxperf
olar_psm
olar_psm_if
dev_olar
hd_fabric
diag0
diag1
diag2
dmem
dev_config
nfs_core
nfs_client
nfs_server
btlan
maclan
dlpi
token_arp

```

```

inet                         msgmni      100
uipc                         msgseg      2048
tun                          msgtql      100
telm                         unlockable_mem 1
tels                          swapmem_on 0
netdiag1                     maxdsiz_64bit 0x80000000
nms                           maxssiz_64bit 0x80000000
hpstreams
clone
strlog
sad
echo
sc
timod
tirdwr
pipedev
pipemod
ffs
ldterm
ptem
pts
ptm
pckt
fddi4
gelan
GSCtoPCI
vxfs
vxportal
lvm
lv
nfsm
rpcmod
autofsc
cachefsc
cifs
td
dump lvol
asyncdsk
coke
*
STRMSGSZ          65535
maxvgs            99
nstrpty           60
maxfiles          4096
maxfiles_lim     4096
nflocks           2048
bufpages          50000
eqmemsize         512
maxusers          32
maxuprc           2048
max_async_ports  2048
nproc              3000
nhtbl_scale       1
swchunk           16384
maxswapchunks    32768
nswapdev          40
nfile             400000
ninode            120000
npty               20
shmmni            2048
semnni             4000
semnns             2048
semnnmu            2048
semvmx             32768
shmmax             0x400000000000
shmseg             200
maxssiz            0x10000000
maxdsiz            0x40000000
timezone          480
msgmni           100
msgseg           2048
msgtql           100
unlockable_mem   1
swapmem_on        0
maxdsiz_64bit    0x80000000
maxssiz_64bit    0x80000000

```

A.4 profile

```

stty erase "^H" kill "^X" intr "^C" eof "^D"
susp "^z"
export EDITOR=/usr/bin/vi
export ORACLE_HOME=/dbms/oracle9i/oracle9i_0322
export ORACLE_SID=tpch
#export ORACLE_SID=lg
echo 'ORACLE_SID is tpch'
#echo 'ORACLE_SID is lg'
export
SHLIB_PATH=/dbms/oracle9i/oracle9i_0322/lib32:/d
bms/oracle9i/oracle9i_0322/lib:/dbms/oracle9i/or
acle9i_0322/rdbms/lib:/dbms/oracle9i/oracle9i_03
22/network/lib
export
LD_LIBRARY_PATH=/dbms/oracle9i/oracle9i_0322/lib
64:/dbms/oracle9i/oracle9i_0322/rdbms/lib:/dbms/
oracle9i/oracle9i_0322/network/lib64
export SAVEHIST=2049
export FRAME_PATH=/dbms/oracle9i/frame
export O=/dbms/oracle9i/oracle9i_0322
export ORACLE_PATH=/dbms/oracle9i/frame/tools
export PS1=`whoami`-(hpgsp15)> "

export
PATH=./:/dbms/oracle9i/oracle9i_0322:/dbms/orac
le9i/oracle9i_0322/lib:/dbms/oracle9i/oracle9i_0
322/bin:/dbms/oracle9i/frame/bin:/dbms/oracle9i/
frame:/dbms/oracle9i/tools/bin:/tools/Tusc:/dbms
/tpcd_v8/bumpx/bumpx:/dbms/tpcd_v8/bumpx/dbgen:/
dbms/tpcd_v8/out/scripts:/opt/ansic/bin:/opt/lan
gtools/bin:/sbin:/usr/sbin::/bin:/usr/bin:/usr/
local/bin:/usr/contrib/bin:/etc:/usr/include:/db
ms/oracle9i/kit:/dbms/oracle9i/kit/bumpx:/dbms/o
racle9i/local/TestIO
alias tpch="cd
/dbms/oracle9i/kit/schema/8.1.7/unix/1TB"

alias ltt="ls -ltr |tail -30"
alias cd_h="cd /dbms/oracle9i/kit/schema/9i"
alias ltm="ls -lt |more"
alias pso="ps -ef | grep ora | grep -v sleep"
alias pso_hc="ps -fu oracle | sort -n -k2"
alias setterm="TERM=dtterm;export TERM"
alias taillog="tail -f
/dbms/oracle9i/oracle9i_0322/rdbms/log/alert_tpc
h.log"

umask 002
export KIT_DIR=/dbms/oracle9i/kit

```

Appendix B Build Programs and Scripts

B.1 3TB.DAT

```
#####
##### preprocessing-like directives
# preprocessing-like directives

%b-preproc

*sql
\echo "{}" > script*getenv(BUMPX_CTR).sql
\sqlplus /NOLOG <<!
\set echo on;
\set timing on;
\set termout on;
\connect / as sysdba;
\select to_char(sysdate, 'MM-DD-YYYY
HH24:MI:SS') now from dual;
@\script*getenv(BUMPX_CTR).sql;
\select to_char(sysdate, 'MM-DD-YYYY
HH24:MI:SS') now from dual;
\exit;
\!
\bin/rm script*getenv(BUMPX_CTR).sql;

*load3
\echo '#!/bin/csh' >
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\echo 'setenv ORACLE_HOME
/export/home/oracle/oracle817' >>
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\echo 'setenv ORACLE_SID inst2' >>
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\echo 'setenv PATH
${PATH}: ${ORACLE_HOME}/rdbms/bin:${ORACLE_HOME}/
bin' >>
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\echo 'setenv LD_LIBRARY_PATH
${ORACLE_HOME}/rdbms/lib:${ORACLE_HOME}/lib:"$LD
_LIBRARY_PATH"' >>
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\echo "sqlldr {}" >>
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\chmod a+x
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
\rpc
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh
rep2:/export/home/oracle/kit/load/scripts/
\rsh -n rep2
/export/home/oracle/kit/load/scripts/load1_*gete
nv(BUMPX_CTR).sh

*load1
\sqlldr {}

*load2

\sqlldr {}

*mknod
\mknod {}

*dbgen
\dbgen {}

*sh
\{}

%e-preproc
%b-dbcre
*bgon=1
#####
##### Database Creation Phase
*sql
{
shutdown abort;
}
*wait
# creating database and undo tablespace
*sql
{
startup pfile=
/dbms/oracle9i/oracle9i_0829/dbs/init_build.ora
nomount;
create database
controlfile reuse
logfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/log1
' size 32255m reuse,
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/log2
' size 32255m reuse
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/sys_
1' size 1535m reuse
undo tablespace ts_undo
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo_
1' size 32255m reuse
maxdatafiles 4000
maxinstances 1
;
}
*wait
# building data dictionary
*sql
{
set termout off
set echo off
spool /tmp/cat
@?/rdbms/admin/catalog.sql;
@?/rdbms/admin/catparr.sql;
@?/rdbms/admin/catproc.sql;
connect system/manager
@?/rdbms/admin/utlxplan.sql;
connect system/manager
@/dbms/oracle8/sqlplus/admin/pupbld.sql;
spool off
}
*wait
*bgooff
%e-dbcre
%b-sctso
*bgon=200
#####
#####
```

```

# Schema Creation Phase - datafiles only (no
tables or users)
# creating data tablespaces, datafiles
# creating tpch's ts_one tablespace

*sql
{
drop tablespace ts_default including contents;
create tablespace ts_default
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/defa
ult_1' size 3071m reuse
extent management dictionary default
autoallocate
;
}
*sql
{
drop tablespace ts_11 including contents;
create tablespace ts_11
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_1' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_12 including contents;
create tablespace ts_12
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_2' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_13 including contents;
create tablespace ts_13
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_3' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_14 including contents;
create tablespace ts_14
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_4' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_15 including contents;
create tablespace ts_15
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_5' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_16 including contents;
create tablespace ts_16
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_6' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_17 including contents;
create tablespace ts_17
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_7' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_18 including contents;
create tablespace ts_18
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_8' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_19 including contents;
create tablespace ts_19
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_9' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_110 including contents;
create tablespace ts_110
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_10' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_111 including contents;
create tablespace ts_111
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_11' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_112 including contents;
create tablespace ts_112
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_12' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_113 including contents;
create tablespace ts_113
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_13' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_114 including contents;
create tablespace ts_114
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_14' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_115 including contents;
create tablespace ts_115
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_15' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_116 including contents;
create tablespace ts_116
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_16' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_117 including contents;
create tablespace ts_117
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_17' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_118 including contents;
create tablespace ts_118
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_18' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_119 including contents;
create tablespace ts_119
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_19' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_120 including contents;
create tablespace ts_120
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_20' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_121 including contents;
create tablespace ts_121
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_21' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_122 including contents;
create tablespace ts_122
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_22' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_123 including contents;
create tablespace ts_123
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_23' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_124 including contents;
create tablespace ts_124
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_24' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_125 including contents;
create tablespace ts_125
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_25' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_126 including contents;
create tablespace ts_126
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_26' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_127 including contents;
create tablespace ts_127
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_27' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_128 including contents;
create tablespace ts_128
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_28' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_129 including contents;
create tablespace ts_129
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_29' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_130 including contents;
create tablespace ts_130
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_30' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_131 including contents;
create tablespace ts_131
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_31' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_132 including contents;
create tablespace ts_132
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_32' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_133 including contents;
create tablespace ts_133
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_33' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_134 including contents;
create tablespace ts_134
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_34' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_135 including contents;
create tablespace ts_135
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_35' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_136 including contents;
create tablespace ts_136
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_36' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_137 including contents;
create tablespace ts_137
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_37' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_138 including contents;
create tablespace ts_138
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_38' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_139 including contents;
create tablespace ts_139
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_39' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_140 including contents;
create tablespace ts_140
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_40' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_141 including contents;
create tablespace ts_141
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_41' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_142 including contents;
create tablespace ts_142
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_42' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_143 including contents;
create tablespace ts_143
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_43' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_144 including contents;
create tablespace ts_144
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_44' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_145 including contents;
create tablespace ts_145
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_45' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_146 including contents;
create tablespace ts_146
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_46' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_147 including contents;
create tablespace ts_147
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_47' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_148 including contents;
create tablespace ts_148
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_48' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_149 including contents;
create tablespace ts_149
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_49' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_150 including contents;
create tablespace ts_150
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_50' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_151 including contents;
create tablespace ts_151
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_51' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_152 including contents;
create tablespace ts_152
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_52' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_153 including contents;
create tablespace ts_153
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_53' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_154 including contents;
create tablespace ts_154
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_54' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_155 including contents;
create tablespace ts_155
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_55' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_156 including contents;
create tablespace ts_156
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_56' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_157 including contents;
create tablespace ts_157
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_57' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_158 including contents;
create tablespace ts_158
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_58' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_159 including contents;
create tablespace ts_159
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_59' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_160 including contents;
create tablespace ts_160
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_60' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_161 including contents;
create tablespace ts_161
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_61' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_162 including contents;
create tablespace ts_162
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_62' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_163 including contents;
create tablespace ts_163
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_63' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_164 including contents;
create tablespace ts_164
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_64' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_165 including contents;
create tablespace ts_165
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_65' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_166 including contents;
create tablespace ts_166
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_66' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_167 including contents;
create tablespace ts_167
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_67' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_168 including contents;
create tablespace ts_168
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_68' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_169 including contents;
create tablespace ts_169
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_69' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_170 including contents;
create tablespace ts_170
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_70' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_171 including contents;
create tablespace ts_171
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_71' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_172 including contents;
create tablespace ts_172
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_72' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_173 including contents;
create tablespace ts_173
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_73' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_174 including contents;
create tablespace ts_174
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_74' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_175 including contents;
create tablespace ts_175
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_75' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_176 including contents;
create tablespace ts_176
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_76' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_177 including contents;
create tablespace ts_177
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_77' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_178 including contents;
create tablespace ts_178
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_78' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_179 including contents;
create tablespace ts_179
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_79' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_180 including contents;
create tablespace ts_180
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_80' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_181 including contents;
create tablespace ts_181
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_81' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_182 including contents;
create tablespace ts_182
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_82' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_183 including contents;
create tablespace ts_183
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_83' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_184 including contents;
create tablespace ts_184
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_84' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_185 including contents;
create tablespace ts_185
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_85' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_186 including contents;
create tablespace ts_186
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_86' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_187 including contents;
create tablespace ts_187
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_87' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_188 including contents;
create tablespace ts_188
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_88' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_189 including contents;
create tablespace ts_189
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_89' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_190 including contents;
create tablespace ts_190
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_90' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_191 including contents;
create tablespace ts_191
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_91' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_192 including contents;
create tablespace ts_192
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_92' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_193 including contents;
create tablespace ts_193
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_93' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_194 including contents;
create tablespace ts_194
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_94' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_195 including contents;
create tablespace ts_195
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_95' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_196 including contents;
create tablespace ts_196
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_96' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_197 including contents;
create tablespace ts_197
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_97' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_198 including contents;
create tablespace ts_198
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_98' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_199 including contents;
create tablespace ts_199
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_99' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1100 including contents;
create tablespace ts_1100
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_100' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1101 including contents;
create tablespace ts_1101
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_101' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1102 including contents;
create tablespace ts_1102
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_102' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1103 including contents;
create tablespace ts_1103
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_103' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1104 including contents;
create tablespace ts_1104
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_104' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1105 including contents;
create tablespace ts_1105
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_105' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1106 including contents;
create tablespace ts_1106
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_106' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1107 including contents;
create tablespace ts_1107
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_107' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1108 including contents;
create tablespace ts_1108
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_108' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1109 including contents;
create tablespace ts_1109
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_109' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1110 including contents;
create tablespace ts_1110
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_110' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1111 including contents;
create tablespace ts_1111
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_111' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1112 including contents;
create tablespace ts_1112
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_112' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1113 including contents;
create tablespace ts_1113
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_113' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1114 including contents;
create tablespace ts_1114
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_114' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1115 including contents;
create tablespace ts_1115
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_115' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1116 including contents;
create tablespace ts_1116
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_116' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1117 including contents;
create tablespace ts_1117
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_117' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1118 including contents;
create tablespace ts_1118
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_118' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1119 including contents;
create tablespace ts_1119
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_119' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1120 including contents;
create tablespace ts_1120
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_120' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1121 including contents;
create tablespace ts_1121
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_121' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1122 including contents;
create tablespace ts_1122
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_122' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1123 including contents;
create tablespace ts_1123
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_123' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1124 including contents;
create tablespace ts_1124
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_124' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1125 including contents;
create tablespace ts_1125
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_125' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1126 including contents;
create tablespace ts_1126
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_126' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1127 including contents;
create tablespace ts_1127
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_127' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1128 including contents;
create tablespace ts_1128
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_128' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1129 including contents;
create tablespace ts_1129
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_129' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1130 including contents;
create tablespace ts_1130
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_130' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1131 including contents;
create tablespace ts_1131
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_131' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1132 including contents;
create tablespace ts_1132
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_132' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1133 including contents;
create tablespace ts_1133
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_133' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1134 including contents;
create tablespace ts_1134
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_134' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1135 including contents;
create tablespace ts_1135
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_135' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1136 including contents;
create tablespace ts_1136
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_136' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1137 including contents;
create tablespace ts_1137
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_137' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1138 including contents;
create tablespace ts_1138
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_138' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1139 including contents;
create tablespace ts_1139
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_139' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1140 including contents;
create tablespace ts_1140
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_140' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1141 including contents;
create tablespace ts_1141
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_141' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1142 including contents;
create tablespace ts_1142
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_142' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_1143 including contents;
create tablespace ts_1143
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_143' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1144 including contents;
create tablespace ts_1144
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_144' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1145 including contents;
create tablespace ts_1145
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_145' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1146 including contents;
create tablespace ts_1146
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_146' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1147 including contents;
create tablespace ts_1147
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_147' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1148 including contents;
create tablespace ts_1148
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_148' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1149 including contents;
create tablespace ts_1149
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_149' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1150 including contents;
create tablespace ts_1150
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_150' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1151 including contents;
create tablespace ts_1151
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_151' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1152 including contents;
create tablespace ts_1152
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_152' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1153 including contents;
create tablespace ts_1153
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_153' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1154 including contents;
create tablespace ts_1154
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_154' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1155 including contents;
create tablespace ts_1155
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_155' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1156 including contents;
create tablespace ts_1156
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_156' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1157 including contents;
create tablespace ts_1157
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_157' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1158 including contents;
create tablespace ts_1158
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_158' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1159 including contents;
create tablespace ts_1159
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_159' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1160 including contents;
create tablespace ts_1160
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_160' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1161 including contents;
create tablespace ts_1161
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_161' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1162 including contents;
create tablespace ts_1162
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_162' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1163 including contents;
create tablespace ts_1163
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_163' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1164 including contents;
create tablespace ts_1164
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_164' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1165 including contents;
create tablespace ts_1165
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_165' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1166 including contents;
create tablespace ts_1166
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_166' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*/
*sql
{
drop tablespace ts_1167 including contents;
create tablespace ts_1167
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line
_167' size 19455m reuse

```

```

extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_l168 including contents;
create tablespace ts_l168
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/line_
_168' size 19455m reuse
extent management dictionary default storage
(initial 720m next 20m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o1 including contents;
create tablespace ts_o1
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
1' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o2 including contents;
create tablespace ts_o2
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
3' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o3 including contents;
create tablespace ts_o3
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
5' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o4 including contents;
create tablespace ts_o4
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
7' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o5 including contents;
create tablespace ts_o5
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
9' size 29183m reuse

```

```

extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o6 including contents;
create tablespace ts_o6
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
11' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o7 including contents;
create tablespace ts_o7
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
13' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o8 including contents;
create tablespace ts_o8
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
15' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o9 including contents;
create tablespace ts_o9
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
17' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o10 including contents;
create tablespace ts_o10
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
19' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o11 including contents;
create tablespace ts_o11
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
21' size 29183m reuse

```

```

extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_o12 including contents;
create tablespace ts_o12
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
23' size 29183m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r1 including contents;
create tablespace ts_r1
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
1' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r2 including contents;
create tablespace ts_r2
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
2' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r3 including contents;
create tablespace ts_r3
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
3' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r4 including contents;
create tablespace ts_r4
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
4' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r5 including contents;
create tablespace ts_r5
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
5' size 19967m reuse

```

```

extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r6 including contents;
create tablespace ts_r6
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
6' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r7 including contents;
create tablespace ts_r7
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
7' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r8 including contents;
create tablespace ts_r8
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
8' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r9 including contents;
create tablespace ts_r9
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
9' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r10 including contents;
create tablespace ts_r10
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
10' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
*sql
{
drop tablespace ts_r11 including contents;
create tablespace ts_r11
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_-
11' size 19967m reuse

```

```

extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
/*sql
{
drop tablespace ts_r12 including contents;
create tablespace ts_r12
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/rst_
12' size 19967m reuse
extent management dictionary default storage
(initial 160m next 10m maxextents unlimited
pctincrease 0)
;
}
/*sql
{
drop tablespace ts_okey including contents;
create tablespace ts_okey
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_1' size 14847m reuse
extent management local
uniform size 60M
;
}
/*sql
{
drop tablespace ts_custkey including contents;
create tablespace ts_custkey
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_1' size 5119m reuse
extent management local
uniform size 60M
;
}
/*sql
{
drop tablespace ts_lokey including contents;
create tablespace ts_lokey
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_1' size 20479m reuse
extent management local
uniform size 75M
;
}
/*sql
{
drop tablespace ts_pspp1 including contents;
create tablespace ts_pspp1
datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_1' size 19583m reuse
extent management dictionary default storage
(initial 1100m next 50m maxextents unlimited
pctincrease 0)
;
}
# creating tpch's ts_temp tablespace
/*sql
{
drop tablespace ts_temp including contents;
create temporary tablespace ts_temp
tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_1' size 16895m reuse
extent management local
uniform size 75M
;
}
/*wait
# adding tablespace datafiles
/*sql
{
alter tablespace ts_o1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
2' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o2
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
4' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o3
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
6' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o4
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
8' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o5
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
10' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o6
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
12' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o7
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
14' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o8
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
16' size 29183m reuse
;
}
/*sql
{
alter tablespace ts_o9

```

```

add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
18' size 29183m reuse
;
}
*/
*sql
{
alter tablespace ts_o10
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
20' size 29183m reuse
;
}
*/
*sql
{
alter tablespace ts_o11
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
22' size 29183m reuse
;
}
*/
*sql
{
alter tablespace ts_o12
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/ord_
24' size 29183m reuse
;
}
*/
*wait
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_2' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_3' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_4' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_5' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_6' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_7' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_8' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_9' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_10' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_11' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_12' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_13' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_14' size 19583m reuse
;
}
*/
*sql
{
alter tablespace ts_psuppl
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_15' size 19583m reuse
;
}
*/
*sql
{

```

```

alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_16' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_17' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_18' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_19' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_20' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_21' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_22' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_23' size 19583m reuse
;
}
*sql
{
alter tablespace ts_pspp1
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/psup
p_24' size 19583m reuse
;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_2' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_3' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_4' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_5' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_6' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_7' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_8' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_9' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_10' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_11' size 14847m reuse;
}
*sql
{
alter tablespace ts_okey

```

```

add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/okey
_12' size 14847m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_2' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_3' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_4' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_5' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_6' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_7' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_8' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_9' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_10' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey

```

```

add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_11' size 5119m reuse;
}
*sql
{
alter tablespace ts_custkey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/cust
key_12' size 5119m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_2' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_3' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_4' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_5' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_6' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_7' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_8' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
  add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/loke
y_9' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey

```

```

    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_10' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_11' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_12' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_13' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_14' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_15' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_16' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_17' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_18' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_19' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey

```

```

    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_20' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_21' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_22' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_23' size 20479m reuse;
}
*sql
{
alter tablespace ts_lokey
    add datafile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/lokey_24' size 20479m reuse;
}
#adding ts_default
#adding tpch's ts_temp datafiles
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp_2' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp_3' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp_4' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp_5' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp_6' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_7' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_8' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_9' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_10' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_11' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_12' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_13' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_14' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_15' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_16' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_17' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_18' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_19' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_20' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_21' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_22' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_23' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_24' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_25' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_26' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_27' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_28' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_29' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_30' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_31' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_32' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_33' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_34' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_35' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_36' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_37' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_38' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_39' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_40' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_41' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_42' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_43' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_44' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_45' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_46' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_47' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_48' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_49' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_50' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_51' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_52' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_53' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_54' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_55' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_56' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_57' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_58' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_59' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_60' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_61' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_62' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_63' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_64' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_65' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_66' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp

```

```

    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_67' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_68' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_69' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_70' size 16895m reuse;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_71' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_72' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_73' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_74' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_75' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_76' size 16895m reuse
;

}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_77' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_78' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_79' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_80' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_81' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_82' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_83' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_84' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
    add tempfile
' /dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_85' size 16895m reuse
;
}

```

```

}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_86' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_87' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_88' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_89' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_90' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_91' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_92' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_93' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_94' size 16895m reuse
;

}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_95' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_96' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_97' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_98' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_99' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_100' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_101' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_102' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_103' size 16895m reuse
;
}

```

```

}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_104' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_105' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_106' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_107' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_108' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_109' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_110' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_111' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_112' size 16895m reuse
;
}

}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_113' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_114' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_115' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_116' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_117' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_118' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_119' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_120' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_121' size 16895m reuse
;
}

```

```

}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_122' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_123' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_124' size 16895m reuse
;
}
*sql
{
alter tablespace ts_temp
  add tempfile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/temp
_125' size 16895m reuse
;
}
*wait
#adding tpch's ts_undo datafiles
*sql
{
alter tablespace ts_undo
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo
_2' size 32255m reuse;
}
*sql
*sql
{
alter tablespace ts_undo
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo
_3' size 32255m reuse;
}
*sql
{
alter tablespace ts_undo
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo
_4' size 32255m reuse;
}
*sql
{
alter tablespace ts_undo
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo
_5' size 32255m reuse;
}
*sql
{
alter tablespace ts_undo
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo
_6' size 32255m reuse;
}
*sql
{
}
alter tablespace ts_undo
add datafile
'/dbms/oracle9i/oracle9i_0829/dbs/datafiles/undo
_7' size 32255m reuse;
}
*wait
*bgoff
%e-sctso
%b-dapop
*bgon=1
#####
#####
# Schema Creation Phase - User and Tables
# AND Database Population Phase
#
# creating tpch user
*sql
{
shutdown abort;
}
*wait
*sql
{
startup
pfile=/dbms/oracle9i/oracle9i_0829/dbs/init_run.
ora
}
*wait
*sql
{
#drop user tpch cascade;
grant DBA
to tpch identified by tpch;
}
*wait
*sql
{
connect tpch/tpch;
drop directory data_dir;
create directory data_dir as '/flat1';
}
*sql
{
connect tpch/tpch;
drop table l_et;
create table l_et(
  l_shipdate      date ,
  l_orderkey      number ,
  l_discount      number ,
  l_extendedprice number ,
  l_suppkey       number ,
  l_quantity      number ,
  l_returnflag    char(1) ,
  l_partkey       number ,
  l_linenumber    char(1) ,
  l_tax           number ,
  l_commitdate    date ,
  l_receiptdate   date ,
  l_shipmode      char(10) ,
  l_linenumber    number ,
  l_shipinstruct  char(25) ,
  l_comment        varchar(44)
)
organization external (
  type ORACLE_LOADER
  default directory data_dir
  access parameters
  (
    records delimited by newline
    badfile 'l_et.bad'
    logfile 'l_et.log'

```

```

        fields terminated by '|'
        missing field values are null
    )
location (
'lineitem.tbl.1',
'lineitem.tbl.2',
'lineitem.tbl.3',
'lineitem.tbl.4',
'lineitem.tbl.5',
'lineitem.tbl.6',
'lineitem.tbl.7',
'lineitem.tbl.8',
'lineitem.tbl.9',
'lineitem.tbl.10',
'lineitem.tbl.11',
'lineitem.tbl.12',
'lineitem.tbl.13',
'lineitem.tbl.14',
'lineitem.tbl.15',
'lineitem.tbl.16',
'lineitem.tbl.17',
'lineitem.tbl.18',
'lineitem.tbl.19',
'lineitem.tbl.20',
'lineitem.tbl.21',
'lineitem.tbl.22',
'lineitem.tbl.23',
'lineitem.tbl.24',
'lineitem.tbl.25',
'lineitem.tbl.26',
'lineitem.tbl.27',
'lineitem.tbl.28',
'lineitem.tbl.29',
'lineitem.tbl.30',
'lineitem.tbl.31',
'lineitem.tbl.32',
'lineitem.tbl.33',
'lineitem.tbl.34',
'lineitem.tbl.35',
'lineitem.tbl.36',
'lineitem.tbl.37',
'lineitem.tbl.38',
'lineitem.tbl.39',
'lineitem.tbl.40',
'lineitem.tbl.41',
'lineitem.tbl.42',
'lineitem.tbl.43',
'lineitem.tbl.44',
'lineitem.tbl.45',
'lineitem.tbl.46',
'lineitem.tbl.47',
'lineitem.tbl.48',
'lineitem.tbl.49',
'lineitem.tbl.50',
'lineitem.tbl.51',
'lineitem.tbl.52',
'lineitem.tbl.53',
'lineitem.tbl.54',
'lineitem.tbl.55',
'lineitem.tbl.56',
'lineitem.tbl.57',
'lineitem.tbl.58',
'lineitem.tbl.59',
'lineitem.tbl.60',
'lineitem.tbl.61',
'lineitem.tbl.62',
'lineitem.tbl.63',
'lineitem.tbl.64',
'lineitem.tbl.65',
'lineitem.tbl.66',
'lineitem.tbl.67',
'lineitem.tbl.68',
'lineitem.tbl.69',
'lineitem.tbl.70',
'lineitem.tbl.71',
'lineitem.tbl.72',
'lineitem.tbl.73',
'lineitem.tbl.74',
'lineitem.tbl.75',
'lineitem.tbl.76',
'lineitem.tbl.77',
'lineitem.tbl.78',
'lineitem.tbl.79',
'lineitem.tbl.80',
'lineitem.tbl.81',
'lineitem.tbl.82',
'lineitem.tbl.83',
'lineitem.tbl.84'
))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
drop table o_et;
create table o_et(
    o_orderdate      date ,
    o_orderkey       number ,
    o_custkey        number ,
    o_orderpriority  char(15) ,
    o_shipppriority  number ,
    o_clerk          char(15) ,
    o_orderstatus    char(1) ,
    o_totalprice     number ,
    o_comment         varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'o_et.bad'
    logfile 'o_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
'orders.tbl.1',
'orders.tbl.2',
'orders.tbl.3',
'orders.tbl.4',
'orders.tbl.5',
'orders.tbl.6',
'orders.tbl.7',
'orders.tbl.8',
'orders.tbl.9',
'orders.tbl.10',
'orders.tbl.11',
'orders.tbl.12',
'orders.tbl.13',
'orders.tbl.14',
'orders.tbl.15',
'orders.tbl.16',
'orders.tbl.17',
'orders.tbl.18',
'orders.tbl.19',
'orders.tbl.20',
'orders.tbl.21',
'orders.tbl.22',
'orders.tbl.23',
'orders.tbl.24',
'orders.tbl.25',
'orders.tbl.26',

```

```

'orders.tbl.27',
'orders.tbl.28',
'orders.tbl.29',
'orders.tbl.30',
'orders.tbl.31',
'orders.tbl.32',
'orders.tbl.33',
'orders.tbl.34',
'orders.tbl.35',
'orders.tbl.36',
'orders.tbl.37',
'orders.tbl.38',
'orders.tbl.39',
'orders.tbl.40',
'orders.tbl.41',
'orders.tbl.42',
'orders.tbl.43',
'orders.tbl.44',
'orders.tbl.45',
'orders.tbl.46',
'orders.tbl.47',
'orders.tbl.48',
'orders.tbl.49',
'orders.tbl.50',
'orders.tbl.51',
'orders.tbl.52',
'orders.tbl.53',
'orders.tbl.54',
'orders.tbl.55',
'orders.tbl.56',
'orders.tbl.57',
'orders.tbl.58',
'orders.tbl.59',
'orders.tbl.60',
'orders.tbl.61',
'orders.tbl.62',
'orders.tbl.63',
'orders.tbl.64',
'orders.tbl.65',
'orders.tbl.66',
'orders.tbl.67',
'orders.tbl.68',
'orders.tbl.69',
'orders.tbl.70',
'orders.tbl.71',
'orders.tbl.72',
'orders.tbl.73',
'orders.tbl.74',
'orders.tbl.75',
'orders.tbl.76',
'orders.tbl.77',
'orders.tbl.78',
'orders.tbl.79',
'orders.tbl.80',
'orders.tbl.81',
'orders.tbl.82',
'orders.tbl.83',
'orders.tbl.84'
))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
drop table ps_et;
create table ps_et(
    ps_partkey      number ,
    ps_suppkey      number ,
    ps_supplycost   number ,
    ps_availqty     number ,
    ps_comment       varchar(199)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
records delimited by newline
badfile 'ps_et.bad'
logfile 'ps_et.log'
fields terminated by '|'
missing field values are null
)
location (
'partsupp.tbl.1',
'partsupp.tbl.2',
'partsupp.tbl.3',
'partsupp.tbl.4',
'partsupp.tbl.5',
'partsupp.tbl.6',
'partsupp.tbl.7',
'partsupp.tbl.8',
'partsupp.tbl.9',
'partsupp.tbl.10',
'partsupp.tbl.11',
'partsupp.tbl.12',
'partsupp.tbl.13',
'partsupp.tbl.14',
'partsupp.tbl.15',
'partsupp.tbl.16',
'partsupp.tbl.17',
'partsupp.tbl.18',
'partsupp.tbl.19',
'partsupp.tbl.20',
'partsupp.tbl.21',
'partsupp.tbl.22',
'partsupp.tbl.23',
'partsupp.tbl.24',
'partsupp.tbl.25',
'partsupp.tbl.26',
'partsupp.tbl.27',
'partsupp.tbl.28',
'partsupp.tbl.29',
'partsupp.tbl.30',
'partsupp.tbl.31',
'partsupp.tbl.32',
'partsupp.tbl.33',
'partsupp.tbl.34',
'partsupp.tbl.35',
'partsupp.tbl.36',
'partsupp.tbl.37',
'partsupp.tbl.38',
'partsupp.tbl.39',
'partsupp.tbl.40',
'partsupp.tbl.41',
'partsupp.tbl.42',
'partsupp.tbl.43',
'partsupp.tbl.44',
'partsupp.tbl.45',
'partsupp.tbl.46',
'partsupp.tbl.47',
'partsupp.tbl.48',
'partsupp.tbl.49',
'partsupp.tbl.50',
'partsupp.tbl.51',
'partsupp.tbl.52',
'partsupp.tbl.53',
'partsupp.tbl.54',
'partsupp.tbl.55',
'partsupp.tbl.56',
'partsupp.tbl.57',
'partsupp.tbl.58',
'partsupp.tbl.59',
'partsupp.tbl.60',
)
)

```

```

'partsupp.tbl.61',
'partsupp.tbl.62',
'partsupp.tbl.63',
'partsupp.tbl.64'))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
drop table p_et;
create table p_et(
    p_partkey          number ,
    p_type             varchar(25) ,
    p_size             number ,
    p_brand            char(10) ,
    p_name             varchar(55) ,
    p_container        char(10) ,
    p_mfgr             char(25) ,
    p_retailprice     number ,
    p_comment          varchar(23)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'p_et.bad'
    logfile 'p_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
'part.tbl.1',
'part.tbl.2',
'part.tbl.3',
'part.tbl.4',
'part.tbl.5',
'part.tbl.6',
'part.tbl.7',
'part.tbl.8',
'part.tbl.9',
'part.tbl.10',
'part.tbl.11',
'part.tbl.12',
'part.tbl.13',
'part.tbl.14',
'part.tbl.15',
'part.tbl.16',
'part.tbl.17',
'part.tbl.18',
'part.tbl.19',
'part.tbl.20',
'part.tbl.21',
'part.tbl.22',
'part.tbl.23',
'part.tbl.24',
'part.tbl.25',
'part.tbl.26',
'part.tbl.27',
'part.tbl.28',
'part.tbl.29',
'part.tbl.30',
'part.tbl.31',
'part.tbl.32'
))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
drop table c_et;
create table c_et(
    c_custkey          number ,
    c_mktsegment       char(10) ,
    c_nationkey        number ,
    c_name              varchar(25) ,
    c_address           varchar(40) ,
    c_phone             char(15) ,
    c_acctbal           number ,
    c_comment            varchar(117)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'c_et.bad'
    logfile 'c_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
'customer.tbl.1',
'customer.tbl.2',
'customer.tbl.3',
'customer.tbl.4',
'customer.tbl.5',
'customer.tbl.6',
'customer.tbl.7',
'customer.tbl.8',
'customer.tbl.9',
'customer.tbl.10',
'customer.tbl.11',
'customer.tbl.12',
'customer.tbl.13',
'customer.tbl.14',
'customer.tbl.15',
'customer.tbl.16'
))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
drop table s_et;
create table s_et(
    s_suppkey          number ,
    s_nationkey        number ,
    s_comment           varchar(101) ,
    s_name              char(25) ,
    s_address           varchar(40) ,
    s_phone             char(15) ,
    s_acctbal           number
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 's_et.bad'
    logfile 's_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
'supplier.tbl'
))
reject limit unlimited;
}
*sql
{

```

```

connect tpch/tpch;
drop table n_et;
create table n_et(
    n_nationkey      number ,
    n_name            char(25) ,
    n_regionkey       number ,
    n_comment          varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'n_et.bad'
    logfile 'n_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
    'nation.tbl'))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
drop table r_et;
create table r_et(
    r_regionkey      number ,
    r_name            char(25) ,
    r_comment          varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'r_et.bad'
    logfile 'r_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
    'region.tbl'))
reject limit unlimited;
}
*sql
{
connect tpch/tpch;
alter table l_et parallel;
alter table o_et parallel;
alter table ps_et parallel;
alter table p_et parallel;
alter table c_et parallel;
alter table s_et parallel;
}
# altering tpch's default and temporary
tablespace
*sql
{
alter user tpch default tablespace ts_default;
alter user tpch temporary tablespace ts_temp;
}
*sql
{
connect tpch/tpch
@?/rdbms/admin/utlxplan.sql;
}
*wait
*sql
{
set timing on
set echo on
!date
connect tpch/tpch;
connect tpch/tpch;
rem drop table lineitem;
create table lineitem(
    l_shipdate           ,
    l_orderkey          NOT NULL,
    l_discount           NOT NULL,
    l_extendedprice     NOT NULL,
    l_suppkey            NOT NULL,
    l_quantity           NOT NULL,
    l_returnflag         ,
    l_partkey            NOT NULL,
    l_linenumber          ,
    l_shipmode           ,
    l_comment             NOT NULL,
    l_shipinstruct        ,
    l_comment
)
pctfree 1
pctused 99
initrans 10
storage (initial 1100m next 20m freelist groups
4 freelists 99)
parallel 128
nologging
partition by range (l_shipdate)
subpartition by hash(l_partkey)
subpartitions 16
(
partition item1 values less than (to_date('1992-
01-01','YYYY-MM-DD'))
store in (ts_11,ts_12)
,
partition item2 values less than (to_date('1992-
02-01','YYYY-MM-DD'))
store in (ts_13,ts_14)
,
partition item3 values less than (to_date('1992-
03-01','YYYY-MM-DD'))
store in (ts_15,ts_16)
,
partition item4 values less than (to_date('1992-
04-01','YYYY-MM-DD'))
store in (ts_17,ts_18)
,
partition item5 values less than (to_date('1992-
05-01','YYYY-MM-DD'))
store in (ts_19,ts_110)
,
partition item6 values less than (to_date('1992-
06-01','YYYY-MM-DD'))
store in (ts_111,ts_112)
,
partition item7 values less than (to_date('1992-
07-01','YYYY-MM-DD'))
store in (ts_113,ts_114)
,
partition item8 values less than (to_date('1992-
08-01','YYYY-MM-DD'))
store in (ts_115,ts_116)
,
partition item9 values less than (to_date('1992-
09-01','YYYY-MM-DD'))
store in (ts_117,ts_118)
,

```

```

partition item10 values less than
(to_date('1992-10-01','YYYY-MM-DD'))
store in (ts_l19,ts_120)

partition item11 values less than
(to_date('1992-11-01','YYYY-MM-DD'))
store in (ts_l21,ts_122)

partition item12 values less than
(to_date('1992-12-01','YYYY-MM-DD'))
store in (ts_l23,ts_124)

partition item13 values less than
(to_date('1993-01-01','YYYY-MM-DD'))
store in (ts_l25,ts_126)

partition item14 values less than
(to_date('1993-02-01','YYYY-MM-DD'))
store in (ts_l27,ts_128)

partition item15 values less than
(to_date('1993-03-01','YYYY-MM-DD'))
store in (ts_l29,ts_130)

partition item16 values less than
(to_date('1993-04-01','YYYY-MM-DD'))
store in (ts_l31,ts_132)

partition item17 values less than
(to_date('1993-05-01','YYYY-MM-DD'))
store in (ts_l33,ts_134)

partition item18 values less than
(to_date('1993-06-01','YYYY-MM-DD'))
store in (ts_l35,ts_136)

partition item19 values less than
(to_date('1993-07-01','YYYY-MM-DD'))
store in (ts_l37,ts_138)

partition item20 values less than
(to_date('1993-08-01','YYYY-MM-DD'))
store in (ts_l39,ts_140)

partition item21 values less than
(to_date('1993-09-01','YYYY-MM-DD'))
store in (ts_l41,ts_142)

partition item22 values less than
(to_date('1993-10-01','YYYY-MM-DD'))
store in (ts_l43,ts_144)

partition item23 values less than
(to_date('1993-11-01','YYYY-MM-DD'))
store in (ts_l45,ts_146)

partition item24 values less than
(to_date('1993-12-01','YYYY-MM-DD'))
store in (ts_l47,ts_148)

partition item25 values less than
(to_date('1994-01-01','YYYY-MM-DD'))
store in (ts_l49,ts_150)

partition item26 values less than
(to_date('1994-02-01','YYYY-MM-DD'))
store in (ts_l51,ts_152)

partition item27 values less than
(to_date('1994-03-01','YYYY-MM-DD'))
store in (ts_l53,ts_154)

partition item28 values less than
(to_date('1994-04-01','YYYY-MM-DD'))
store in (ts_l55,ts_156)

partition item29 values less than
(to_date('1994-05-01','YYYY-MM-DD'))
store in (ts_l57,ts_158)

partition item30 values less than
(to_date('1994-06-01','YYYY-MM-DD'))
store in (ts_l59,ts_160)

partition item31 values less than
(to_date('1994-07-01','YYYY-MM-DD'))
store in (ts_l61,ts_162)

partition item32 values less than
(to_date('1994-08-01','YYYY-MM-DD'))
store in (ts_l63,ts_164)

partition item33 values less than
(to_date('1994-09-01','YYYY-MM-DD'))
store in (ts_l65,ts_166)

partition item34 values less than
(to_date('1994-10-01','YYYY-MM-DD'))
store in (ts_l67,ts_168)

partition item35 values less than
(to_date('1994-11-01','YYYY-MM-DD'))
store in (ts_l69,ts_170)

partition item36 values less than
(to_date('1994-12-01','YYYY-MM-DD'))
store in (ts_l71,ts_172)

partition item37 values less than
(to_date('1995-01-01','YYYY-MM-DD'))
store in (ts_l73,ts_174)

partition item38 values less than
(to_date('1995-02-01','YYYY-MM-DD'))
store in (ts_l75,ts_176)

partition item39 values less than
(to_date('1995-03-01','YYYY-MM-DD'))
store in (ts_l77,ts_178)

partition item40 values less than
(to_date('1995-04-01','YYYY-MM-DD'))
store in (ts_l79,ts_180)

partition item41 values less than
(to_date('1995-05-01','YYYY-MM-DD'))
store in (ts_l81,ts_182)

partition item42 values less than
(to_date('1995-06-01','YYYY-MM-DD'))
store in (ts_l83,ts_184)

partition item43 values less than
(to_date('1995-07-01','YYYY-MM-DD'))
store in (ts_l85,ts_186)

partition item44 values less than
(to_date('1995-08-01','YYYY-MM-DD'))
store in (ts_l87,ts_188)

partition item45 values less than
(to_date('1995-09-01','YYYY-MM-DD'))
store in (ts_l89,ts_190)

```

```

partition item46 values less than
(to_date('1995-10-01','YYYY-MM-DD'))
store in (ts_191,ts_192)

partition item47 values less than
(to_date('1995-11-01','YYYY-MM-DD'))
store in (ts_193,ts_194)

partition item48 values less than
(to_date('1995-12-01','YYYY-MM-DD'))
store in (ts_195,ts_196)

partition item49 values less than
(to_date('1996-01-01','YYYY-MM-DD'))
store in (ts_197,ts_198)

partition item50 values less than
(to_date('1996-02-01','YYYY-MM-DD'))
store in (ts_199,ts_1100)

partition item51 values less than
(to_date('1996-03-01','YYYY-MM-DD'))
store in (ts_1101,ts_1102)

partition item52 values less than
(to_date('1996-04-01','YYYY-MM-DD'))
store in (ts_1103,ts_1104)

partition item53 values less than
(to_date('1996-05-01','YYYY-MM-DD'))
store in (ts_1105,ts_1106)

partition item54 values less than
(to_date('1996-06-01','YYYY-MM-DD'))
store in (ts_1107,ts_1108)

partition item55 values less than
(to_date('1996-07-01','YYYY-MM-DD'))
store in (ts_1109,ts_1110)

partition item56 values less than
(to_date('1996-08-01','YYYY-MM-DD'))
store in (ts_1111,ts_1112)

partition item57 values less than
(to_date('1996-09-01','YYYY-MM-DD'))
store in (ts_1113,ts_1114)

partition item58 values less than
(to_date('1996-10-01','YYYY-MM-DD'))
store in (ts_1115,ts_1116)

partition item59 values less than
(to_date('1996-11-01','YYYY-MM-DD'))
store in (ts_1117,ts_1118)

partition item60 values less than
(to_date('1996-12-01','YYYY-MM-DD'))
store in (ts_1119,ts_1120)

partition item61 values less than
(to_date('1997-01-01','YYYY-MM-DD'))
store in (ts_1121,ts_1122)

partition item62 values less than
(to_date('1997-02-01','YYYY-MM-DD'))
store in (ts_1123,ts_1124)

partition item63 values less than
(to_date('1997-03-01','YYYY-MM-DD'))
store in (ts_1125,ts_1126)

partition item64 values less than
(to_date('1997-04-01','YYYY-MM-DD'))
store in (ts_1127,ts_1128)

partition item65 values less than
(to_date('1997-05-01','YYYY-MM-DD'))
store in (ts_1129,ts_1130)

partition item66 values less than
(to_date('1997-06-01','YYYY-MM-DD'))
store in (ts_1131,ts_1132)

partition item67 values less than
(to_date('1997-07-01','YYYY-MM-DD'))
store in (ts_1133,ts_1134)

partition item68 values less than
(to_date('1997-08-01','YYYY-MM-DD'))
store in (ts_1135,ts_1136)

partition item69 values less than
(to_date('1997-09-01','YYYY-MM-DD'))
store in (ts_1137,ts_1138)

partition item70 values less than
(to_date('1997-10-01','YYYY-MM-DD'))
store in (ts_1139,ts_1140)

partition item71 values less than
(to_date('1997-11-01','YYYY-MM-DD'))
store in (ts_1141,ts_1142)

partition item72 values less than
(to_date('1997-12-01','YYYY-MM-DD'))
store in (ts_1143,ts_1144)

partition item73 values less than
(to_date('1998-01-01','YYYY-MM-DD'))
store in (ts_1145,ts_1146)

partition item74 values less than
(to_date('1998-02-01','YYYY-MM-DD'))
store in (ts_1147,ts_1148)

partition item75 values less than
(to_date('1998-03-01','YYYY-MM-DD'))
store in (ts_1149,ts_1150)

partition item76 values less than
(to_date('1998-04-01','YYYY-MM-DD'))
store in (ts_1151,ts_1152)

partition item77 values less than
(to_date('1998-05-01','YYYY-MM-DD'))
store in (ts_1153,ts_1154)

partition item78 values less than
(to_date('1998-06-01','YYYY-MM-DD'))
store in (ts_1155,ts_1156)

partition item79 values less than
(to_date('1998-07-01','YYYY-MM-DD'))
store in (ts_1157,ts_1158)

partition item80 values less than
(to_date('1998-08-01','YYYY-MM-DD'))
store in (ts_1159,ts_1160)

partition item81 values less than
(to_date('1998-09-01','YYYY-MM-DD'))
store in (ts_1161,ts_1162)

```

```

partition item82 values less than
(to_date('1998-10-01','YYYY-MM-DD'))
store in (ts_l163,ts_l164)

,
partition item83 values less than
(to_date('1998-11-01','YYYY-MM-DD'))
store in (ts_l165,ts_l166)

,
partition item84 values less than (MAXVALUE)
store in (ts_l167,ts_l168) )
as select * from l_et;
!date
}
*wait
*sql
{
connect tpch/tpch;
set timing on
set echo on
!date

rem drop table orders;
create table orders(
    o_orderdate      ,
    o_orderkey        NOT NULL,
    o_custkey         NOT NULL,
    o_orderpriority   ,
    o_shipppriority   ,
    o_clerk           ,
    o_orderstatus     ,
    o_totalprice      ,
    o_comment          )
pctfree 1
pctused 99
initrans 10
storage (initial 160m next 10m freelist groups 4
freelists 99)
parallel 128
nologging
partition by range (o_orderdate)
subpartition by hash(o_custkey)
subpartitions 16
(
partition ord1 values less than (to_date('1992-
01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord2 values less than (to_date('1992-
02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord3 values less than (to_date('1992-
03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord4 values less than (to_date('1992-
04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord5 values less than (to_date('1992-
05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord6 values less than (to_date('1992-
06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord7 values less than (to_date('1992-
07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord8 values less than (to_date('1992-
08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord9 values less than (to_date('1992-
09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord10 values less than (to_date('1992-
10-01','YYYY-MM-DD'))

```

```

tablespace ts_o10,
partition ord11 values less than (to_date('1992-
11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord12 values less than (to_date('1992-
12-01','YYYY-MM-DD'))
tablespace ts_o12,
partition ord13 values less than (to_date('1993-
01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord14 values less than (to_date('1993-
02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord15 values less than (to_date('1993-
03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord16 values less than (to_date('1993-
04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord17 values less than (to_date('1993-
05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord18 values less than (to_date('1993-
06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord19 values less than (to_date('1993-
07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord20 values less than (to_date('1993-
08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord21 values less than (to_date('1993-
09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord22 values less than (to_date('1993-
10-01','YYYY-MM-DD'))
tablespace ts_o10,
partition ord23 values less than (to_date('1993-
11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord24 values less than (to_date('1993-
12-01','YYYY-MM-DD'))
tablespace ts_o12,
partition ord25 values less than (to_date('1994-
01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord26 values less than (to_date('1994-
02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord27 values less than (to_date('1994-
03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord28 values less than (to_date('1994-
04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord29 values less than (to_date('1994-
05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord30 values less than (to_date('1994-
06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord31 values less than (to_date('1994-
07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord32 values less than (to_date('1994-
08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord33 values less than (to_date('1994-
09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord34 values less than (to_date('1994-
10-01','YYYY-MM-DD'))

```

```

tablespace ts_o10,
partition ord35 values less than (to_date('1994-11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord36 values less than (to_date('1994-12-01','YYYY-MM-DD'))
tablespace ts_o12,
partition ord37 values less than (to_date('1995-01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord38 values less than (to_date('1995-02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord39 values less than (to_date('1995-03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord40 values less than (to_date('1995-04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord41 values less than (to_date('1995-05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord42 values less than (to_date('1995-06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord43 values less than (to_date('1995-07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord44 values less than (to_date('1995-08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord45 values less than (to_date('1995-09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord46 values less than (to_date('1995-10-01','YYYY-MM-DD'))
tablespace ts_o10,
partition ord47 values less than (to_date('1995-11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord48 values less than (to_date('1995-12-01','YYYY-MM-DD'))
tablespace ts_o12,
partition ord49 values less than (to_date('1996-01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord50 values less than (to_date('1996-02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord51 values less than (to_date('1996-03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord52 values less than (to_date('1996-04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord53 values less than (to_date('1996-05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord54 values less than (to_date('1996-06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord55 values less than (to_date('1996-07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord56 values less than (to_date('1996-08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord57 values less than (to_date('1996-09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord58 values less than (to_date('1996-10-01','YYYY-MM-DD'))

```

```

tablespace ts_o10,
partition ord59 values less than (to_date('1996-11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord60 values less than (to_date('1996-12-01','YYYY-MM-DD'))
tablespace ts_o12,
partition ord61 values less than (to_date('1997-01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord62 values less than (to_date('1997-02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord63 values less than (to_date('1997-03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord64 values less than (to_date('1997-04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord65 values less than (to_date('1997-05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord66 values less than (to_date('1997-06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord67 values less than (to_date('1997-07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord68 values less than (to_date('1997-08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord69 values less than (to_date('1997-09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord70 values less than (to_date('1997-10-01','YYYY-MM-DD'))
tablespace ts_o10,
partition ord71 values less than (to_date('1997-11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord72 values less than (to_date('1997-12-01','YYYY-MM-DD'))
tablespace ts_o12,
partition ord73 values less than (to_date('1998-01-01','YYYY-MM-DD'))
tablespace ts_o1,
partition ord74 values less than (to_date('1998-02-01','YYYY-MM-DD'))
tablespace ts_o2,
partition ord75 values less than (to_date('1998-03-01','YYYY-MM-DD'))
tablespace ts_o3,
partition ord76 values less than (to_date('1998-04-01','YYYY-MM-DD'))
tablespace ts_o4,
partition ord77 values less than (to_date('1998-05-01','YYYY-MM-DD'))
tablespace ts_o5,
partition ord78 values less than (to_date('1998-06-01','YYYY-MM-DD'))
tablespace ts_o6,
partition ord79 values less than (to_date('1998-07-01','YYYY-MM-DD'))
tablespace ts_o7,
partition ord80 values less than (to_date('1998-08-01','YYYY-MM-DD'))
tablespace ts_o8,
partition ord81 values less than (to_date('1998-09-01','YYYY-MM-DD'))
tablespace ts_o9,
partition ord82 values less than (to_date('1998-10-01','YYYY-MM-DD'))

```

```

tablespace ts_o10,
partition ord83 values less than (to_date('1998-
11-01','YYYY-MM-DD'))
tablespace ts_o11,
partition ord84 values less than (MAXVALUE)
tablespace ts_o12
)
as select * from o_et;
!date
}
*wait
*sql
{
connect tpch/tpch
set timing on
set echo on

!date
rem drop table part;

create table part(
    p_partkey          NOT NULL,
    p_type              ,
    p_size              ,
    p_brand             ,
    p_name              ,
    p_container         ,
    p_mfgr              ,
    p_retailprice       ,
    p_comment            )
pctfree 0
pctused 99
parallel 128
nologging
storage (initial 200m next 10m)
partition by hash (p_partkey)
partitions 128
store in
(ts_r1,ts_r2,ts_r3,ts_r4,ts_r5,ts_r6,ts_r7,ts_r8
,ts_r9,ts_r10,
ts_r11,ts_r12)
as select * from p_et;
!date
}
*wait
*sql
{
connect tpch/tpch;
set timing on
set echo on
rem drop table supplier;
create table supplier(
    s_suppkey          NOT NULL,
    s_nationkey         ,
    s_comment            ,
    s_name               ,
    s_address            ,
    s_phone              ,
    s_acctbal            )
pctfree 0
pctused 99
parallel 128
nologging
storage (initial 40m next 5m)
partition by hash (s_suppkey)
partitions 128
store in
(ts_r1,ts_r2,ts_r3,ts_r4,ts_r5,ts_r6,ts_r7,ts_r8
,ts_r9,ts_r10,
ts_r11,ts_r12)
as select * from s_et;
}
*wait
*sql
{
connect tpch/tpch;
set echo on
set timing on

rem drop table nation;
create table nation(

```

```

n_nationkey      NOT NULL,
n_name           ,
n_regionkey      ,
n_comment        )
tablespace ts_default
as select * from n_et;

rem drop table region;
create table region(
    r_regionkey      ,
    r_name           ,
    r_comment        )
tablespace ts_default
as select * from r_et;
}

*wait
*bgoff
%e-scuto

*sql
{
connect tpch/tpch
set timing on
set echo on

!date
drop table l_et;
drop table o_et;
drop table ps_et;
drop table p_et;
drop table c_et;
drop table s_et;
drop table n_et;
drop table r_et;
}
*bgoff
%e-dapop
%b-ixcre
*bgon=1
#####
# Index Creation Phase
*sql
{
connect tpch/tpch;
!date
set echo on
set timing on
rem drop index i_l_orderkey;
create index i_l_orderkey
on lineitem (l_orderkey)
pctfree 2
initrans 10
tablespace ts_lokey
storage (freelist groups 4 freelists 99)
parallel 128
compute statistics
nologging;
alter index i_l_orderkey allocate extent (size
10000m instance 1);
alter index i_l_orderkey allocate extent (size
10000m instance 1);
}
*sql
{
connect tpch/tpch;
!date
set echo on
set timing on
rem drop index i_o_orderkey;
create unique index i_o_orderkey
on orders (o_orderkey)
pctfree 2
initrans 10
tablespace ts_okey
storage (freelist groups 4 freelists 99 )
parallel 128
compute statistics
nologging;
alter index i_o_orderkey allocate extent (size
10000m instance 1);
}
*sql
{
connect tpch/tpch;
!date
set echo on
set timing on

rem drop index i_c_custkey;
create unique index i_c_custkey
on customer (c_custkey)
pctfree 2
initrans 10
tablespace ts_custkey
storage (freelists 99)
parallel 128
compute statistics
nologging;
}
*wait
*bgoff
%e-ixcre
%b-anlyz
*bgon=1
#####
##### Analyze Phase
*sql
{
connect tpch/tpch;
!date
set timing on
execute dbms_stats.gather_schema_stats('TPCH' ,
estimate_percent => 1, degree => 128 ,
granularity => 'GLOBAL' );
connect / as sysdba
execute dbms_stats.gather_system_stats;
alter system switch logfile;
!date
}
*wait
*bgoff
%e-anlyz

```

B.2 bumpx.pl

```

#!/usr/local/bin/perl
#
# $Header: bumpxlite.pl 24-sep-2001.17:04:09
mpoess Exp $
#
# bumpxlite.pl
#
# Copyright (c) 2001, Oracle Corporation. All
rights reserved.
#
#      NAME
#      bumpxlite.pl - <one-line expansion of the
name>
#

```

```

#      DESCRIPTION
#          <short description of component this file
# declares/defines>
#
#      NOTES
#          <other useful comments, qualifications,
# etc.>
#
#      MODIFIED   (MM/DD/YY)
#      mpoess      09/24/01 - take out readfile
# subroutine
#      mpoess      08/10/01 - Creation
#
$os = $ENV{'OS'};
if (($os cmp 'Windows_NT') != 0) { # os is UNIX
    $os = "unix"; $nt = 0; $unix = 1;
} else {
    $os = "nt"; $nt = 1; $unix = 0;
}
$| = 1;
$verbose = 0;
if (($os cmp "unix") == 0) {
    $defphases =
"dbcre,sctso,scuto,dbggen,dapop,anlyz,ixcre";
} else {
    $defphases =
"sdgen,shutd,start,dbggen,plcre,dbcre,sctso,scuto
,dapop,scuovo,anlyz,ixcre,chob";
}
$allbmtypes = "tpcd,wisc";
$bmttype = "tpcd" if !defined $bmttype;
$pdffile = "$ENV{'BUMPX_DIR'}/param.txt"; #
This file contains the description of all
possible parameters.
while ($arg = shift(@ARGV)) {
    if ($arg =~ /-(i|o|t|p|d|a|s|h)/){
        $error = "*** Error: Bad argument to $0:
$arg\n";
        &usage;
    }
    if ($arg =~ /-h/) { &usage; exit(0); }
    $runsilent = 1 if ($arg =~ /-s/);
    $outfile = shift(@ARGV) if ($arg =~ /-o/);
    $bmttype = shift(@ARGV) if ($arg =~ /-t/);
    $phaselist = shift(@ARGV) if ($arg =~ /-p/);
    if ($arg =~ /-d/) {
        $defpar = shift(@ARGV);
        @keys = keys %params;
        while ($#keys >= 0) {
            $key = pop(@keys);
            if (($defpar cmp "") == 0) {
                print $key, " = ", $params{$key},
"\n";
            } else {
                print $key, " = ", $params{$key},
"\n" if ($key =~ /$defpar/);
            }
        }
        exit(0);
    }
}
$outfile = "$ENV{'BUMPX_DIR'}/bumpx.dat" if
!defined $outfile;
if ($nt) {
    $listdir = $filedir."/list/";
    if (!-e $listfile) {
        system ("mkdir $listdir");
    }
}
if (($os cmp "nt") == 0) { ## NT Port (Use
tmpfile to buffer
#
#      commands and
#nruntpb to synchronize them)
$tmpfile = $filedir.$tmpfile;
$nruntbp = "nruntbp.exe";
} ## NT End
if (!-e $outfile) {
    $error = "*** Error: -o file, $outfile, does
not exist\n";
    &usage;
}
$phaselist = $defphases if !defined $phaselist;
@phases = split(/,,/, $phaselist);
## NT Port (Use tmpfile to buffer commands for
nruntbp)
open (TMPFILE, ">$tmpfile") if ( ((os cmp "nt")
== 0));
## NT End
&doexecute;
## NT Port
close(TMPFILE) if ( ((os cmp "nt") == 0));
## NT End
exit(0);

sub doexecute { # First, do preprocessing stuff
    print "Execution pass begun." if $verbose;
    open (INFILE, $outfile);
    WLOOP1:
    while ($line = <INFILE>)
    {
        study $line;
        next WLOOP1 if $line =~ /^$//;
        next WLOOP1 if $line =~ /^$^$/;
        if ($line =~ /^%b-preproc/)
        {
            $insection = 1;
            next WLOOP1;
        }
        next WLOOP1 if ($insection != 1);
        if ($line =~ /^%e-preproc/)
        {
            $insection = 0;
            $commands{$shortcmd} = $longcmd if
defined $shortcmd;
            last WLOOP1;
        }
        if ($line =~ /^%/)
        {
            $commands{$shortcmd} = $longcmd if
defined $shortcmd;
            $line =~ /^(\.*\S+)\s*\n$/;
            $shortcmd = $1;
            $longcmd = "";
            next WLOOP1;
        }
        if ($line =~ /^\\/)
        {
            $line =~ /\(\.*\n/;
            $longcmd = $longcmd . $1;
            next WLOOP1;
        }
        print "Illegal entry in preproc stage:\n
$line";
    }
    close (INFILE);

# Then, do all of the requested phases
    $execctr = 0;
    foreach $phase (@phases)
    {
        $phase_cmd_num = 0;
        print "\n Executing phase '$phase'" if
$verbose;
    }
}

```

```

$bg = 0;
open (INFILE, $outfile);
WLOOP2:
while ($line = <INFILE>)
{
    study $line;
    next WLOOP2 if $line =~ /^$s*\#/;
    next WLOOP2 if $line =~ /^$s*\n/;
    if ($line =~ /^$ignon/)
    {
        $ignon = 1;
        next WLOOP2;
    }
    if ($line =~ /^$ignoff/)
    {
        $ignon = 0;
        next WLOOP2;
    }
    next WLOOP2 if ($ignon == 1);
    if ($line =~ /^$b-$phase/)
    {
        $insection = 1;
        $execcmd = "";
        next WLOOP2;
    }
    next WLOOP2 if ($insection != 1);
    if ($line =~ /^$e-$phase/)
    {
        $insection = 0;
        &execute ($execcmd);
        last WLOOP2;
    }
    if ($line =~ /^$(*(.*)/) )
    {
        &execute ($execcmd);
        if (($1 =~ /$go/) || ($1 =~ /$wait/) || ($1 =~ /$ignore/))
        {
            $execcmd = $line;
            next WLOOP2;
        }
        $line =~ /^$(*.*$+)\s*\n$/;
        $execcmd = $commands{$1};
        next WLOOP2;
    }
    if ($line =~ /^$({(.*)})/ )
    {
        $insert = "";
        $insert = $1;
        $execcmd =~ s/\\$/{\\}/$insert/;
        next WLOOP2;
    }
    if ($line =~ /^$({(.*)$})/ )
    {
        $insubsection = 1;
        $insert = "";
        $insert = $1;
        next WLOOP2;
    }
    if ($line =~ /^$(*.)\\$/ )
    {
        $insubsection = 0;
        $insert = $insert . $1;
        if (($os cmp "nt") == 0){ ## NT
Port (Ignore '\n')
            $insert =~ /(.*)\n$/s;
            $insert = $1;
        } ## NT End
        $execcmd =~ s/\\$/{\\}/$insert/;
        next WLOOP2;
    }
}

$insert = $insert . $line if
($insubsection == 1);
}
close (INFILE);
}
print "\nExecution pass complete.\n" if
$verbose;
}

sub execute
{
    $cmd = shift @_;
    if ($cmd)
    {
        return if ($cmd =~ /^$ignore/);
        if ($cmd =~ /^$bgon=(.*)/)
        {
            $bgmax = $1;
            $bg = 1;
            $bgrun = 0;
            return;
        }
        if ($cmd =~ /^$bgoff/ )
        {
            $bg = 0;
            return;
        }

        if ($cmd =~ /^$time=(.*)/) ##NT only
        {
            print $1 . "\n";
            print localtime(time) . "\n";
            return;
        }
        if ($cmd =~ /^$copy (.*)/) ## NT only
        {
            system($cmd);
            ## Quit if failed
            if ($?) {
                print "system copy command
failed:$cmd\nreason: $? ($!)\n";
                exit(-1);
            }
            return;
        }
        if ($cmd =~ /^$del (.*)/) ## NT only
        {
            system($cmd);
            ## Quit if failed
            if ($?) {
                print "system del command
failed:$cmd\nreason: $? ($!)\n";
                exit(-1);
            }
            return;
        }

        if ($cmd =~ /^$wait/) ## This deals with
main differences between NT and UNIX
        {
            if (($os cmp "unix") == 0)
            {
                while ($fpid = shift @wpids)
                {
                    waitpid($fpid, 0);
                }
            }
            else
            {
                ## NT Port (Start background
tasks if any. nruntpb will wait until all tasks
are done)
                if ($bgrun >= 1)

```

```

{
    close(TMPFILE);
    system("cat $tmpfile >>
    system("vi $tmpfile") if
$listdir$phase.lst");
        system("$nruntpb -p <
$tmpfile") if !$debug;
        if ($?)
        {
            print "system command
failed:\n$nruntpb < $tmpfile\n";
            print "reason: $? ($!)\n";
            print "Please check the
contents in the input file.\n";
            exit(-1);
        }
        open(TMPFILE, ">$tmpfile");
    }
    $bgrun = 0;
    return;
}
if ($cmd =~ /(s|g)etenv/)
{
    @lines = split(/\n/, $cmd);
    $cmd = "";
    foreach $line (@lines)
    {
        while (1)
        {
            last if ($line !~ /getenv/);
            $line =~
/(.*)\*getenv\(([^\(\)]*)\)(.*)/;
            $line = $1 . $ENV{$2} . $3;
            if ($line =~ /jojo/) #we do not
want to use this for now
            {
                $line =~
/setenv\s+(\S+)\s+(\S+)/;
                $ENV{$1} = $2;
            }
            else
            {
                $cmd = $cmd . $line. "\n";
            }
        }
    }
    return if ($cmd !~ /\S+/); # return if
nothing left to execute
$execctr++;
$ENV{'BUMPX_CTR'} = $$.'-'.$execctr;
if ((($os cmp "unix") == 0)
{
    if ($bg == 1)
    {
        print "." if $verbose;
        $fpid = fork;
        if ($fpid == 0)
        {
            exec ($cmd);
            print "exec\b'd command
failed:\n$cmd\nreason: $!\n";
            exit(-1);
        }
        unshift (@wpids, $fpid);
        $bgrun = $bgrun + 1;
        &execute ("*wait") if (($bgrun >=
$bgrmax) && ($bgrmax >= 0));
    }
    else
{
    system ($cmd);
    print "system\b'd command
failed:\n$cmd\nreason: $? ($!)\n" if $?;
}
    }
    else ## NT support
    {
        ## NT Port (Submit background tasks if
there are bgmax of them, otherwise write to
tmpfile)
        if ($bg == 1)
        {
            print "." if $verbose;
            if ($bgrun < $bgmax)
            {
                $cmd =~
s/phase\#.lst/$listdir$phase\_$_phase_cmd_num.lst
/;
                ++$phase_cmd_num;
                print TMPFILE $cmd;
                $bgrun = $bgrun + 1;
            }
            else
            {
                close(TMPFILE);
                system("cat $tmpfile >>
$listdir$phase.lst");
                system("$nruntpb -p <
$tmpfile");
                if ($?) {
                    print "system command
failed:\n$nruntpb < $tmpfile\nreason: $?
($!)\n";
                    print "Please check the
contents in the input file.\n";
                    exit(-1);
                }
                open(TMPFILE, ">$tmpfile");
                $cmd =~
s/phase\#.lst/$listdir$phase\_$_phase_cmd_num.lst
/;
                ++$phase_cmd_num;
                print TMPFILE $cmd;
                $bgrun = 1;
            }
            else
            {
                $cmd =~
s/phase\#.lst/$listdir$phase\_$_phase_cmd_num.lst
/;
                ++$phase_cmd_num;
                print TMPFILE $cmd;
                close(TMPFILE);
                system("cat $tmpfile >>
$listdir$phase.lst");
                system ("sh $tmpfile");
                if ($?) {
                    print "system\b'd command
failed:\nsh $tmpfile\nreason: $? ($!)\n";
                    print "Please check the
contents in the shell script.\n";
                    exit(-1);
                }
                open(TMPFILE, ">$tmpfile");
            }
        } ## NT support End
    }
    sub usage
}

```

```

{
    print "Usage:\n";
    print "This is a lite version of bumpx.pl.
It can only be used to execute a .dat file\n";
    print "$0 [-o outfile] [-p phaselist] [-t
type]\n";
    print " -o : intermediary file to be
created and/or used\n";
    print "      defaults to bumpx.dat in
\$BUMPX_DIR or \$CWD\n";
    print " -p : list of phases to
create/execute\n";
    print "      phaselists is a comma
separated list of phases in order\n";
    print "      possible phases are:\n";
    print "      sdgen = seed file
generation\n";
    print "      dbgen = data flat file
generation\n";
    print "      plcre = NT raw partition
and links creation\n";
    print "      dbcre = database
creation\n";
    print "      shudt = shutdown database
(on all instances)\n";
    print "      start = startup database
(on all instances)\n";
    print "      sccre = schema creation\n";
    print "      sctso = schema creation
(tablespaces only)\n";
    print "      scuto = schema creation
(user and tables only)\n";
}

    print "
(vIEWS only)\n";
    print "
scuvo = schema creation
";
    print "
dapop = data population\n";
    print "
ixcre = index creation
(including constraints)\n";
    print "
anlyz = analyze objects\n";
    print "
chob = change parameters
of objects\n";
    print "
expln = create explain
plans\n";
    print "
query = run and time
queries\n";
    print "
defaults to \$defphases\n";
    print "
-t : type of benchmark\n";
    print "
enables benchmark-specific
defaults\n";
    print "
current possibilties are:
\$allbmtypes\n";
    print "
defaults to tpccd\n";
    print "
-s : run silent (no parameter
checking is done)\n";
    print "\n";
    print "Examples:\n";
    print "$0 -p dapop\n";
    print "
      Executes data population phase of
intermediary file bumpx.dat.\n";
    print "\n";
    print "$error\n";
    exit(-1);
}

```

Appendix C Acid Scripts

a_query.sql

```
Rem
Rem $Header: a_query.sql 06-aug-99.10:51:10
mpoess Exp $
Rem
Rem a_query.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
Rem
Rem     NAME
Rem         a_query.sql - <one-line expansion of
the name>
Rem
rem DESCRIPTION
Rem     Performs ACID Query for TPC-D
benchmark.
Rem         Asks user to input values for o_key
Rem         The range of okey is 1 to 600000
Rem
=====
=====
Rem Usage:   sqlplus tpcd/tpcd @a_query <o_key>
Rem
Rem
Rem     MODIFIED    (MM/DD/YY)
Rem     mpoess      08/06/99 - Creation
Rem     mpoess      08/06/99 - Created
Rem
Rem
set serverout on;

select
'BEFORE ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

select SUM(trunc(trunc(l_extendedprice * (1-
l_discount),2) * (1+l_tax),2)) AS RESULT
from lineitem
where l_orderkey = &&1;

select
'AFTER ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;
```

a_query2.sql

```
Rem
Rem $Header: aquery2.sql 07-aug-99.23:54:47
mpoess Exp $
Rem
Rem aquery2.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
Rem
Rem     NAME
```

```
Rem           aquery2.sql - <one-line expansion of
the name>
Rem
Rem     DESCRIPTION
Rem         Performs query on PARTSUPP for TPC-D
benchmark
Rem         Isolation Test 5.
Rem         Asks user to input values for
ps_partkey and ps_suppkey
Rem         The range for ps_partkey is 1 to 20000
Rem         The range for ps_suppkey is 1 to 1000
Rem         A valid combination is 46 and 47
Rem Usage:   sqlplus tpcd/tpcd @a_query2
<ps_partkey> <ps_suppkey>
Rem
Rem     MODIFIED    (MM/DD/YY)
Rem     mpoess      08/07/99 - Creation
Rem     mpoess      08/07/99 - Created
Rem
rem DESCRIPTION
rem     Performs query on PARTSUPP for TPC-D
benchmark
rem         Isolation Test 5.
rem         Asks user to input values for
ps_partkey and ps_suppkey
rem         The range for ps_partkey is 1 to 20000
rem         The range for ps_suppkey is 1 to 1000
rem         A valid combination is 46 and 47

set serverout on;

select
'BEFORE PARTSUPP QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

select *
from partsupp
where ps_partkey = &&1
and ps_suppkey = &&2;

select
'AFTER PARTSUPP QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;
```

atom.sh

```
#!/bin/ksh
#
# $Header: atom.sh 08-aug-99.13:48:02 mpoess Exp
$
#
# atom.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#     NAME
#         atom.sh - <one-line expansion of the
name>
#
# DESCRIPTION
#     Performs atomicity tests.
#     Usage: atom.sh [-n iter] [-p prog] [-u
usr/pwd] -h
```

```

#
#      Options: See usage below
#
#      NOTES
#      <other useful comments, qualifications,
etc.>
#
#      MODIFIED   (MM/DD/YY)
#      mpoess     08/08/99 - Creation
#      mpoess     08/08/99 - Creation
#
#      . $KIT_DIR/env

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit set in env
OUT_DIR=$ACID_OUT
DURA_DIR=$ACID_DIR/dura

usage() {

    echo ""
    echo "Usage: $0 [-n iter] [-p prog] [-u
usr/pwd] -h"
    echo ""
    echo "-n iter      : number of iterations,
default is 100"
    echo "-p prog      : program to run, default
is atranspl.ott"
    echo "-u usr/pwd : user/password combo for
database access, default is tpcd/tpcd"
    echo "-h          : print this usage summary"
    exit 1;
}

ITER=3
SF=1
PROG=$KIT_DIR/utils/atranspl
OUT=${OUT_DIR}/atom
USER=${DATABASE_USER}

set -- ` getopt "n:p:u:h" "$@"` || usage

while :
do
    case "$1" in
        -n) shift; ITER=$1;;
        -p) shift; PROG=$1;;
        -u) shift; USER=$1;;
        -h) usage; exit 0;;
        --) break;;
        esac
        shift
done

echo "Starting Atomicity Test at `date`..."
echo ""
echo "Performing $ITER ACID transactions with
COMMIT"
echo ""

$KIT_DIR/utils/randkey $ITER $SF $USER | $PROG
1 1 0 u$USER > ${OUT}c 2>&1

echo "ACID transactions with COMMIT ended.
Output in ${OUT}c"
echo ""
echo "Performing $ITER ACID transactions with
ROLLBACK"
echo ""

```

```

$KIT_DIR/utils/randkey $ITER $SF u$USER | $PROG
1 1 0 0 u$USER > ${OUT}r 2>&1

echo "ACID transactions with ROLLBACK ended.
Output in ${OUT}r"
echo ""
echo "Ending Atomicity Test at `date`..."
```

atranspl.c

```

/* Copyright (c) 2001, Oracle Corporation. All
rights reserved. */

/*
NAME
    atranspl.c - <one-line expansion of the
name>

DESCRIPTION
    TPC-HR benchmark ACID transaction driver,
OCI version 8

NOTES
    <other useful comments, qualifications,
etc.>

MODIFIED   (MM/DD/YY)
    mpoess     10/17/01 - add parameter in
ACIDinit
    mpoess     02/22/01 - enlarge timing array
    mpoess     01/04/01 - Creation

*/
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <fcntl.h>

#include "atranspl.h"

/* Declare error handling functions */

double gettime();
void sql_error();
void usage();
void ACIDinit();
void ACIDexit();
int atoi();
void srand48();
long lrand48();

/* declarations for ORDERS */

int o_key = 0;
double o_tprice = 0.0;
double o_newtprice = 0.0;

/* declarations for LINEITEM */

int l_key = 0;
int l_pkey = 0;
int l_skey = 0;

int l_quan = 0;
int l_newquan = 0;
double l_eprice = 0.0;
double l_neweprice = 0.0;
```

```

double l_disc = 0.0;
double l_tax = 0.0;

sb2 l_npricei;

/* other declarations */

int delta = 0;
double rprice;
double cost;

int proc_no = 1; /* process number,
global          */
int num_streams = 1; /* number of
transaction streams */
int trig = 0; /* Trigger Time
*/
int slp = 0; /* Sleep Time
*/

int logfile; /* fdes for logfile
for durability (optional) */
int outfile = 1; /* output file
(optional) */
#endif LINUX
FILE *infile; /* input file (optional)
*/
#else
FILE *infile = stdin; /* input file
(optional) */
/* in the format of
<o_key> <delta> */
#endif
char lname[UNAME_LEN]; /* username/passwd
combo          */
char *passwd; /* pointer to password
*/
char buf[WRITE_BUF_LEN]; /* buffer to write
*/
unsigned flag = (unsigned) 0; /* flag to
store all sorts of options */

#define INFILE 0x01u
#define OUTFILE 0x02u
#define LOGFILE 0x04u
#define COMMIT 0x08u
#define DELTA 0x10u

double tr_end = 0.0; /* transaction end
time           */
double tr_start = 0.0; /* transaction start
time           */
int num_iter = 0; /* number of
iterations      */
time_t curr_time; /* Current Time
*/
/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIServer *tpcsrv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpcsvc = NULL;
OCISession *tpcusr = NULL;
OCIStmt *curi = NULL;
OCIStmt *curr = NULL;
OCIStmt *cure1 = NULL;
OCIStmt *cure2 = NULL;

/* OCI bind handles */

#ifndef NOLKEY
OCIBind *l_keyi_bp = NULL;
OCIBind *o_keyi_bp = NULL;
#endif /* NOLKEY */

OCIBind *l_key_bp = NULL;
OCIBind *o_key_bp = NULL;
OCIBind *delta_bp = NULL;
OCIBind *l_pkey_bp = NULL;
OCIBind *l_skey_bp = NULL;
OCIBind *l_quan_bp = NULL;
OCIBind *l_newquan_bp = NULL;
OCIBind *l_tax_bp = NULL;
OCIBind *l_disc_bp = NULL;
OCIBind *l_eprice_bp = NULL;
OCIBind *l_neweprice_bp = NULL;
OCIBind *o_tprice_bp = NULL;
OCIBind *o_newtprice_bp = NULL;
OCIBind *rprice_bp = NULL;
OCIBind *cost_bp = NULL;

OCIBind *l_neweprice1_bp = NULL;
OCIBind *l_newquan1_bp = NULL;
OCIBind *o_key1_bp = NULL;
OCIBind *l_key1_bp = NULL;

OCIBind *o_newtprice2_bp = NULL;
OCIBind *o_key2_bp = NULL;

sword status = OCI_SUCCESS; /* OCI return value
*/
char sqlstmt[1024];

/* usage: prints the usage of the program */

void usage()
{
    fprintf(stderr, "\nUsage: atrans.o[st]t
<proc_no> <num_streams> <commit>
<delta>\n[i<pathname for input>] [o<pathname for
output>] [d<pathname for durability file>]
[u<uid/passwd>] \n\n");

    fprintf(stderr, "      proc_no      :the process
number within this ACID\n");
    fprintf(stderr, "      num_streams  :the total
number of ACID transaction streams\n");
    fprintf(stderr, "      commit       :1 to commit
transaction, abort otherwise\n\n");
    fprintf(stderr, "      delta        :1 to
generate new random delta, otherwise obtain
delta from input\n\n");
    fprintf(stderr, "      OPTIONAL PARAMETERS:\n");
    fprintf(stderr, "      i<pathname for input>
full path name for input file - default is
stdin\n");
    fprintf(stderr, "      o<pathname for output>
full path name for output file - default is
stdout\n");
    fprintf(stderr, "      d<pathname for durability>
full path name for durability success file -
must specify for durability test\n");
    fprintf(stderr, "      u<uid/password>
:Username/Password string - default is
tcpd/tpcd\n");
}

```

```

fprintf(stderr,"      t<trigger>
:Trigger Time - sleep <trigger> seconds before
start\n\n");
fprintf(stderr,"      s<sleep>
:Sleep Time - sleep <sleep> seconds before
commit or rollback\n\n");
exit(-1);
}

void ACIDexit() {
    OCILogoff(tpcsvc,errhp);
    OCIHfree(tpcenv,OCI_HTYPE_STMT);
    OCIHfree(tpcsvc,OCI_HTYPE_SVCCTX);
    OCIHfree(tpcsrv,OCI_HTYPE_SERVER);
    OCIHfree(tpcusr,OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed, 1 if
error handle is passwd */

void sql_error(errhp,status,type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    ub4 errcode;
    ub4 msglen;
    int i,j;

    switch(status) {
        case OCI_SUCCESS_WITH_INFO:
            fprintf(stderr, "Error: Statement returned
with info.\n");
            if (type)
                (void) OCIErrorGet(errhp,1,NULL,(sb4*)
&errcode, (text*) msg,
                                2048, OCI_HTYPE_ERROR);
            else
                (void) OCIErrorGet(errhp,1,NULL,(sb4*)
&errcode, (text*) msg,
                                2048, OCI_HTYPE_ENV);
            fprintf(stderr,"%s\n",msg);
            break;
        case OCI_ERROR:
            fprintf(stderr, "Error: OCI call error.\n");
            if (type)
                (void) OCIErrorGet(errhp,1,NULL, (sb4 *)
&errcode, (text*) msg,
                                2048,OCI_HTYPE_ERROR);
            else
                (void) OCIErrorGet(errhp,1,NULL, (sb4 *)
&errcode, (text*) msg,
                                2048,OCI_HTYPE_ENV);
            fprintf(stderr,"%s\n",msg);
            break;
        case OCI_INVALID_HANDLE:
            fprintf(stderr, "Error: Invalid Handle.\n");
            if (type)
                (void) OCIErrorGet(errhp,1,NULL, (sb4 *)
&errcode, (text*) msg,
                                2048,OCI_HTYPE_ERROR);
            else
                (void) OCIErrorGet(errhp,1,NULL, (sb4 *)
&errcode, (text*) msg,
                                2048,OCI_HTYPE_ENV);
    }
}

fprintf(stderr,"%s\n",msg);
break;
}
/* Rollback just in case */
(void)
OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

ACIDexit();

exit(1);
}

#ifndef LINUX
int main(argc,argv)
#else
void main(argc,argv)
#endif
{
    int argc;
    char *argv[];

    int i;
    char line[64];
    ub4 errcode;
    char msg[2048];
    int need_commit = 0;

    /* Initialize some variables */
#ifndef LINUX
    infile=fopen("/dev/stdin","r");
#endif
    strcpy((char *) lname, "tpcd/tpcd");

    if ((argc > 10) || (argc < 5)) {
        usage();
    }

    /* argv[1] -- Process Number */
    proc_no = atoi(argv[1]);

    /* argv[2] -- Number of Streams */
    num_streams = atoi(argv[2]);

    /* argv[3] -- Commit? */
    if (atoi(argv[3]) == 1)
        BIS(flag, COMMIT);

    /* argv[4] -- Delta? */
    if (atoi(argv[4]) == 1)
        BIS(flag, DELTA);

    /* Process optional parameters */
    argc -= 4;
    argv += 4;

    while(--argc) {
        ++argv;
        switch(argv[0][0]) {
            case 'u':
                strncpy((char *) lname, ++(argv[0]),
UNAME_LEN);
                if (strchr((char *) lname, '/') == NULL) {

```

```

        fprintf(stderr, "Login name must be in
the format of userid/passwd\n");
        usage();
        exit(-1);
    }
    break;
case 'i':
    if ((infile = fopen(++(argv[0]), "r")) ==
NULL) {
        fprintf(stderr,"Cannot open input file
%s\n", argv[0]);
        fprintf(stderr,"%s\n",strerror(errno));
        exit(-1);
    }
    BIS(flag, INFILE);
    break;
case 'o':
    if ((outfile = open(++(argv[0]), (O_RDWR |
O_SYNC | O_CREAT), S_IRWXU)) == -1) {
        fprintf(stderr,"Cannot open output file
%s\n", argv[0]);
        fprintf(stderr,"%s\n",strerror(errno));
        exit(-1);
    }
    BIS(flag, OUTFILE);
    break;
case 'd':
    if ((logfile = open(++(argv[0]), (O_RDWR |
O_SYNC | O_CREAT), S_IRWXU)) == -1) {
        fprintf(stderr,"Cannot open durability
success file %s\n", argv[0]);
        fprintf(stderr,"%s\n",strerror(errno));
        exit(-1);
    }
    BIS(flag, LOGFILE);
    break;
case 'b':
    num_iter = atoi(++(argv[0]));
    break;
case 't':
    trig = atoi(++(argv[0]));
    break;
case 's':
    slp = atoi(++(argv[0]));
    break;
default:
    fprintf(stderr, "Unknown argument %s\n",
argv[0]);
    usage();
    break;
}
}

FPRTF(outfile,"-----
-----\n");

/* Initialize the cursors etc. */

(void) ACIDinit();

/* sleep for some time (triggering) */

sleep(trig);

/* start doing the ACID transactions */

tr_start = gettimeofday();

/* The number of iteration we will run depends
on the number of */
/* input lines
*/

```

```

while (fgets(line, 64, infile) != NULL) {

#endif NOLKEY
    sscanf(line, "%d %d\n", &o_key, &delta);

    /* Obtain l_key from l_key query */

    OCIexec(tpcsvc,curi,errhp,1);

    /* l_key is the highest l_linenumber
available. We need to pick */
    /* at random a number between 1..l_key.
*/
    l_key = (int) ((lrand48() % l_key) + 1);
#else
    sscanf(line, "%d %d %d\n", &o_key, &l_key,
&delta);
#endif /* NOLKEY */

    /* Generate delta if necessary */

    if (BIT(flag, DELTA))
        delta = (int) (floor((drand48() * 100)) +
1);

    /* Now, we are ready to run the ACID
transaction. */

    curr_time = time(NULL);

    FPRTF2(outfile, "Starting ACID transaction
%d at %s...\n", (++num_iter),
ctime(&curr_time));

    FPRTF1(outfile, "o_key: %d\n", (int) o_key);
    FPRTF1(outfile, "l_key: %d\n", (int) l_key);
    FPRTF1(outfile, "delta: %d\n", (int) delta);

    OCIexec(tpcsvc,curr,errhp,1);

    curr_time = time(NULL);

    if (!BIT(flag, LOGFILE)) {
        FPRTF1(outfile, "BEFORE COMMIT/ROLLBACK
TRANSACTION at %s\n", ctime(&curr_time));
        FPRTF1(outfile, "l_extendedprice: %.2f\n",
l_eprice);
        FPRTF1(outfile, "l_quantity:      %d\n",
(int) l_quan);
        FPRTF1(outfile, "o_totalprice:   %.2f\n\n",
o_tprice);
    }

    FPRTF1(outfile, "Sleep %d seconds before
COMMIT/ROLLBACK...\n\n", slp);
    sleep(slp);

    /* Shall we commit? */

    if (BIT(flag, COMMIT)) {
        need_commit = 1;
        while (need_commit) {

if((status=OCITransCommit(tpcsvc,errhp,OCI_DEFAULT)) != OCI_SUCCESS) {
            OCIrol(tpcsvc,errhp);
            OCIexec(tpcsvc,curr,errhp,1);
        } else {
            need_commit = 0;
            curr_time = time(NULL);
        }
    }
}

```

```

        FPRTF2(outfile, "ACID Transaction
iteration %d COMMITED at %s\n",
           num_iter, ctime(&curr_time));
    }
}
} else {
    OCIrol(tpcsvc,errhp);
    curr_time = time(NULL);
    FPRTF2(outfile, "ACID Transaction
iteration %d ROLLBACK at %s\n",
           num_iter, ctime(&curr_time));
}

/* Report all results to outfile and if
necesssary, to success file. */

/* Report initial and new values for
o_totalprice, l_extendedprice, */
/* l_quantity.
*/
/*
curr_time = time(NULL);
FPRTF1(outfile, "Transaction Completed at
%s\n", ctime(&curr_time));
*/

/* Get the values in LINEITEM and ORDERS
after the transaction */

if (BIT(flag, LOGFILE)) {
    FPRTF1(logfile, "p_key:      %d\n", (int)
l_pkey);
    FPRTF1(logfile, "s_key:      %d\n", (int)
l_skey);
    FPRTF1(logfile, "o_key:      %d\n", (int)
o_key);
    FPRTF1(logfile, "l_key:      %d\n", (int)
l_key);
    FPRTF1(logfile, "delta:      %d\n", (int)
delta);
    FPRTF1(logfile, "Transaction Completed at
%s\n", ctime(&curr_time));
    FPRTF(logfile, "-----\n");
} else {
    OCIsexec(tpcsvc,cure1,errhp,1);
    OCIsexec(tpcsvc,cure2,errhp,1);

    FPRTF(outfile, "AFTER TRANSACTION:\n");
    FPRTF1(outfile, "l_extendedprice:
%.2lf\n", l_newprice);
    FPRTF1(outfile, "l_quantity:      %d\n",
(int) l_newquan);
    FPRTF1(outfile, "o_totalprice:
%.2lf\n\n", o_newtprice);
    FPRTF1(outfile, "l_tax:
%.2lf\n", l_tax);
    FPRTF1(outfile, "l_discount:
%.2lf\n", l_disc);
    FPRTF1(outfile, "rprice:
%.2lf\n", rprice);
    FPRTF1(outfile, "cost:
%.2lf\n", cost);
    FPRTF(outfile, "-----\n");
}
}

tr_end = gettime();

if (!BIT(flag,LogFile)) {
    FPRTF1(outfile, "Start Time: %.2f\n",
tr_start);
    FPRTF1(outfile, "End Time: %.2f\n", tr_end);
    FPRTF1(outfile, "Elapsed Time: %.2f\n",
(tr_end - tr_start));
    FPRTF1(outfile, "Transaction Count: %d\n",
num_iter);
    FPRTF1(outfile, "Transaction Rate: %.2f\n",
num_iter/(tr_end - tr_start));
} else {
    FPRTF1(logfile, "Start Time: %.2f\n",
tr_start);
    FPRTF1(logfile, "End Time: %.2f\n", tr_end);
    FPRTF1(logfile, "Elapsed Time: %.2f\n",
(tr_end - tr_start));
    FPRTF1(logfile, "Transaction Count: %d\n",
num_iter);
}

/* Disconnect from ORACLE. */

if (BIT(flag, INFIL))
    fclose(infile);
if (BIT(flag, OUTFILE))
    close(outfile);
if (BIT(flag, LOGFILE))
    close(logfile);

ACIDexit();
exit(0);
}

void ACIDinit()
{
    /* run random seed */
    srand48(getpid());

    /* Connect to ORACLE. Program will call
sql_error()
       if an error occurs in connecting to the
default database. */

    (void) OCIIInitialize(OCI_DEFAULT,(dvoid
*)0,0,0,0);
    if((status=OCIEnvInit((OCIEnv
**) &tpcenv,OCI_DEFAULT,0,(dvoid ** )0)) !=
        OCI_SUCCESS)
        sql_error(tpcenv, status, 0);

    OCIalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
    OCIalloc(tpcenv,&curi,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&curr,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&cure1,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&cure2,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
    OCIalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
    OCIalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

    /* Disables auto commit */
/*
    if (ocof(&tpclda)) {
        sql_error(&tpclda, &tpclda);
        ologof(&tpclda);
        exit(-1);
    }
*/
}

```

```

/* get username and password */
passwd = strchr(lname, '/');
*passwd = '\0';
passwd++;

if ((status =
OCIAttachServer(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT)) != OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATTR_SERVER,errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION, lname,strlen(lname),OCI_ATTR_USERNAME,
        errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(p
asswd),OCI_ATTR_PASSWORD,
        errhp);

if ((status = OCISessionBegin(tpcsvc, errhp,
tpcusr, OCI_CRED_RDBMS,
                           OCI_DEFAULT)) !=
OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX, tpcusr,0,OCI_ATTR_SESSION,errhp);

/* Enable session parallel dml */
sprintf((char *) sqlstmt, PDMLTXT);
OCIStmtPrepare(curi,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);

/* Enable session parallel ddl */
/*sprintf((char *) sqlstmt, PDDLTXT);
OCIStmtPrepare(curi,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);*/

/* Make session serializable */

sprintf ((char *) sqlstmt, ISOTXT);
OCIStmtPrepare(curi,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);

/* Set optimizer_index_cost_adj = 25 */
sprintf ((char *) sqlstmt, OICATXT);
OCIStmtPrepare(curi,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);

curr_time = time(NULL);
printf("\nConnected to ORACLE as user: %s at
%s\n", lname, ctime(&curr_time));

#endif NOLKEY
/* Open and Parse cursor for query to choose
determine l_key. */
/* Binds l_key to :l_key.
*/
sprintf((char *) sqlstmt,SQLTXT1);
OCIStmtPrepare(curi,errhp,sqlstmt,strlen((char
*)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);

OCIBbname(curi,&l_keyi_bp,errhp,:l_key",ADR(l_k
ey),SIZ(l_key),SQLT_INT);

OCIBbname(curi,&o_keyi_bp,errhp,:o_key",ADR(o_k
ey),SIZ(o_key),SQLT_INT);

#endif /* NOLKEY */

/* Open and Parse cursor for the ACID
transaction.
*/
sprintf((char *) sqlstmt,SQLTXT2);
OCIStmtPrepare(curr,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);

/* bind variables */

OCIBbname(curr,l_key_bp,errhp,:l_key",ADR(l_key
),SIZ(l_key),SQLT_INT);

OCIBbname(curr,o_key_bp,errhp,:o_key",ADR(o_key
),SIZ(o_key),SQLT_INT);

OCIBbname(curr,delta_bp,errhp,:delta",ADR(delta
),SIZ(delta),SQLT_INT);

OCIBbname(curr,l_pkey_bp,errhp,:l_pkey",ADR(l_p
key),SIZ(l_pkey),SQLT_INT);

OCIBbname(curr,l_skey_bp,errhp,:l_skey",ADR(l_s
key),SIZ(l_skey),SQLT_INT);

OCIBbname(curr,l_quan_bp,errhp,:l_quan",ADR(l_q
uan),SIZ(l_quan),SQLT_INT);

OCIBbname(curr,l_newquan_bp,errhp,:l_newquan",A
DR(l_newquan),
           SIZ(l_newquan),SQLT_INT);

OCIBbname(curr,l_tax_bp,errhp,:l_tax",ADR(l_tax
),SIZ(l_tax),SQLT_FLT);

OCIBbname(curr,l_disc_bp,errhp,:l_disc",ADR(l_d
isc),SIZ(l_disc),SQLT_FLT);

OCIBbname(curr,l_eprice_bp,errhp,:l_eprice",ADR(
l_eprice),SIZ(l_eprice),
           SQLT_FLT);

OCIBbname(curr,l_neweprice_bp,errhp,:l_newepri
ce",ADR(l_neweprice),
           SIZ(l_neweprice),SQLT_FLT);

OCIBbname(curr,o_tprice_bp,errhp,:o_tprice",ADR(
o_tprice),SIZ(o_tprice),
           SQLT_FLT);

```

```

OCIbbname(curr,o_newtprice_bp,errhp,:o_newtprice",
          ADR(o_newtprice),
          SIZ(o_newtprice), SQLT_FLT);

OCIbbname(curr,rprice_bp,errhp,:rprice",ADR(rprice),
          SIZ(rprice), SQLT_FLT);

OCIbbname(curr,cost_bp,errhp,:cost",ADR(cost),
          SIZ(cost), SQLT_FLT);

/* Open & Parse cursor for end values query */

sprintf((char *) sqlstmt,SQLTXT3);
OCISmtPrepare(cure1,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);

sprintf((char *) sqlstmt,SQLTXT4);
OCISmtPrepare(cure2,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
               OCI_NTV_SYNTAX,OCI_DEFAULT);

/* bind variables */

OCIbbname(cure1,l_neweprice1_bp,errhp,:l_neweprice",
          ADR(l_neweprice),
          SIZ(l_neweprice),SQLT_FLT);

OCIbbname(cure1,l_newquan1_bp,errhp,:l_newquan",
          ADR(l_newquan),
          SIZ(l_newquan),SQLT_INT);

OCIbbname(cure1,o_key1_bp,errhp,:o_key",ADR(o_key),
          SIZ(o_key),SQLT_INT);

OCIbbname(cure1,l_key1_bp,errhp,:l_key",ADR(l_key),
          SIZ(l_key),SQLT_INT);

OCIbbname(cure2,o_newtprice2_bp,errhp,:o_newtprice",
          ADR(o_newtprice),
          SIZ(o_newtprice),SQLT_FLT);

OCIbbname(cure2,o_key2_bp,errhp,:o_key",ADR(o_key),
          SIZ(o_key),SQLT_INT);

}

}

```

atranspl.h

```

/* Copyright (c) 2001, Oracle Corporation. All
rights reserved. */

/*
  NAME
    atranspl.h - <one-line expansion of the
name>

  DESCRIPTION

  MODIFIED   (MM/DD/YY)
  mpoess     10/17/01 - add TXT parameter
  mpoess     04/09/01 - add hint to find max
linenumber
  mpoess     01/04/01 - Creation

*/

```

```

#ifndef ATRANSPL_H
#define ATRANSPL_H

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/param.h>
#include <sys/types.h>
#include <time.h>
#include <errno.h>
#include <math.h>

#include <oratypes.h>
#ifndef OCIDFN
#include <ocidfn.h>
#endif /* OCIDFN */

#ifndef OCI_ORACLE
#include <oci.h>
#endif /* OCI_ORACLE */

/*
#ifndef __STDC__
#include <ociapr.h>
#else
#include <ocikpr.h>
#endif /* __STDC__ */

extern int errno;

#ifndef NULL
#define NULL 0
#endif

#ifndef NULLP
#define NULLP (void *)NULL
#endif /* NULLP */

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define UNAME_LEN 64
#define WRITE_BUF_LEN 1024

#define NA           -1      /* ANSI SQL NULL
*/
#define VER7          2
#define NOT_SERIALIZABLE 8177 /* ORA-08177:
transaction not serializable */
#define WRITE_BUF_LEN 1024

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define BIS(flg,mask) (unsigned) (flg |=
(unsigned) mask)
#define BIT(flg,mask) (unsigned) ((unsigned) flg
& (unsigned) mask)

#define FPRTF(fd,s) \
{sprintf(buf,s); write(fd, buf, strlen(s));}
#define FPRTFl(fd,s,p) \
{sprintf(buf,s,p); write(fd, buf, strlen(buf));}

```

```

#define FPRTF2(fd,s,p1,p2) \
{sprintf(buf,s,p1,p2); write(fd, buf,
strlen(buf));}

#define OCIalloc(envh,hndl,htyp) \
if((status=OCIAHandleAlloc((dvoid
*)envh,(dvoid **)hndl,htyp,0,(dvoid
**)0))!=OCI_SUCCESS) \
    sql_error(envh,status,0); \
else \
    DISCARD 0

#define OCIhfree(hndl,htyp) \
if((status=OCIAHandleFree((dvoid
*)hndl,htyp)) == OCI_SUCCESS) \
    fprintf(stderr, "Error freeing handle of
type %d\n", htyp)

#define OCIaget(hndl,htyp,attp,size,atyp,errh) \
if((status=OCIAAttrGet((dvoid
*)hndl,htyp,(dvoid *)attp,(dvoid
*)size,atyp,errh)) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define OCIaset(hndl,htyp,attp,size,atyp,errh) \
if((status=OCIAAttrSet((dvoid
*)hndl,htyp,(dvoid *)attp,size,atyp,errh)) !=
OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \
if((status=OCISStmtExecute(svch,stmh,errh,iter,0,
NULL,NULL,OCI_DEFAULT)) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define
OCIbbname(stmh,bindp,errh,sqlvar,progv,progvl,f
type) \
if((status=OCIBBindByName(stmh,&bindp,errh,(text
*)sqlvar,strlen(sqlvar), \
progv,progvl,ftype,0,0,0,0,0,OCI_DEFAULT)) !=
OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define
OCIbbnamei(stmh,bindp,errh,sqlvar,progv,progvl,f
type,indp) \
if((status=OCIAHandleAlloc((dvoid
*)stmh,(dvoid **)bindp,OCI_HTYPE_BIND, \
0,(dvoid
**)0))!=OCI_SUCCESS) \
    sql_error(stmh,status,0); \
if((status=OCIBBindByName(stmh,&bindp,errh,(text
*)sqlvar,strlen(sqlvar), \
progv,progvl,ftype,indp,0,0,0,0,0,OCI_DEFAULT)) !=
OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define OCIcom(svcp,errh) \
if((status=OCITransCommit(svcp,errh,OCI_DEFAULT)
) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define OCIrol(svcp,errh) \
if((status=OCITransRollback(svcp,errh,OCI_DEFAULT)
) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define ISOTXT "alter session set
isolation_level = serializable"
#define PDMLTXT "alter session force parallel
dml parallel (degree 4)"
#define PDDLTXT "alter session force parallel
ddl parallel (degree 4)"
#define OICATXT "alter session set
optimizer_index_cost_adj=25"

#define SQLTXT1 "BEGIN SELECT /*+
index(lineitem,i_l_orderkey) */
MAX(l_linenumber) INTO :l_key FROM lineitem \
WHERE l_orderkey = :o_key; END;"

#define SQLTXT2 "BEGIN d_atrans.doatrans(:l_key,
:o_key, :delta, :l_pkey, \
:l_skey, :l_quan, :l_newquan, :l_tax, :l_disc,
:l_eprice, :l_neweprice, \
:o_tprice, :o_newtprice, :rprice, :cost); END;"

#define SQLTXT3 "BEGIN SELECT l_extendedprice,
l_quantity \
INTO :l_neweprice, :l_newquan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenumber = :l_key; END;"

#define SQLTXT4 "BEGIN SELECT o_totalprice INTO
:o_newtprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"

#define SQLTXT5 "BEGIN SELECT l_extendedprice,
l_quantity \
INTO :l_eprice, :l_quan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenumber = :l_key; END;"

#define SQLTXT6 "BEGIN SELECT o_totalprice INTO
:o_tprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"

#endif /* ATRANSPL_H */


```

ckpt.sh

```

#!/bin/ksh
#
# $Header: ckpt.sh 08-aug-99.17:32:22 mpoess Exp
$#

```



```

exit 1
fi

if [ $STREAM -lt 2 ]
then
echo "Error: Must at least run 2 streams!"
echo "Exiting..."
exit 1
fi

echo "Starting Consistency Test at `date`..."
echo ""
echo "Generate some keys first"
echo ""

i=0

while [ $i -lt $STREAM ]
do
echo randkey ${KEY} 1 u$USER
randkey ${KEY} 1 u$USER > ${KEY}${i}
i=`expr $i + 1`
done

echo "Check consistency before Submitting
Transactions `date`"
echo "Check consistency before Submitting
Transactions `date`" >> $CON1

echo "Obtain 10 keys from the each key file to
check consistency"

i=0
while [ $i -lt $STREAM ]
do
KEYS=`head -10 ${KEY}${i} | awk '{printf "%d ", $1}'` 
echo "The 10 Keys for file $i are: $KEYS"
#for j in `head -10 ${KEY}${i} | awk '{printf
"%d ", $1}'` 
for j in $KEYS
do
    sqlplus $USER @consist $j >> $CON1
    echo "-----" >>
$CON1
done
i=`expr $i + 1`
done

echo ""
echo "Starting ACID transactions at `date`"
echo ""

i=0

while [ $i -lt $STREAM ]
do
    $PROG $i $STREAM 1 0 u$USER i${KEY}${i}
o${OUTFILE}${i} sl &
i=`expr $i + 1`
done

echo "Schedule a Checkpoint"
echo "Checkpoint scheduled at $CK seconds after
`date`"

(sleep $CK; $ACID_DIR/ckpt.sh) &

wait

echo ""
echo "Ending ACID transactions at `date`"

echo ""

echo "Completed $STREAM transaction streams with
$ITER iterations each"
echo ""

echo "Check consistency after Submitting
Transactions `date`"
echo "Check consistency after Submitting
Transactions `date`" >> $CON2

cat
${ORACLE_HOME}/rdbms/log/alert_${ORACLE_SID}.log
>> $CHK

i=0
while [ $i -lt $STREAM ]
do
KEYS=`head -10 ${KEY}${i} | awk '{printf "%d ", $1}'` 
#for j in `head -10 ${KEY}${i} | awk '{printf "%d ", $1}'` 
echo "The keys to check for consistency after
the test from file $i are:"
echo "$KEYS"
for j in $KEYS
do
    sqlplus $USER @consist $j >> $CON2
    echo "-----" >>
$CON2
done
i=`expr $i + 1`
done

```

consist.sql

```

Rem
Rem $Header: consist.sql 08-aug-99.16:59:17
mpoess Exp $
Rem
Rem consist.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
Rem
Rem      NAME
Rem      consist.sql - <one-line expansion of
the name>
Rem
Rem      DESCRIPTION
Rem          Verifies the consistency of TPC-D
database using the
Rem          consistency condition.
Rem
Rem Usage:   sqlplus tpcd/tpcd @consist
Rem
Rem NOTE
Rem REQUIRES PACKAGES prvtotpt and dbmsotpt
rem
Rem      MODIFIED      (MM/DD/YY)
Rem      mpoess        08/08/99 - Creation
Rem      mpoess        08/08/99 - Created
Rem

set verify off
rem set termout on
rem set echo on

REM

```

```

REM Get today's date.
REM

select
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

set serverout on;

DECLARE
    o_okey      number;
    o_tprice    number;
    l_tprice    number;
    diff        number;
BEGIN
    select o_totalprice
        into o_tprice
        from orders
       where o_orderkey = &&l;

    select sum(trunc((trunc((l_extendedprice *
(1-l_discount)), 2)
            * (1+l_tax)), 2))
        into l_tprice
        from lineitem
       where l_orderkey = &&l;

    diff := l_tprice - o_tprice;

    dbms_output.put_line('O_TOTALPRICE: ' ||
TO_CHAR(trunc(o_tprice,2)));
    dbms_output.put_line('L_TOTALPRICE: ' ||
TO_CHAR(trunc(l_tprice,2)));
    dbms_output.put_line('Difference: ' ||
TO_CHAR(trunc(diff,2)));

END;
.
/

```

spool off
exit

count_tx.sh

```

#!/bin/ksh

STEM=$1
ITER=$2
OUT=$3
FIN=FALSE
while [ "$FIN" = "FALSE" ]
do
    s=0
    FIN=TRUE
    while [ $s -lt $STEM ]
    do
        nt=`grep "Transaction Completed"
$OUT/dura${s} | wc -l`
        if [ $nt -lt $ITER ];then
            FIN=FALSE
        fi
        s=`expr $s + 1`
    done
    sleep 5
done

```

```

echo all streams have committed $ITER
transactions

```

d_hist.sql

```

Rem
Rem $Header: d_hist.sql 07-aug-99.21:33:08
mpoess Exp $
Rem
Rem d_hist.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
Rem
Rem      NAME
Rem      d_hist.sql - <one-line expansion of the
name>
Rem
Rem      DESCRIPTION
Rem          Creates a history table for ACID test
purpose.
Rem
Rem      NOTES
Rem          <other useful comments, qualifications,
etc.>
Rem
Rem      MODIFIED   (MM/DD/YY)
Rem      mpoess     08/07/99 - Creation
Rem      mpoess     08/07/99 - Created
Rem

```

```

set termout on;
set serverout on;
set echo on;

```

```
drop table history;
```

```

create table history
(
    h_p_key number,
    h_s_key number,
    h_o_key number,
    h_l_key number,
    h_delta number,
    h_date_t date
);

```

```
exit;
```

end_acid.sh

```

#!/bin/ksh
#
# $Header: end_acid.sh 08-aug-99.17:06:20 mpoess
Exp $
#
# end_acid.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#      NAME
#      end_acid.sh - <one-line expansion of the
name>
#
#      DESCRIPTION
#      end_cons.sh <pid of the durability run>

```

```

#      Options: See usage below
#
#      NOTES
#          <other useful comments, qualifications,
etc.>
#
#      MODIFIED   (MM/DD/YY)
#      mpoess     08/08/99 - Creation
#      mpoess     08/08/99 - Creation
#
#      . $KIT_DIR/env

OH=$ORACLE_HOME
# ACID_DIR=$OH/tpcd/audit set in env
OUT_DIR=$ACID_OUT/
DURA_DIR=$ACID_OUT/dura
RUN_ID_FILE=$ACID_DIR/run_id

ITER=100
STEM=${NUM_STREAMS}
let STEM="$STEM + 1" # add one for the update
stream
PROG=${ACID_DIR}/atranspl.ott
IN=${ACID_DIR}/acid_in
DURA=${DURA_DIR}/drate
OUT=${DURA_DIR}/drate
DSMPL=${DURA_DIR}/durasmpl
KEY=${DURA_DIR}/key${1}_

USER=tpch/tpch
TRIG=1
HCNT=duracnta

# get history count
sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT 2>&1

# perform the consistency
i=0
while [ $i -lt $STEM ]
do
    for j in `head -10 ${KEY}${i} | awk '{printf "%d ",$1}'` 
    do
        sqlplus tpch/tpch @consist $j >>
$DURA_DIR/duraconsa
    done
    i=`expr $i + 1`
done

i=0
while [ $i -lt $STEM ]
do
sample.sh $DURA${i} > ${DSMPL}${i} 2>&1
i=`expr $i + 1`
done

gettime.c
#endif RCSID
static char *RCSid =
"$Header: gettime.c 15-jul-99.14:27:44 mpoess
Exp $ ";
#endif /* RCSID */

/* Copyright (c) Oracle Corporation 1999. All
Rights Reserved. */

/*
NAME
gettime.c

DESCRIPTION
get wall clock time.
get cpu time.

FUNCTIONS
get wall clock time.
get cpu time.

NOTES
Both routines return time in seconds as a
double.

MODIFIED   (MM/DD/YY)
mpoess     07/15/99 - Creation
mpoess     07/15/99 - Creation

*/
/*
** Options:
**      TIME_W_TIMES:      implement gettimeofday()
with times().
**      TIME_W_GETTIME:    implement gettimeofday()
with gettimeofday().
**      CPU_W_TIMES:       implement getcpu()
with times().
**      CPU_W_GETRU:       implement getcpu()
with getrusage().
**      GETRU_STATS:       collect getrusage
statistics
**      GET_P_STATS:       collect
get_process_stats statistics
*/
#define SUN_OS5
#if defined(SUN_OS5)
#define TIME_W_GETTIME
#define CPU_W_TIMES
#undef GETRU_STATS
#undef CPU_W_GETRU
#endif /* SUN_OS5 */

#if defined(sequent) || defined(SEQ_PSX)
#define GET_P_STATS
#endif /* sequent */

#if defined(aix) || defined(AIXRIOS)
#define TIME_W_GETTIME
#define CPU_W_TIMES
#define GETRU_STATS
#endif /* AIXRIOS */

#if defined(a_osf) || defined(A_OSF)
#define TIME_W_GETTIME
#define CPU_W_GETRU
#define GETRU_STATS
#endif /* AIXRIOS */

#if defined(HPUX) || defined(XENIX_386) ||
defined(SYSV_386) || defined(ATT_3B)
#define TIME_W_TIMES
#define CPU_W_TIMES
#endif /* HPUX || XENIX_386 || SYSV_386 */

#if !defined(TIME_W_GETTIME) &&
!defined(TIME_W_TIMES)
#define TIME_W_TIMES

```

```

#endif

#if !defined(CPU_W_GETRU) &&
!defined(CPU_W_TIMES)
# define CPU_W_TIMES
#endif

#ifndef GET_P_STATS
# ifdef GETRU_STATS
#  undef GETRU_STATS
# endif
#endif

#ifndef TIME_W_GETTIME || 
defined(CPU_W_GETRU) || defined(GETRU_STATS)
# include <sys/time.h>
#endif /* TIME_W_GETTIME || CPU_W_GETRU || 
GETRU_STATS */

#ifndef CPU_W_GETRU || defined(GETRU_STATS)
# include <sys/resource.h>
#endif /* CPU_W_GETRU || GETRU_STATS */

#ifndef TIME_W_TIMES || defined
(CPU_W_TIMES)
# include <sys/types.h>
# include <sys/times.h>
# include <sys/param.h> /* most systems define
HZ here */
#endif /* TIME_W_TIMES or CPU_W_TIMES */

#ifndef GET_P_STATS
# include <sys/types.h>
# include <sys/procstats.h>
#endif /* GET_P_STATS */

#include <stdio.h>

#ifndef GETRU_STATS
struct rusage selfru;
struct rusage kidsru;
#endif /* GETRU_STATS */

#ifndef GET_P_STATS
struct process_stats selfru;
struct process_stats kidsru;
#endif /* GET_P_STATS */

double gettimeofday ()
{
#ifndef TIME_W_GETTIME
    struct timeval tv;

    (void) gettimeofday (&tv, (struct timezone *) 0);
    return ((double) tv.tv_sec + (1.0e-6 *
(double) tv.tv_usec));
#endif /* TIME_W_GETTIME */

#ifndef TIME_W_TIMES
    struct tms buf;

    return ((double) times (&buf) / HZ);
#endif /* TIME_W_TIMES */
}

double getcpu ()
{
#ifndef CPU_W_TIMES
    struct tms buf;

    (void) times (&buf);
    return (((double) buf.tms_utime + (double)
buf.tms_stime) / HZ);
#endif /* CPU_W_TIMES */

#ifndef CPU_W_GETRU
    struct rusage ru;
    double usecs;

    (void) getrusage (0, &ru);
    usecs = 1.0e-6 * (double)
(ru.ru_utime.tv_usec + ru.ru_stime.tv_usec);
    return ((double) (ru.ru_utime.tv_sec +
ru.ru_stime.tv_sec) + usecs);
#endif /* CPU_W_GETRU */
}

getru (fp, kids, config, runname, proc_no)
FILE *fp;
int kids;
char *config;
char *runname;
int proc_no;

{
#ifndef GETRU_STATS
    struct rusage ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ",
config, runname, proc_no, kids);
    getrusage (kids ? RUSAGE_CHILDREN :
RUSAGE_SELF, &ru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GETRU_STATS */

#ifndef GET_P_STATS
    timeval tv;
    struct process_stats ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ",
config, runname, proc_no, kids);
    if (kids)
        get_process_stats (&tv, PS_SELF, (struct
process_stats *) 0, &ru);
    else
        get_process_stats (&tv, PS_SELF, &ru,
(struct process_stats *) 0);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GET_P_STATS */
}

getrul (kids)
int kids;

```

```

{
#endif GETRU_STATS
    if (kids) {
        memset (&kidsru, 0, sizeof (kidsru));
        getrusage (RUSAGE_CHILDREN, &kidsru);
    }
    else {
        memset (&selfru, 0, sizeof (selfru));
        getrusage (RUSAGE_SELF, &selfru);
    }
#endif /* GETRU_STATS */

#ifndef GET_P_STATS
    timeval_t tv;

    if (kids) {
        memset (&kidsru, 0, sizeof (kidsru));
        get_process_stats (&tv, PS_SELF, (struct
process_stats *) 0, &kidsru);
    }
    else {
        memset (&selfru, 0, sizeof (selfru));
        get_process_stats (&tv, PS_SELF, &selfru,
(struct process_stats *) 0);
    }
#endif /* GET_P_STATS */
}

getru2 (fp, kids, config, runname, proc_no)

FILE *fp;
int kids;
char *config;
char *runname;
int proc_no;

{
#endif GETRU_STATS
    struct rusage ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ",
config, runname, proc_no, kids);
    getrusage (kids ? RUSAGE_CHILDREN :
RUSAGE_SELF, &ru);
    if (kids)
        diffru (&ru, &kidsru);
    else
        diffru (&ru, &selfru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GETRU_STATS */

#ifndef GET_P_STATS
    timeval_t tv;
    struct process_stats ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ",
config, runname, proc_no, kids);
    if (kids)
        get_process_stats (&tv, PS_SELF, (struct
process_stats *) 0, &ru);
    else
        get_process_stats (&tv, PS_SELF, &ru,
(struct process_stats *) 0);
    if (kids)
        diffru (&ru, &kidsru);
else
    diffru (&ru, &selfru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GET_P_STATS */
}

```

```

ru2->ru_nssignals -= ru->ru_nssignals;
ru2->ru_nvcsw -= ru->ru_nvcsw;
ru2->ru_nivcsw -= ru->ru_nivcsw;

}

#endif /* GETRU_STATS */

#ifndef GET_P_STATS

print_ru (fp, ps)

FILE *fp;
struct process_stats *ps;

{
    fprintf (fp, "%lu ", ps->ps_utime.tv_sec *
1000 +
            (ps-
>ps_utime.tv_usec/1000));
    fprintf (fp, "%lu ", ps->ps_stime.tv_sec *
1000 +
            (ps-
>ps_stime.tv_usec/1000));
    fprintf (fp, "%lu ", ps->ps_maxrss);
    fprintf (fp, "%lu ", ps->ps_pagein);
    fprintf (fp, "%lu ", ps->ps_reclaim);
    fprintf (fp, "%lu ", ps->ps_zerofill);
    fprintf (fp, "%lu ", ps->ps_pffincr);
    fprintf (fp, "%lu ", ps->ps_pffdecr);
    fprintf (fp, "%lu ", ps->ps_swap);
    fprintf (fp, "%lu ", ps->ps_syscall);
    fprintf (fp, "%lu ", ps->ps_volcsw);
    fprintf (fp, "%lu ", ps->ps_involcsw);
    fprintf (fp, "%lu ", ps->ps_signal);
    fprintf (fp, "%lu ", ps->ps_lread);
    fprintf (fp, "%lu ", ps->ps_bread);
    fprintf (fp, "%lu ", ps->ps_bwrite);
    fprintf (fp, "%lu ", ps->ps_phread);
    fprintf (fp, "%lu ", ps->ps_phwrite);

}

diffru (ru2, ru)

struct process_stats *ru2;
struct process_stats *ru;
{
    ru2->ps_utime.tv_sec -= ru->ps_utime.tv_sec;
    ru2->ps_utime.tv_usec -= ru-
>ps_utime.tv_usec;
    ru2->ps_stime.tv_sec -= ru->ps_stime.tv_sec;
    ru2->ps_stime.tv_usec -= ru-
>ps_stime.tv_usec;
    ru2->ps_maxrss -= ru->ps_maxrss;
    ru2->ps_pagein -= ru->ps_pagein;
    ru2->ps_reclaim -= ru->ps_reclaim;
    ru2->ps_zerofill -= ru->ps_zerofill;
    ru2->ps_pffincr -= ru->ps_pffincr;
    ru2->ps_pffdecr -= ru->ps_pffdecr;
    ru2->ps_swap -= ru->ps_swap;
    ru2->ps_syscall -= ru->ps_syscall;
    ru2->ps_volcsw -= ru->ps_volcsw;
    ru2->ps_involcsw -= ru->ps_involcsw;
}

```

```

ru2->ps_signal -= ru->ps_signal;
ru2->ps_lread -= ru->ps_lread;
ru2->ps_lwrite -= ru->ps_lwrite;
ru2->ps_bread -= ru->ps_bread;
ru2->ps_bwrite -= ru->ps_bwrite;
ru2->ps_phread -= ru->ps_phread;
ru2->ps_phwrite -= ru->ps_phwrite;

}

#endif /* GET_P_STATS */

```

iso1.sh

```

#!/bin/ksh
#
# $Header: isol.sh 29-jul-98.17:00:11 akarasik
Exp $
#
# isol.sh
#
# Copyright (c) Oracle Corporation 1998. All
Rights Reserved.
#
#      NAME
#      isol.sh
#
# DESCRIPTION
#      Usage: isol.sh [-u user/password] [-n
remote_node] -h
#      Options: See usage below
# NOTES
#      For a cross node isolation test, assume
the local node is
#      one of the participating nodes. The
other node can be
#      specified by the -n option.
#      You need to set the environment variable
TPCD_KIT_DIR
#
#      MODIFIED      (MM/DD/YY)
#      mpoess        12/16/98 - update to version
8.1.6
#      mpoess        09/25/98 - update audit
#      akarasik     07/29/98 -
#      akarasik     07/29/98 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
#ACID_DIR=$KIT_DIR/acid is set in env
OUT_DIR=$ACID_OUT

TXN1FILE=$OUT_DIR/txnl$$.$out
TXN2FILE=$OUT_DIR/txn2$$.$out
KEYFILE=$OUT_DIR/key$$.$out
ISOFILE=$OUT_DIR/iso1

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE
trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE;
exit 1" 1 2 3 15

```

```

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

set -- ` getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;
        -n) shift; HOST="$1";;
        -h) usage; exit 0;;
        --) break;;
    esac
    shift;
done

de=`direxists.sh $ACID_OUT c` # I am not using
$de afterward, but I want to avoid the output of
direxists

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is \"$OKEY"

# before the ACID transaction, let's run a ACID
query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of
Isolation Test 1" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----"
----- >> $TXN2FILE

sleep 1

# start ACID transaction, Sleep for 60 second
before COMMIT

$PROG 1 1 1 0 i$KEYFILE u$USER s60 b0 >>
$TXN1FILE &

# let's sleep 10 seconds before starting ACID
query

sleep 10

# start ACID query with the same OKEY

echo "Running ACID query 10 seconds AFTER the
start of ACID Transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
if [ "$HOST" != "" ]
then
echo "Starting ACID query on node $HOST" >>
$TXN2FILE

${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
else
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
fi

echo -----
----- >> $TXN2FILE
wait
echo -----
----- >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

# $Header: iso2.sh 04-aug-99.09:19:54 mpoess Exp
#
# iso2.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
# NAME
# iso2.sh - <one-line expansion of the
name>
#
# DESCRIPTION
# Usage: iso2.sh [-u user/password] [-n
remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume
the local node is
# one of the participating nodes. The
other node can be
# specified by the -n option.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#
#
=====
=====+
# May need to change the following:
. $KIT_DIR/env

RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txm1$$ .out
TXN2FILE=$OUT_DIR/txm2$$ .out
KEYFILE=$OUT_DIR/key$$ .out

```

```

ISOFILE=$OUT_DIR/iso2

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE
trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit 1" 1 2 3 15

usage() {

    echo ""
    echo "Usage: $0 [-u user/password] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- ` getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift;
done

# generate key files
randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`  

echo "o_key is \"$OKEY"

# before the ACID transaction, let's run a ACID
query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of
Isolation Test 1" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus "$USER" @$ACID_DIR/isolation/a_query
$OKEY >> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----"  

-----" >> $TXN2FILE

sleep 1

# start ACID transaction, Sleep for 30 second
before ROLLBACK

$PROG 1 1 0 0 i$KEYFILE u$USER s30 >> $TXN1FILE
&

# let's sleep 10 seconds before starting ACID
query

sleep 10

# start ACID query with the same OKEY

echo "Running ACID query 10 seconds AFTER the
start of ACID transaction" \  

>> $TXN2FILE

```

```

echo "`date`" >> $TXN2FILE
if [ "$HOST" != "" ]
then
echo "Starting ACID query on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} sqlplus "$USER"
@$ACID_DIR/isolarion/a_query $OKEY >> $TXN2FILE
else
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
fi

echo "-----"  

-----" >> $TXN2FILE
wait
echo "-----"  

-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

iso3.sh

#!/bin/ksh
#
# $Header: iso3.sh 04-aug-99.09:20:35 mpoess Exp
$#
#
# iso3.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#      NAME
#      iso3.sh - <one-line expansion of the
name>
#
#      DESCRIPTION
#      Usage: iso3.sh [-u user/password] [-n
remote_node] -h
#      Options: See usage below
#      NOTES
#          For a cross node isolation test, assume
the local node is
#          one of the participating nodes. The
other node can be
#          specified by the -n option.
#          We need to make sure the remote node has
access to the
#          file system on the local node.
Otherwise, we need to rcp
#          the keyfile to the remote system.
#          You need to set the environment variable
TPCD_KIT_DIR
#
#      MODIFIED      (MM/DD/YY)
#      mpoess        08/04/99 - Creation
#      mpoess        08/04/99 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
#ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

```

```

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txnl$$ .out
TXN2FILE=$OUT_DIR/txn2$$ .out
KEYFILE=$OUT_DIR/key$$ .out
ISOFILE=$OUT_DIR/iso3

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE;
exit 1" 1 2 3 15

usage() {

echo ""
echo "Usage: $0 [-u user/password] [-n
remote_node] -h"
echo ""
exit 1;
}

set -- ` getopt "u:n:h" "$@"` || usage

while :
do
  case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
  esac
  shift
done

# generate key files
randkey 1 0.1 u"$USER" > $KEYFILE
sleep 1

# start ACID transaction, Sleep for 30 second
before COMMIT

$PROG 1 2 1 0 i$KEYFILE u$USER s30 b0 >>
$TXN1FILE &

# let's sleep 10 seconds before starting second
ACID transaction

sleep 10

# start another ACID transaction with the same
LKEY and OKEY
# but different DELTA

# Do not sleep before COMMIT so that we can see
TXN2 has waited.

if [ "$HOST" != "" ]
then
echo "Starting TXN2 on node $HOST" >> $TXN2FILE
${RSH} -n ${HOST} $PROG 2 2 1 1 i$KEYFILE u$USER
s1 b1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 b1 >>
$TXN2FILE &
fi

```

```

wait
echo -----
----- >> $TXN2FILE
echo -----
----- >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

iso4.sh

```

#!/bin/ksh
#
# $Header: iso4.sh 04-aug-99.09:21:12 mpoess Exp
#
# iso4.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#      NAME
#      iso4.sh - <one-line expansion of the
name>
#
#      DESCRIPTION
#      Usage: iso4.sh [-u user/password] [-n
remote_node] -h
#      Options: See usage below
#      NOTES
#          For a cross node isolation test, assume
the local node is
#          one of the participating nodes. The
other node can be
#          specified by the -n option.
#          We need to make sure the remote node has
access to the
#          file system on the local node.
Otherwise, we need to rcp
#          the keyfile to the remote system.
#          You need to set the environment variable
TPCD_KIT_DIR
#
#      MODIFIED      (MM/DD/YY)
#      mpoess        08/04/99 - Creation
#      mpoess        08/04/99 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txnl$$ .out
TXN2FILE=$OUT_DIR/txn2$$ .out
KEYFILE=$OUT_DIR/key$$ .out
ISOFILE=$OUT_DIR/iso4

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

```

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE;
exit 1" 1 2 3 15

usage() {

echo ""
echo "Usage: $0 [-u user/password] [-n
remote_node] -h"
echo ""
exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
  case "$1" in
  -u) shift; USER=$1;;
  -n) shift; HOST="$1";;
  -h) usage; exit 0;;
  --) break;;
  esac
  shift
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

sleep 1

# start ACID transaction, Sleep for 30 second
before ROLLBACK

$PROG 1 2 0 0 i$KEYFILE u$USER s30 b0 >>
$TXN1FILE &

# let's sleep 10 seconds before starting second
ACID transaction

sleep 10

# start another ACID transaction with the same
LKEY and OKEY
# but different DELTA

# Do not sleep before COMMIT so that we can see
TXN2 has waited.

if [ "$HOST" != "" ]
then
echo "Starting TXN2 on node $HOST" >> $TXN2FILE
${RSH} -n ${HOST} $PROG 2 2 1 1 i$KEYFILE u$USER
s1 b1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 b1 >>
$TXN2FILE &
fi

wait
echo -----
----- >> $TXN2FILE
echo -----
----- >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

iso5.sh

```

#!/bin/ksh
#
# $Header: iso5.sh 04-aug-99.09:21:45 mpoess Exp
#
# iso5.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#      NAME
#      iso5.sh - <one-line expansion of the
name>
#
#      DESCRIPTION
#          Usage: iso5.sh [-u user/password] [-n
remote_node] -h
#          Options: See usage below
#      NOTES
#          For a cross node isolation test, assume
the local node is
#          one of the participating nodes. The
other node can be
#          specified by the -n option.
#          You need to set the environment variable
TPCD_KIT_DIR
#
#      MODIFIED      (MM/DD/YY)
#      mpoess        08/04/99 - Creation
#      mpoess        08/04/99 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT
DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txm1$$ .out
TXN2FILE=$OUT_DIR/txm2$$ .out
KEYFILE=$OUT_DIR/key$$ .out
ISOFILE=$OUT_DIR/iso5

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE;
exit 1" 1 2 3 15

usage() {

echo ""
echo "Usage: $0 [-u user/password] [-n
remote_node] -h"
echo ""
exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
  case "$1" in
  -u) shift; USER=$1;;
  -n) shift; HOST="$1";;
  -h) usage; exit 0;;
  --) break;;
  esac
  shift
done
```

```

-n) shift; HOST="$1";;
-h) usage; exit 0;;
--) break;;
esac
shift;
done

# generate key files
randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'` 
echo "o_key is \"$OKEY"

# before the ACID transaction, let's run a ACID
query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of
Isolation Test 5" >> $TXN1FILE
echo "`date`" >> $TXN1FILE
echo "" >> $TXN1FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN1FILE
echo "" >> $TXN1FILE
echo "-----"
-----" >> $TXN1FILE

sleep 1

# start ACID transaction, Sleep for 60 second
before COMMIT

$PROG 1 1 1 0 i$KEYFILE u$USER s60 >> $TXN1FILE
&

# let's sleep 5 seconds before starting PARTSUPP
query

sleep 5

# First generate PS_PARTKEY and PS_SUPPKEY

PSKEY=`randpsup 0.1` 

echo "Running PARTSUPP query 5 seconds AFTER the
start of ACID Transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "PS_PARTKEY and PS_SUPPKEY are: $PSKEY" >>
$TXN2FILE

if [ "$HOST" != "" ]
then
echo "Starting PARTSUPP query on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query2 ${PSKEY} >>
$TXN2FILE &
else
sqlplus $USER @$ACID_DIR/isolation/a_query2
${PSKEY} >> $TXN2FILE &
fi

wait

echo "-----"
-----" >> $TXN2FILE
echo "-----"
-----" >> $TXN1FILE

```

```

cat $TXN1FILE $TXN2FILE >> $ISOFILE
/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

iso6.sh

```

#!/bin/ksh
#
# $Header: iso6.sh 04-aug-99.09:22:12 mpoess Exp
$
#
# iso6.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
# NAME
#      iso6.sh - <one-line expansion of the
name>
#
# DESCRIPTION
#      Usage: iso6.sh [-u user/password] [-n
remote_node] -h
#      Options: See usage below
# NOTES
#      For a cross node isolation test, assume
the local node is
#      one of the participating nodes. The
other node can be
#      specified by the -n option.
#      We need to make sure the remote node has
access to the
#          file system on the local node.
Otherwise, we need to rcp
#          the keyfile to the remote system.
#      You need to set the environment variable
TPCD_KIT_DIR
#
#      MODIFIED      (MM/DD/YY)
#      mpoess        08/04/99 - Creation
#      mpoess        08/04/99 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=/private/tpcd
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txnl$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
TXN3FILE=$OUT_DIR/txn3$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso6

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE; exit 1" 1 2 3 15

usage() {

```

```

echo ""
echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
echo ""
exit 1;
}

set -- ` getopt "u:n:h" "$@"` || usage

while :
do
  case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift;
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'` 
echo "o_key is \"$OKEY"

# before the any transaction, let's run a ACID
query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of
Isolation Test 6" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----"
-----" >> $TXN2FILE

sleep 1

# start Query 1, use 0 as the delta

echo "Running Query 17b at `date`" >> $TXN1FILE
sqlplus $USER @ql >> $TXN1FILE &

# sleep 2 seconds before starting ACID
transaction

sleep 2

# start ACID transaction, COMMIT after one
second

echo "Starting AICD transaction at `date`" >>
$TXN2FILE

if [ "$HOST" != "" ]
then
echo "Starting ACID transaction on node $HOST"
>> $TXN2FILE
${RSH} -n ${HOST} $PROG 1 1 1 0 i$KEYFILE u$USER
s1 >> $TXN2FILE &
else
$PROG 1 1 1 0 i$KEYFILE u$USER s1 >> $TXN2FILE &
fi

# start Query 17

```

```

sleep 2

echo "Running 2nd Query 17b at `date`" >>
$TXN3FILE
sqlplus $USER @q1 >> $TXN3FILE &
# wait for everyone to finish

wait

echo -----
-----" >> $TXN3FILE
echo -----
-----" >> $TXN2FILE
echo -----
-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE $TXN3FILE >> $ISOFILE
/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE

```

randkey.c

```
/* Copyright (c) Oracle Corporation 2001. All
Rights Reserved. */
```

```
/*
```

```
NAME
randkey.c - <one-line expansion of the
name>
```

DESCRIPTION

```
Generate random keys for ACID transactions:
O_ORDERKEY unique random (1..SF*150000*4)
and only
      first 8 keys out of every 32 are populated.
      and
      L_ORDERKEY based on Clause 3.1.6.2
      DELTA random (1..100)
```

```
*/
```

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "atranspl.h"
```

```
#define ORDERCNT 150000.0
```

```
/* MK_SPARSE adopted from dss.h */
```

```
#define MK_SPARSE(key, seq) \
(((key>>3)<<2)|(seq &
0x0003))<<3)|(key & 0x0007))
```

```
void sql_error();
void usage();
void ACIDinit();
long atol();
void srand48();
long lrand48();
```

```
/* Not really used here, but retained it for
future purposes. */
```

```
typedef struct aciddef {
  long okey;
  long lkey;
  int delta;
```

```

} adef;

long l_key = 0;
long o_key = 0;
char lname[UNAME_LEN];
char *passwd;

/* OCI handles */

OCIEnv *tpcenv;
OCIServer *tpcsrv;
OCIError *errhp;
OCISvcCtx *tpcsvc;
OCISession *tpcusr;
OCISStmt *curi;

OCIBind *l_key_bp;
OCIBind *o_key_bp;

sword status = OCI_SUCCESS; /* OCI return value */
*/

char sqlstmt[1024];

void ACIDexit() {
    OCILogoff(tpcsvc,errhp);
    OCIIfree(tpcenv,OCI_HTYPE_STMT);
    OCIIfree(tpcsvc,OCI_HTYPE_SVCCTX);
    OCIIfree(tpcsrv,OCI_HTYPE_SERVER);
    OCIIfree(tpcusr,OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed, 1 if
error handle is passwd */

void sql_error(errhp,status,type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    sb4 errcode;
    ub4 msglen;
    int i,j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement returned
with info.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                               2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                               2048,OCI_HTYPE_ENV);
        fprintf(stderr,"%s\n",msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call error.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                               2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                               2048,OCI_HTYPE_ENV);
        fprintf(stderr,"%s\n",msg);
    }

    break;
case OCI_INVALID_HANDLE:
    fprintf(stderr, "Error: Invalid Handle.\n");
    if (type)
        (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                           2048,OCI_HTYPE_ERROR);
    else
        (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                           2048,OCI_HTYPE_ENV);
    fprintf(stderr,"%s\n",msg);
    break;
}
/* Rollback just in case */

(void)
OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

ACIDexit();

exit(1);
}

main(argc, argv)
    int argc;
    char **argv;
{
    long count;
    long i;
    double sf;           /* need to accomodate sf
0.1 */
    double random;
    double ordcnt;
    adef *res;

    if ((argc < 3) || (argc > 4)) {
        usage();
        exit(-1);
    }

    strcpy((char *) lname, "tpcd/tpcd");

    count = atol(argv[1]);
    sf = atof(argv[2]);

    argc -= 2;
    argv += 2;

    while (--argc) {
        ++argv;
        switch(argv[0][0]) {
        case 'u':
            strncpy((char *) lname, +(argv[0]),
UNAME_LEN);
            if (strchr((char *) lname, '/') == NULL) {
                usage();
                exit(-1);
            }
            break;
        default:
            fprintf(stderr, "Unknown argument %s\n",
argv[0]);
            usage();
            break;
        }
    }
}

```

```

ACIDinit();

/* initialize array for random numbers */

res = (adef *) malloc(count*sizeof(adef));
ordcnt = (double) ORDERCNT * (double) sf;

for (i=0; i<count; i++) {

    /* The algorithm:
     */
    /* Assumes drand's output is 'unique', first
     get a number within */
    /* the range of [0..sf*ORDERCNT) and then
     maps the different      */
    /* ranges to generate the real output.
     */

    random = floor(drand48() * (double) ordcnt)
+ 1;
    res[i].okey = o_key = (long)
MK_SPARSE((long) random, 0);
    res[i].delta = (long) floor(drand48() * 100)
+ 1;

    /* Obtain l_key from l_key query */
    OCIexec(tpcsvc,curi,errhp,1);

    /* l_key is the highest l_linenumber
     available. We need to pick */
    /* at random a number between 1..l_key.
     */

    res[i].lkey = (lrand48() % l_key) + 1;

    printf("%ld %ld %d\n", res[i].okey,
res[i].lkey, res[i].delta);
}

ACIDexit();
free(res);
}

void usage() {

    fprintf(stderr, "Usage: randkey <number of
random keys to generate> <SF>
u<user/password>\n");
    fprintf(stderr, "\n");
}

void ACIDinit()
{

    /* run random seed */

    srand48(getpid());

    /* Connect to ORACLE. Program will call
    sql_error()
        if an error occurs in connecting to the
        default database. */

    (void) OCIInitialize(OCI_DEFAULT,(dvoid
*)0,0,0,0);
    if((status=OCIEnvInit((OCIEnv
**)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
        OCI_SUCCESS)
}
sql_error(tpcenv, status, 0);

OCIalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
OCIalloc(tpcenv,&curi,OCI_HTYPE_STMT);
OCIalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
OCIalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
OCIalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

/* get username and password */

passwd = strchr(lname, '/');
*passwd = '\0';
passwd++;

if ((status=OCIServerAttach(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT))!=OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATT
R_SERVER,errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,lname,strlen(ln
ame),OCI_ATTR_USERNAME,
errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(p
asswd),OCI_ATTR_PASSWORD,
errhp);

if ((status = OCISessionBegin(tpcsvc, errhp,
tpcusr, OCI_CRED_RDBMS,
                                         OCI_DEFAULT)) !=
OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATT
R_SESSION,errhp);

/* Open and Parse cursor for query to choose
determine l_key.
/* Binds l_key to :l_key.
*/

sprintf((char *) sqlstmt,SQLTXT1);
OCIStmtPrepare(curi,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);

OCIBbname(curi,l_key_bp,errhp,:l_key",ADR(l_key
),SIZ(l_key),SQLT_INT);

OCIBbname(curi,o_key_bp,errhp,:o_key",ADR(o_key
),SIZ(o_key),SQLT_INT);
}

randpsup.c

/* Copyright (c) Oracle Corporation 2001. All
Rights Reserved. */

/*
NAME
    randpsup.c - <one-line expansion of the
name>

DESCRIPTION

```

```

    Generate random keys for ACID PARTSUPP
transactions:
(Clause 4.2.3)
PS_PARTKEY random within [SF*200000]
and
PS_SUPPKEY = (PS_PARTKEY + (i * ((S/4) +
(int)(PS_PARTKEY - 1)
/S))) % S + 1
where i random within [0..3] and S = SF *
10000

MODIFIED
    mpoess      01/04/01 - Creation

*/
#include <stdio.h>
#include <stdlib.h>
#include <math.h>

#define PS_PER_SF 200000.0
#define S_PER_SF 10000.0
#define SUPP_PER_PART 4

/* borrowed from build.c in the dbgen
distribution */

#define PART_SUPP_BRIDGE(tgt, p, s) \
{ \
    long tot_scnt = (long) (S_PER_SF * sf); \
    tgt = (p + s * (tot_scnt / SUPP_PER_PART + \
    (long) ((p - 1) / tot_scnt))) % tot_scnt \
+ 1; \
}

void usage();
double atof();
void srand48();
long lrand48();

main(argc, argv)
    int argc;
    char **argv;
{
    double sf = 0.1;           /* scale factor */
    long supp;                /* the i-th
supplier */
    long pkey;                /* partkey */
    long maxpkey;             /* highest partkey */
    long ps_skey;              /* ps_suppkey */
}

if (argc < 2) {
    usage();
    exit(-1);
}

/* seed the random number generator */

srand48(getpid());

sf = atof(argv[1]);
maxpkey = (long) (sf * PS_PER_SF);
supp = lrand48() % 4;
pkey = lrand48() % maxpkey + 1;

```

```

PART_SUPP_BRIDGE(ps_skey, pkey, supp);

fprintf(stdout, "%ld %ld", pkey, ps_skey);

exit(0);
}

void usage()
{
    fprintf(stderr, "Usage: randpsup <SF>\n\n");
}

sample.sh
#!/bin/ksh
#
# $Header: sample.sh 08-aug-99.17:10:00 mpoess
Exp $
#
# sample.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#     NAME
#         sample.sh - <one-line expansion of the
name>
#
#     DESCRIPTION
#         <short description of component this file
declares/defines>
#
#     NOTES
#         <other useful comments, qualifications,
etc.>
#
#     MODIFIED   (MM/DD/YY)
#     mpoess      08/08/99 - Creation
#     mpoess      08/08/99 - Creation
#
# $1 durability output file
. $KIT_DIR/env

cat $1 | grep o_key | awk '{printf "%d \n", $2}'
| head -106 > /tmp/okey$$
cat $1 | grep l_key | awk '{printf "%d \n", $2}'
| head -106 > /tmp/lkey$$

paste /tmp/okey$$ /tmp/lkey$$ > /tmp/keys$$
tail -6 /tmp/keys$$ > /tmp/6keys$$

echo "Keys chosen are:"
cat /tmp/6keys$$

i=1
while [ $i -le 6 ]
do

j=`cat /tmp/6keys$$ | tail -$i | head -1`
sqlplus tpch/tpch @sample $j
i=`expr $i + 1`
done

```

```
#!/bin/rm -f /tmp/*key*
```

sample.sql

```
Rem
Rem $Header: sample.sql 08-aug-99.17:10:34
mpoess Exp $
Rem
Rem sample.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
Rem
Rem     NAME
Rem         sample.sql - <one-line expansion of the
name>
Rem
Rem     DESCRIPTION
Rem         <short description of component this
file declares/defines>
Rem
Rem     NOTES
Rem         <other useful comments, qualifications,
etc.>
Rem
Rem     MODIFIED   (MM/DD/YY)
Rem     mpoess      08/08/99 - Creation
Rem     mpoess      08/08/99 - Created
Rem

alter session set nls_date_format = 'YYYY-MM-DD
HH:MI:SS';
select * from history where h_o_key = &&1 and
h_l_key = &&2;

exit;
```

atrans.sql

```
Rem
Rem $Header: atrans.sql 07-aug-99.21:27:13
mpoess Exp $
Rem
Rem atrans.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
Rem
Rem     NAME
Rem         atrans.sql - <one-line expansion of the
name>
Rem
Rem     DESCRIPTION
Rem         Creates ACID Transaction Package for
TPC-D benchmark.
Rem         Asks user to input values for o_key,
delta and output file.
Rem
Rem     NOTES
Rem         <other useful comments, qualifications,
etc.>
Rem
Rem     MODIFIED   (MM/DD/YY)
Rem     mpoess      08/07/99 - Creation
Rem     mpoess      08/07/99 - Created
```

```
Rem
```

```
set serverout on;
set termout on;
set echo on;

CREATE OR REPLACE PACKAGE d_atrans
IS
PROCEDURE doatrans
(
    l_key          IN OUT integer,
    o_key          IN OUT integer,
    delta          IN OUT integer,
    l_pkey         IN OUT integer,
    l_skey         IN OUT integer,
    l_quan        IN OUT integer,
    l_newquan     IN OUT integer,
    l_tax          IN OUT number,
    l_disc         IN OUT number,
    l_eprice       IN OUT number,
    l_neweprice    IN OUT number,
    o_tprice       IN OUT number,
    o_newtprice    IN OUT number,
    rprice         IN OUT number,
    cost           IN OUT number
);
END;
/

CREATE OR REPLACE PACKAGE BODY d_atrans
IS
PROCEDURE doatrans
(
    l_key          IN OUT integer,
    o_key          IN OUT integer,
    delta          IN OUT integer,
    l_pkey         IN OUT integer,
    l_skey         IN OUT integer,
    l_quan        IN OUT integer,
    l_newquan     IN OUT integer,
    l_tax          IN OUT number,
    l_disc         IN OUT number,
    l_eprice       IN OUT number,
    l_neweprice    IN OUT number,
    o_tprice       IN OUT number,
    o_newtprice    IN OUT number,
    rprice         IN OUT number,
    cost           IN OUT number
)
IS
    ototal number;
    not_serializable EXCEPTION;
    PRAGMA EXCEPTION_INIT(not_serializable,-
8177);
BEGIN
    LOOP BEGIN
        select o_totalprice
        into o_tprice
        from orders
        where o_orderkey = o_key;

        select l_quantity, l_extendedprice,
l_partkey, l_suppkey, l_tax, l_discount
        into l_quan, l_eprice, l_pkey, l_skey,
l_tax, l_disc
        from lineitem
        where l_orderkey = o_key
        and l_linenumber = l_key;
    END LOOP;
END;
```

```

    ototal := o_tprice - trunc((trunc((l_eprice
* (1.0-l_disc)),2) * (1.0+l_tax)),2);
    rprice := trunc((l_eprice/l_quan), 2);
    cost := trunc((rprice * delta), 2);
    l_neweprice := l_eprice + cost;
    o_newtprice := trunc((l_neweprice * (1.0 -
l_disc)), 2);
    o_newtprice := ototal + trunc((o_newtprice *
(1.0 + l_tax)), 2);
    l_newquan := l_quan + delta;

    update lineitem
        set l_extendedprice = l_neweprice,
        l_quantity = l_newquan
        where l_orderkey = o_key
        and l_linenumber = l_key;

    update orders
        set o_totalprice = o_newtprice
        where o_orderkey = o_key;

    insert into history (h_p_key, h_s_key,
h_o_key, h_l_key, h_delta, h_date_t)
        values (l_pkey, l_skey, o_key, l_key,
delta, sysdate);

    EXIT;

EXCEPTION
    WHEN not_serializable THEN
        ROLLBACK;
END;

END LOOP;

END doatrans;
END;
/
exit;

```

```

#      Options: See usage below
#
#      MODIFIED      (MM/DD/YY)
#      mpoess       08/08/99 - Creation
#      mpoess       08/08/99 - Creation
#
#      $KIT_DIR/env

OH=$ORACLE_HOME
ACID_DIR=$ACID_DIR
OUT_DIR=$ACID_OUT

usage() {

    echo ""
    echo "Usage: $0 [-n iter] [-s stream] [-p
prog] [-i infile] [-o outfile] [-d
durafile] [-u usr/pswd] -h"
    echo "           [-d durafile] [-u usr/pswd] -h"
    echo ""
    echo "-n iter      : number of iterations,
default is 100"
    echo "-s stream    : number of streams,
default is 2"
    echo "-p prog      : program to run, default
is atranspl.ott"
    echo "-i infile    : input file prefix, suffix
by process number within a"
    echo "           stream and run ID,
default is ./acid_in"
    echo "-o outfile   : output file prefix,
similar to input file"
    echo "           default is
./out/acid_out"
    echo "-d durafile  : durability file prefix,
used for durability tests"
    echo "           default is
./dura/acid_dura"
    echo "-u usr/pswd : user/password combo for
database access, default is tpch/tpch"
    echo "-t trigger   : trigger time between
process starts, default is 1 second"
    echo "-h           : print this usage summary"
    exit 1;
}

ITER=600
STEM=${NUM_STREAMS}
let STEM="$STEM + 1" # add one for the update
stream
SF=1
PROG=atranspl
IN=${ACID_DIR}/acid_in
DURA_DIR=$ACID_OUT/dura
OUT=$DURA_DIR/drate
DURA=$DURA_DIR/dura
KEY=${DURA_DIR}/key$$_
USER=tpch/tpch
TRIG=1
HCNT=duracntb

set -- ` getopt "n:s:p:i:o:d:u:ht:f:" "$@"` ||
usage

# get all the options

while :
do
    case "$1" in
        -n) shift; ITER=$1;;
        -s) shift; STEM=$1;;

```

run_acid.sh

```

#!/bin/ksh
#
# $Header: run_acid.sh 08-aug-99.15:30:10 mpoess
Exp $
#
# run_acid.sh
#
# Copyright (c) Oracle Corporation 1999. All
Rights Reserved.
#
#     NAME
#         run_acid.sh - <one-line expansion of the
name>
#
# DESCRIPTION
#     Usage: run_acid.sh [-n iter] [-s stream]
[-p prog] [-i infile]
#                   [-o outfile] [-d
durafile] [-u usr/pswd]
#                   [-t trigger] [-f scale
factor] -h
#

```

```

-p) shift; PROG=$1;;
-i) shift; IN=$1;;
-o) shift; OUT=$1;;
-d) shift; DURA=$1;;
-u) shift; USER=$1;;
-h) usage; exit 0;;
-t) shift; TRIG=$1;;
-f) shift; SF=$1;;
--) break;;
esac
shift;
done
echo "Starting ACID run..."

i=0
T=`expr $STEM \* $TRIG + 6` 

# Get history count before the run
sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT 2>&1

while [ $i -lt $STEM ]
do
    randkey $ITER ${SF} u${USER} > ${KEY}${i} &
    i=`expr $i + 1`
done

wait
# perform the consistency

i=0
while [ $i -lt $STEM ]
do
    for j in `head -10 ${KEY}${i} | awk '{printf "%d ",$1}'` 
        do
            sqlplus tpch/tpch @consist $j >>
$DURA_DIR/duraconsb
            done
            i=`expr $i + 1`
    done
    echo "Starting Transaction Counting Program"
    count_tx.sh $STEM 100 $DURA_DIR &

    i=0
    while [ $i -lt $STEM ]
do

    $PROG $i $STEM 1 0 i${KEY}${i} o${OUT}${i}
    d${DURA}${i} u$USER s1 &
    T=`expr $T - $TRIG`
    i=`expr $i + 1`

done
wait
echo "ACID run completed"

```

Appendix D Query text and Output

1.log

```
-- using default substitutions

select
l_returnflag,
l_linenstatus,
sum(l_quantity) as sum_qty,
sum(l_extendedprice) as sum_base_price,
sum(l_extendedprice * (1 - l_discount)) as
sum_disc_price,
sum(l_extendedprice * (1 - l_discount) * (1 +
l_tax)) as sum_charge,
avg(l_quantity) as avg_qty,
avg(l_extendedprice) as avg_price,
avg(l_discount) as avg_disc,
count(*) as count_order
from
lineitem
where
l_shipdate <= to_date ('1998-12-01', 'YYYY-MM-
DD') - 90
group by
l_returnflag,
l_linenstatus
order by
l_returnflag,
l_linenstatus

L_RETURNFLAG L_LINENSTATUS SUM_QTY
SUM_BASE_PRICE
SUM_DISC_PRICE      SUM_CHARGE
AVG_QTY
AVG_PRICE          AVG_DISC
COUNT_ORDER

A           F          37734107.00
56586554400.73
53758257134.87      55909065222.83
25.52
38273.13          0.05
1478493.00
N           F          991417.00
1487504710.38
1413082168.05      1469649223.19
25.52
38284.47          0.05
38854.00
N           O          74476040.00
111701729697.74
106118230307.61      110367043872.50
25.50
38249.12          0.05
2920374.00
R           F          37719753.00
56568041380.90
53741292684.60      55889619119.83
25.51
38250.85          0.05
1478870.00

4 rows processed.
Statement Processed in 21.63 seconds.

SQL statements processed: 1
```

2.log

```
-- using default substitutions

select * from (
select
s_acctbal,
s_name,
n_name,
p_partkey,
p_mfgr,
s_address,
s_phone,
s_comment
from
part,
supplier,
partsupp,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and p_size = 15
and p_type like '%BRASS'
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
and ps_supplycost = (
select
min(ps_supplycost)
from
partsupp,
supplier,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
)
order by
s_acctbal desc,
n_name,
s_name,
p_partkey
)
where rownum <= 100

S_ACCTBAL      S_NAME
N_NAME
P_PARTKEY      P_MFGR
S_ADDRESS      S_PHONE
S_COMMENT
9938.53        Supplier#000005359
UNITED KINGDOM
185358.00       Manufacturer#4
QKuHYh,vZGiwu2FWEJoLDx04      33-429-
790-6131
blithely silent pinto beans are furiously. slyly
final deposits acros
9937.84        Supplier#000005969
ROMANIA
108438.00       Manufacturer#1
ANDENSOsmk,miq23Xfb5RWt6dvUcvt6Qa      29-520-
692-3537
```

```

carefully slow deposits use furiously. slyly
ironic platelets above the ironic
9936.22           Supplier#000005250
UNITED KINGDOM
249.00           Manufacturer#4          33-320-
B3rqp0xbSEim4Mpy2RH J
228-2957
blithely special packages are. stealthily
express deposits across the closely final
instructi
9923.77           Supplier#000002324
GERMANY
29821.00          Manufacturer#4          17-779-
y3OD9UywSTOk
299-1839
quickly express packages breach quiet pinto
beans. requ
9871.22           Supplier#000006373
GERMANY
43868.00          Manufacturer#5          17-813-
J8fcXWsTqM
485-8637
never silent deposits integrate furiously blit
9870.78           Supplier#000001286
GERMANY
81285.00          Manufacturer#2          17-516-
YKA,E2fjiVd7eUrzp2Ef8j1QxGo2DFnosaTEH
924-4574
final theodolites cajole slyly special,
9870.78           Supplier#000001286
GERMANY
181285.00          Manufacturer#4          17-516-
YKA,E2fjiVd7eUrzp2Ef8j1QxGo2DFnosaTEH
924-4574
final theodolites cajole slyly special,
9852.52           Supplier#000008973
RUSSIA
18972.00           Manufacturer#2          32-188-
t5L67YdBYYH6o,Vz24jpDyQ9
594-7038
quickly regular instructions wake-- carefully
unusual braids into the expres
9847.83           Supplier#000008097
RUSSIA
130557.00          Manufacturer#2          32-375-
xMe97bpE69NzdwLoX
640-3593
slyly regular dependencies sleep slyly furiously
express dep
9847.57           Supplier#000006345
FRANCE
86344.00           Manufacturer#1          16-886-
VSt3rzk3qG698u6ld8HhOByvrTcSTSvQ1DQDag
766-7945
silent pinto beans should have to snooze
carefully along the final reques
9847.57           Supplier#000006345
FRANCE
(rows truncated)

```

100 rows processed.
Statement Processed in 22.96 seconds.

SQL statements processed: 1

3.log

```

-- using default substitutions

select * from (
select
l_orderkey,
sum(l_extendedprice * (1 - l_discount)) as
revenue,
o_orderdate,
o_shippriority
from
customer,
orders,
lineitem
where
c_mktsegment = 'BUILDING'
and c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate < to_date( '1995-03-15', 'YYYY-
MM-DD' )
and l_shipdate > to_date( '1995-03-15', 'YYYY-
MM-DD' )
group by
l_orderkey,
o_orderdate,
o_shippriority
order by
revenue desc,
o_orderdate)
where rownum <= 10

L_ORDERKEY      REVENUE
O_ORDERDATE    O_SHIPPRIORITY
2456423.00     406181.01
1995-03-05     0.00
3459808.00     405838.70
1995-03-04     0.00
492164.00      390324.06
1995-02-19     0.00
1188320.00     384537.94
1995-03-09     0.00
2435712.00     378673.06
1995-02-26     0.00
4878020.00     378376.80
1995-03-12     0.00
5521732.00     375153.92
1995-03-13     0.00
2628192.00     373133.31
1995-02-22     0.00
993600.00      371407.46
1995-03-05     0.00
2300070.00     367371.15
1995-03-13     0.00

10 rows processed.
Statement Processed in 13.83 seconds.SQL
statements processed: 1

```

4.log

```

-- using default substitutions

select
o_orderpriority,
count(*) as order_count
from
orders

```

```

where
o_orderdate >= to_date( '1993-07-01', 'YYYY-MM-
DD')
and o_orderdate < add_months(to_date( '1993-07-
01', 'YYYY-MM-DD'),3)
and exists (
select
*
from
lineitem
where
l_orderkey = o_orderkey
and l_commitdate < l_receiptdate
)
group by
o_orderpriority
order by
o_orderpriority

O_ORDERPRIORITY ORDER_COUNT
1-URGENT      10594.00
2-HIGH        10476.00
3-MEDIUM       10410.00
4-NOT SPECIFIED 10556.00
5-LOW         10487.00

5 rows processed.
Statement Processed in 12.87 seconds.

```

SQL statements processed: 1

5.log

```

-- using default substitutions

select
n_name,
sum(l_extendedprice * (1 - l_discount)) as
revenue
from
customer,
orders,
lineitem,
supplier,
nation,
region
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and l_suppkey = s_suppkey
and c_nationkey = s_nationkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'ASIA'
and o_orderdate >= to_date( '1994-01-01',
'YYYY-MM-DD')
and o_orderdate < add_months(to_date( '1994-01-
01', 'YYYY-MM-DD'), 12)
group by
n_name
order by
revenue desc

```

N_NAME	REVENUE
INDONESIA	55502041.17
VIETNAM	55295087.00
CHINA	53724494.26
INDIA	52035512.00

JAPAN	45410175.70
5 rows processed.	
Statement Processed in 30.41 seconds.	

SQL statements processed: 1

6.log

```

-- using default substitutions

select
sum(l_extendedprice * l_discount) as revenue
from
lineitem
where
l_shipdate >= to_date( '1994-01-01', 'YYYY-MM-
DD')
and l_shipdate < add_months(to_date( '1994-01-
01', 'YYYY-MM-DD'), 12)
and l_discount between .06 - 0.01 and .06 + 0.01
and l_quantity < 24

```

REVENUE
123141078.23

1 row processed.
Statement Processed in 2.16 seconds.

SQL statements processed: 1

7.log

```

-- using default substitutions

select
supp_nation,
cust_nation,
l_year,
sum(volume) as revenue
from
(
select
n1.n_name as supp_nation,
n2.n_name as cust_nation,
to_number (to_char
(l_shipdate,'yyyy')) as l_year,
l_extendedprice * (1 - l_discount) as volume
from
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2
where
s_suppkey = l_suppkey
and o_orderkey = l_orderkey
and c_custkey = o_custkey
and s_nationkey = n1.n_nationkey

```

```

and c_nationkey = n2.n_nationkey
and (
(n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
or (n1.n_name = 'GERMANY' and n2.n_name =
'FRANCE')
)
and l_shipdate between to_date( '1995-01-01',
'YYYY-MM-DD') and to_date( '1996-12-31', 'YYYY-
MM-DD')
) shipping
group by
supp_nation,
cust_nation,
l_year
order by
supp_nation,
cust_nation,
l_year

```

SUPP_NATION	CUST_NATION
L_YEAR	
REVENUE	
FRANCE	GERMANY
1995.00	
54639732.73	
FRANCE	GERMANY
1996.00	
54633083.31	
GERMANY	FRANCE
1995.00	
52531746.67	
GERMANY	FRANCE
1996.00	
52520549.02	

4 rows processed.
Statement Processed in 17.61 seconds.

SQL statements processed: 1

8.log

```

-- using default substitutions

select
o_year,
sum(case when nation='BRAZIL' then volume else 0
end )/ sum(volume)
as mkt_share
from
(
select
to_number (to_char (o_orderdate, 'yyyy')) as
o_year,
l_extendedprice * (1 - l_discount) as volume,
n2.n_name as nation
from
part,
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2,
region
where

```

```

p_partkey = l_partkey
and s_suppkey = l_suppkey
and l_orderkey = o_orderkey
and o_custkey = c_custkey
and c_nationkey = n1.n_nationkey
and n1.n_regionkey = r_regionkey
and r_name = 'AMERICA'
and s_nationkey = n2.n_nationkey
and o_orderdate between to_date ('1995-01-01',
'YYYY-MM-DD') and to_date ('1996-12-31', 'YYYY-
MM-DD')
and p_type = 'ECONOMY ANODIZED STEEL'
) all_nations
group by
o_year
order by
o_year

O_YEAR          MKT_SHARE
1995.00          0.03
1996.00          0.04

2 rows processed.
Statement Processed in 17.89 seconds.SQL
statements processed: 1

```

9.log

```

-- using default substitutions

select
nation,
o_year,
sum(amount) as sum_profit
from
(
select
n_name as nation,
to_number (to_char (o_orderdate, 'yyyy')) as
o_year,
l_extendedprice * (1 - l_discount) -
ps_supplycost * l_quantity as amount
from
part,
supplier,
lineitem,
partsupp,
orders,
nation
where
s_suppkey = l_suppkey
and ps_suppkey = l_suppkey
and ps_partkey = l_partkey
and p_partkey = l_partkey
and o_orderkey = l_orderkey
and s_nationkey = n_nationkey
and p_name like '%green%'
) profit
group by
nation,
o_year
order by
nation,
o_year desc

```

NATION	O_YEAR	
SUM_PROFIT		and o_orderdate < add_months(to_date('1993-10-01', 'YYYY-MM-DD'), 3)
ALGERIA	1998.00	and l_returnflag = 'R'
31342867.23		and c_nationkey = n_nationkey
ALGERIA	1997.00	group by
57138193.02		c_custkey,
ALGERIA	1996.00	c_name,
56140140.13		c_acctbal,
ALGERIA	1995.00	c_phone,
53051469.65		n_name,
ALGERIA	1994.00	c_address,
53867582.13		c_comment
ALGERIA	1993.00	order by
54942718.13		revenue desc)
ALGERIA	1992.00	where rownum <= 20
54628034.71		
ARGENTINA	1998.00	C_CUSTKEY C_NAME
30211185.71		REVENUE N_NAME
ARGENTINA	1997.00	C_ACCTBAL C_PHONE
50805741.75		C_ADDRESS
ARGENTINA	1996.00	C_COMMENT
51923746.58		57040.00 Customer#000057040
ARGENTINA	1995.00	734235.25
49298625.77		632.87 JAPAN
ARGENTINA	1994.00	Eioyzjf4pp 22-895-
50835610.11		641-3466
ARGENTINA	1993.00	requests sleep blithely about the furiously i
51646079.18		143347.00 Customer#000143347
ARGENTINA	1992.00	721002.69
50410314.99		2557.47 EGYPT
BRAZIL	1998.00	1aReFYv,Kw4 14-742-
27217924.38		935-3718
BRAZIL	1997.00	fluffily bold excuses haggle finally after the u
48378669.20		60838.00 Customer#000060838
BRAZIL	1996.00	679127.31
50482870.36		2454.77 BRAZIL
(rows truncated>		64EaJ5vMAHWJlB0xJk1pNc2RJiWE 12-913-
		494-9813
		furiously even pinto beans integrate under the
		ruthless foxes; ironic, even dolphins across the
		slyl
		101998.00 Customer#000101998
		637029.57
		3790.89 UNITED KINGDOM
		01c9CILnNtfOQYmzj 33-593-
		865-6378
		accounts doze blithely! enticing, final deposits
		sleep blithely special accounts. slyly express
		accounts pla
		125341.00 Customer#000125341
		633508.09
		4983.51 GERMANY
		S29ODD6bceU8QSuuEJznkNaK 17-582-
		695-5962
		quickly express requests wake quickly blithely
		25501.00 Customer#000025501
		620269.78
		7725.04 ETHIOPIA
		W556MXuoiaYCCZamJI,Rn0B4ACUGdkQ8DZ 15-874-
		808-6793
		quickly special requests sleep evenly among the
		special deposits. special deposi
		115831.00 Customer#000115831
		596423.87
		5098.10 FRANCE
		rFeBbEEyk dl ne7zV5fDrmiqloK09wV7pxqCgIc 16-715-
		386-3788
		carefully bold excuses sleep alongside of the
		thinly idle
		84223.00 Customer#000084223
		594998.02
		528.65 UNITED KINGDOM

175 rows processed.
Statement Processed in 24.87 seconds.

SQL statements processed: 1

10.log

```
-- using default substitutions

select * from (
select
c_custkey,
c_name,
sum(l_extendedprice * (1 - l_discount)) as revenue,
c_acctbal,
n_name,
c_address,
c_phone,
c_comment
from
customer,
orders,
lineitem,
nation
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate >= to_date ('1993-10-01',
'YYYY-MM-DD')
```

nAVZCs6BaWap rrM27N 2qBnzc5WBauxbA	33-442-	s87fvzFQpU	29-744-
824-8191		164-6487	
pending, final ideas haggle final requests.		silent, unusual requests detect quickly slyly	
unusual, regular asymptotes affix according to		regul	
the even foxes.		52528.00	Customer#000052528
54289.00	Customer#000054289	556397.35	
585603.39		551.79	ARGENTINA
5583.02	IRAN	NFztyTOR10UOJ	11-208-
vXCxoCsU0Bad5JQI ,oobkZ	20-834-	192-3205	
292-4707		unusual requests detect. slyly dogged	
express requests sublate blithely regular		theodolites use slyly. deposit	
requests. regular, even ideas solve.		23431.00	Customer#000023431
39922.00	Customer#000039922	554269.54	
584878.11		3381.86	ROMANIA
7321.11	GERMANY	HgiV0phqhaIa9aydNoIlb	29-915-
Zgy4s5012GKN4pLDPBU8m342gIw6R	17-147-	458-2654	
757-8036		instructions nag quickly. furiously bold	
even pinto beans haggle. slyly bold accounts		accounts cajol	
inte			
6226.00	Customer#000006226		
576783.76		20 rows processed.	
2230.09	UNITED KINGDOM	Statement Processed in 22.89 seconds.	
8gPu8,NPGkfYQQ0hcIYUGPIBWc,ybP5g,	33-657-		
701-3391			
quickly final requests against the regular			
instructions wake blithely final instructions.			
pa			
922.00	Customer#000000922		
576767.53			
3869.25	GERMANY	SQL statements processed: 1	
Az9RFaut7NkPnc5zSD2PwHgVwr4jRzq	17-945-		
916-9648			
boldly final requests cajole blith			
147946.00	Customer#000147946		
576455.13			
2030.13	ALGERIA		
iANyZHjqhy7Ajah0pTrYyhJ	10-886-		
956-3143			
furiously even accounts are blithely above the			
furiousl			
115640.00	Customer#000115640		
569341.19			
6436.10	ARGENTINA		
Vtgfia9qI 7EpHgecUlX	11-411-		
543-4901			
final instructions are slyly according to the			
73606.00	Customer#000073606		
568656.86			
1785.67	JAPAN		
xuR0Tro5yChDf0Crjk2o1	22-437-		
653-6966			
furiously bold orbits about the furiously busy			
requests wake across the furiously quiet			
theodolites. d			
110246.00	Customer#000110246		
566842.98			
7763.35	VIETNAM		
7KzflgX MDOq7sOkI	31-943-		
426-9837			
dolphins sleep blithely among the slyly final			
142549.00	Customer#000142549		
563537.24			
5085.99	INDONESIA		
ChqEoK43OysjdHbtKCp6dKqjNyvvi9	19-955-		
562-2398			
regular, unusual dependencies boost slyly;			
ironic attainments nag fluffily into the unusual			
packages?			
146149.00	Customer#000146149		
557254.99			
1791.55	ROMANIA		
		PS_PARTKEY	VALUE
		129760.00	17538456.86
		166726.00	16503353.92
		191287.00	16474801.97
		161758.00	16101755.54
		34452.00	15983844.72
		139035.00	15907078.34
		9403.00	15451755.62
		154358.00	15212937.88

```

38823.00      15064802.86
85606.00      15053957.15
33354.00      14408297.40
154747.00      14407580.68
82865.00      14235489.78
76094.00      14094247.04
222.00        13937777.74
121271.00      13908336.00
55221.00      13716120.47
22819.00      13666434.28
76281.00      13646853.68
85298.00      13581154.93
85158.00      13554904.00
139684.00      13535538.72
<rows truncated>

```

1048 rows processed.
Statement Processed in 9.34 seconds.

SQL statements processed: 1

12.log

-- using default substitutions

```

select
    l_shipmode,
    sum(case
        when o_orderpriority = '1-URGENT'
            or o_orderpriority = '2-
HIGH'
            then 1
        else 0
    end) as high_line_count,
    sum(case
        when o_orderpriority <> '1-
URGENT'
            and o_orderpriority <> '2-
HIGH'
            then 1
        else 0
    end) as low_line_count
from
    orders,
    lineitem
where
    o_orderkey = l_orderkey
    and l_shipmode in ('MAIL', 'SHIP')
    and l_commitdate < l_receiptdate
    and l_shipdate < l_commitdate
and l_receiptdate >= to_date( '1994-01-01',
'YYYY-MM-DD')
and l_receiptdate < add_months(to_date ('1994-
01-01', 'YYYY-MM-DD'), 12)
group by
    l_shipmode
order by
    l_shipmode

```

L_SHIPMODE	HIGH_LINE_COUNT	LOW_LINE_COUNT
MAIL	6202.00	9324.00
SHIP	6200.00	9262.00

2 rows processed.
Statement Processed in 8.03 seconds.

SQL statements processed: 1

13.log

-- using default substitutions

```

select
    c_count,
    count(*) as custdist
from
(
    select
        c_custkey,
        count(o_orderkey) as c_count
    from
        customer, orders where
        c_custkey = o_custkey(+)
        and o_comment(+) not like '%special%requests%'
    group by
        c_custkey
) c_orders
group by
    c_count
order by
    custdist desc,
    c_count desc

```

C_COUNT	CUSTDIST
0.00	50004.00
9.00	6641.00
10.00	6566.00
11.00	6058.00
8.00	5949.00
12.00	5553.00
13.00	4989.00
19.00	4748.00
7.00	4707.00
18.00	4625.00
15.00	4552.00
17.00	4530.00
14.00	4484.00
20.00	4461.00
16.00	4323.00
21.00	4217.00
22.00	3730.00
6.00	3334.00
23.00	3129.00
24.00	2622.00
25.00	2079.00
5.00	1972.00
26.00	1593.00
27.00	1185.00
4.00	1033.00
28.00	869.00
29.00	559.00
3.00	398.00
30.00	373.00
31.00	235.00
2.00	144.00
32.00	128.00
33.00	71.00
34.00	48.00
35.00	33.00
1.00	23.00
36.00	17.00
37.00	7.00
40.00	4.00
38.00	4.00
39.00	2.00

```

41.00          1.00
42 rows processed.
Statement Processed in 3.40 seconds.

```

SQL statements processed: 1

14.log

```

-- using default substitutions

select
    100.00 * sum(case
        when p_type like 'PROMO%'
            then l_extendedprice * (1
- l_discount)
        else 0
    end) / sum(l_extendedprice * (1 -
l_discount)) as promo_revenue
from
    lineitem,
    part
where
    l_partkey = p_partkey
    and l_shipdate >= date '1995-09-01'
    and l_shipdate < date '1995-09-01' +
interval '1' month
PROMO_REVENUE
16.38

```

1 row processed.
Statement Processed in 0.73 seconds.

SQL statements processed: 1

15.log

```

-- using default substitutions

with revenue
as (select
l_suppkey supplier_no,
sum(l_extendedprice * (1 - l_discount)) total_revenue
from
lineitem
where
l_shipdate >= to_date( '1996-01-01', 'YYYY-MM-DD')
and l_shipdate < add_months( to_date ('1996-01-01', 'YYYY-MM-DD'), 3)
group by
l_suppkey)
select
s_suppkey,
s_name,
s_address,
s_phone,
total_revenue
from
supplier,
revenue

```

```

where
s_suppkey = supplier_no
and total_revenue = (
select
max(total_revenue)
from
revenue )
order by
s_suppkey

S_SUPPKEY      S_NAME
S_ADDRESS      S_PHONE
TOTAL_REVENUE
8449.00        Supplier#000008449
Wp34zim9qYFbVctdW   20-469-
856-8873 1772627.21

```

1 row processed.
Statement Processed in 2.74 seconds.

SQL statements processed: 1

16.log

```

-- using default substitutions

select
p_brand,
p_type,
p_size,
count(distinct ps_suppkey) as supplier_cnt
from
partsupp,
part
where
p_partkey = ps_partkey
and p_brand <> 'Brand#45'
and p_type not like 'MEDIUM POLISHED%'
and p_size in (49, 14, 23, 45, 19, 3, 36, 9)
and ps_suppkey not in (
select
s_suppkey
from
supplier
where
s_comment like '%Customer%Complaints%'
)
group by
p_brand,
p_type,
p_size
order by
supplier_cnt desc,
p_brand,
p_type,
p_size

P_BRAND      P_TYPE          P_SIZE
SUPPLIER_CNT
Brand#41     MEDIUM BRUSHED TIN 3.00
28.00
Brand#54     STANDARD BRUSHED COPPER 14.00
27.00
Brand#11     STANDARD BRUSHED TIN 23.00
24.00
Brand#11     STANDARD BURNISHED BRASS 36.00
24.00

```

```

Brand#15 MEDIUM ANODIZED NICKEL    3.00
24.00
Brand#15 SMALL ANODIZED BRASS     45.00
24.00
Brand#15 SMALL BURNISHED NICKEL   19.00
24.00
Brand#21 MEDIUM ANODIZED COPPER   3.00
24.00
Brand#22 SMALL BRUSHED NICKEL    3.00
24.00
Brand#22 SMALL BURNISHED BRASS    19.00
24.00
Brand#25 MEDIUM BURNISHED COPPER  36.00
24.00
Brand#31 PROMO POLISHED COPPER    36.00
24.00
Brand#33 LARGE POLISHED TIN       23.00
24.00
Brand#33 PROMO POLISHED STEEL    14.00
24.00
Brand#35 PROMO BRUSHED NICKEL    14.00
24.00
Brand#41 ECONOMY BRUSHED STEEL    9.00
24.00
Brand#41 ECONOMY POLISHED TIN     19.00
24.00
Brand#41 LARGE PLATED COPPER    36.00
24.00
Brand#42 ECONOMY PLATED BRASS    3.00
24.00
<rows truncated>

```

18314 rows processed.
Statement Processed in 2.83 seconds.

SQL statements processed: 1

17.log

-- using default substitutions

```

select
sum(l_extendedprice) / 7.0 as avg_yearly
from
lineitem,
part
where
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container = 'MED BOX'
and l_quantity < (
select
0.2 * avg(l_quantity)
from
lineitem
where
l_partkey = p_partkey
)

AVG_YEARLY
348406.05

```

1 row processed.
Statement Processed in 12.40 seconds.

SQL statements processed: 1

18.log

-- using default substitutions

```

select * from (
select
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice,
sum(l_quantity)
from
customer,
orders,
lineitem
where
o_orderkey in (
select
l_orderkey
from
lineitem
group by
l_orderkey
having
sum(l_quantity) > 300
)
and c_custkey = o_custkey
and o_orderkey = l_orderkey
group by
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice
order by
o_totalprice desc,
o_orderdate
)
where rownum <= 100

```

C_NAME	C_CUSTKEY
O_ORDERKEY	O_ORDERDATE
O_TOTALPRICE	SUM(L_QUANTITY)
Customer#000128120	128120.00
4722021.00	1994-04-07
544089.09	323.00
Customer#000144617	144617.00
3043270.00	1997-02-12
530604.44	317.00
Customer#000013940	13940.00
2232932.00	1997-04-13
522720.61	304.00
Customer#000066790	66790.00
2199712.00	1996-09-30
515531.82	327.00
Customer#000046435	46435.00
4745607.00	1997-07-03
508047.99	309.00
Customer#000015272	15272.00
3883783.00	1993-07-28
500241.33	302.00
Customer#000146608	146608.00
3342468.00	1994-06-12
499794.58	303.00
Customer#000096103	96103.00
5984582.00	1992-03-16
494398.79	312.00
Customer#000024341	24341.00
1474818.00	1992-11-15

491348.26	302.00	446704.09	328.00
Customer#000137446	137446.00	Customer#000141823	141823.00
5489475.00	1997-05-23	2806245.00	1996-12-29
487763.25	311.00	446269.12	310.00
Customer#000107590	107590.00	Customer#000053029	53029.00
4267751.00	1994-11-04	2662214.00	1993-08-13
485141.38	301.00	446144.49	302.00
Customer#000050008	50008.00	Customer#000018188	18188.00
2366755.00	1996-12-09	3037414.00	1995-01-25
483891.26	302.00	443807.22	308.00
Customer#000015619	15619.00	Customer#000066533	66533.00
3767271.00	1996-08-07	29158.00	1995-10-21
480083.96	318.00	443576.50	305.00
Customer#000077260	77260.00	Customer#000037729	37729.00
1436544.00	1992-09-12	4134341.00	1995-06-29
479499.43	307.00	441082.97	309.00
Customer#000109379	109379.00	Customer#000003566	3566.00
5746311.00	1996-10-10	2329187.00	1998-01-04
478064.11	302.00	439803.36	304.00
Customer#000054602	54602.00	Customer#000045538	45538.00
5832321.00	1997-02-09	4527553.00	1994-05-22
471220.08	307.00	436275.31	305.00
Customer#000105995	105995.00	Customer#000081581	81581.00
2096705.00	1994-07-03	4739650.00	1995-11-04
469692.58	307.00	435405.90	305.00
Customer#000148885	148885.00	Customer#000119989	119989.00
2942469.00	1992-05-31	1544643.00	1997-09-20
469630.44	313.00	434568.25	320.00
Customer#000114586	114586.00	Customer#000003680	3680.00
551136.00	1993-05-19	3861123.00	1998-07-03
469605.59	308.00	433525.97	301.00
Customer#000105260	105260.00	Customer#000113131	113131.00
5296167.00	1996-09-06	967334.00	1995-12-15
469360.57	303.00	432957.75	301.00
Customer#000147197	147197.00	Customer#000141098	141098.00
1263015.00	1997-02-02	565574.00	1995-09-24
467149.67	320.00	430986.69	301.00
Customer#000064483	64483.00	Customer#000093392	93392.00
2745894.00	1996-07-04	5200102.00	1997-01-22
466991.35	304.00	425487.51	304.00
Customer#000136573	136573.00	Customer#000015631	15631.00
2761378.00	1996-05-31	1845057.00	1994-05-12
461282.73	301.00	419879.59	302.00
Customer#000016384	16384.00	Customer#000112987	112987.00
502886.00	1994-04-12	4439686.00	1996-09-17
458378.92	312.00	418161.49	305.00
Customer#000117919	117919.00	Customer#000012599	12599.00
2869152.00	1996-06-20	4259524.00	1998-02-12
456815.92	317.00	415200.61	304.00
Customer#000012251	12251.00	Customer#000105410	105410.00
735366.00	1993-11-24	4478371.00	1996-03-05
455107.26	309.00	412754.51	302.00
Customer#000120098	120098.00	Customer#000149842	149842.00
1971680.00	1995-06-14	5156581.00	1994-05-30
453451.23	308.00	411329.35	302.00
Customer#000066098	66098.00	Customer#000010129	10129.00
5007490.00	1992-08-07	5849444.00	1994-03-21
453436.16	304.00	409129.85	309.00
Customer#000117076	117076.00	Customer#000069904	69904.00
4290656.00	1997-02-05	1742403.00	1996-10-19
449545.85	301.00	408513.00	305.00
Customer#000129379	129379.00	Customer#000017746	17746.00
4720454.00	1997-06-07	6882.00	1997-04-09
448665.79	303.00	408446.93	303.00
Customer#000126865	126865.00	Customer#000013072	13072.00
4702759.00	1994-11-07	1481925.00	1998-03-15
447606.65	320.00	399195.47	301.00
Customer#000088876	88876.00	Customer#000082441	82441.00
983201.00	1993-12-30	857959.00	1994-02-07
446717.46	304.00	382579.74	305.00
Customer#000036619	36619.00	Customer#000088703	88703.00
4806726.00	1995-01-17	2995076.00	1994-01-30

363812.12 302.00

57 rows processed.
Statement Processed in 12.77 seconds.

SQL statements processed: 1

19.log

-- using default substitutions

```
select
sum(l_extendedprice* (1 - l_discount)) as
revenue
from
lineitem,
part
where
(
p_partkey = l_partkey
and p_brand = 'Brand#12'
and p_container in ('SM CASE', 'SM BOX', 'SM
PACK', 'SM PKG')
and l_quantity >= 1 and l_quantity <= 1 + 10
and p_size between 1 and 5
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container in ('MED BAG', 'MED BOX', 'MED
PKG', 'MED PACK')
and l_quantity >= 10 and l_quantity <= 10 + 10
and p_size between 1 and 10
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#34'
and p_container in ('LG CASE', 'LG BOX', 'LG
PACK', 'LG PKG')
and l_quantity >= 20 and l_quantity <= 20 + 10
and p_size between 1 and 15
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
```

REVENUE
3083843.06

1 row processed.
Statement Processed in 11.66 seconds.

```
supplier,
nation
where
s_suppkey in (
select
ps_suppkey
from
partsupp
where
ps_partkey in (
select
p_partkey
from
part
where
p_name like 'forest%'
)
and ps_availqty > (
select
0.5 * sum(l_quantity)
from
lineitem
where
l_partkey = ps_partkey
and l_suppkey = ps_suppkey
and l_shipdate >= to_date ('1994-01-01', 'YYYY-
MM-DD')
and l_shipdate < add_months( to_date ('1994-01-
01', 'YYYY-MM-DD'), 12)
)
)
and s_nationkey = n_nationkey
and n_name = 'CANADA'
order by
s_name
```

S_NAME	S_ADDRESS
Supplier#00000020	
iybAE,RmTymrZVYaFZva2SH,j	
Supplier#00000091	
YV45D7TkfdQanOOZ7q9QxkyGUapU1oOWU6q3	
Supplier#000000197	
YC2Acon6kjY3zj3FbxS2k4Vdf7X0cd2F	
Supplier#000000226	83qOdU2EYRdPQAQhEtn
GRZEd	
Supplier#000000285	
Br7elnnntlyxrw6IimgpJ7YdhFDjuBf	FfbhyCxWvcPr081tp9
Supplier#000000378	
Supplier#000000402	
i9Sw4DoyMzhKXCH9By,AYSgmD	
Supplier#000000530	0qwCMwobKY
OcmLyfRXlagA8ukENJv,	
Supplier#000000688	D
fw5ocppmZpYBBIP1718hCihLDZ5KhKX	
Supplier#000000710	f19YPvOyb
QoYwjKC,oPyccGfieBAcwKJo	
Supplier#000000736	
16i2nMwVuovfKnvGvaSGK2rDy65D1AFLegiL7	
Supplier#000000761	
zlSLelQUj2XrvTTFnv7WAcYZGvvMTx882d4	
Supplier#000000884	bmhEShejaS
Supplier#000000887	urEaTejh5POADP2ARrf
Supplier#000000935	ij98czM
2KzWe7dTDXoB8sq0UfcDvrX	
Supplier#000000975	,AC
e,tBpNwKb5xMUzeohxlRn, hdZJo73gFQF8y	
Supplier#000001263	
rQWr6nf8ZhB2TAiIDivo5Io	
Supplier#000001399	LmrocnIMSyYOWuANx7

<rows truncated>

204 rows processed.
Statement Processed in 2.62 seconds.

SQL statements processed: 1

21.log

```
-- using default substitutions

select * from (
select
s_name,
count(*)  numwait
from
supplier,
lineitem l1,
orders,
nation
where
s_suppkey = l1.l_suppkey
and o_orderkey = l1.l_orderkey
and o_orderstatus = 'F'
and l1.receiptdate > l1.commitdate
and exists (
select
*
from
lineitem l2
where
l2.l_orderkey = l1.l_orderkey
and l2.l_suppkey <> l1.l_suppkey
)
and not exists (
select
*
from
lineitem l3
where
l3.l_orderkey = l1.l_orderkey
and l3.l_suppkey <> l1.l_suppkey
and l3.l_receiptdate > l3.l_commitdate
)
and s_nationkey = n_nationkey
and n_name = 'SAUDI ARABIA'
group by
s_name
order by
numwait desc,
s_name)
where rownum <= 100
```

S_NAME	NUMWAIT
Supplier#000002829	20.00
Supplier#000005808	18.00
Supplier#000000262	17.00
Supplier#000000496	17.00
Supplier#000002160	17.00
Supplier#000002301	17.00
Supplier#000002540	17.00
Supplier#000003063	17.00
Supplier#000005178	17.00
Supplier#000008331	17.00
Supplier#000002005	16.00
Supplier#000002095	16.00
Supplier#000005799	16.00
Supplier#000005842	16.00
Supplier#000006450	16.00

Supplier#000006939	16.00
Supplier#000009200	16.00
Supplier#000009727	16.00
Supplier#000000486	15.00
Supplier#000000565	15.00
Supplier#000001046	15.00
Supplier#000001047	15.00
Supplier#000001161	15.00
Supplier#000001336	15.00
Supplier#000001435	15.00
Supplier#000003075	15.00
Supplier#000003335	15.00
Supplier#000005649	15.00
Supplier#000006027	15.00
Supplier#000006795	15.00
Supplier#000006800	15.00
Supplier#000006824	15.00
Supplier#000007131	15.00
Supplier#000007382	15.00
Supplier#000008913	15.00
Supplier#000009787	15.00
Supplier#00000633	14.00
Supplier#000001960	14.00
Supplier#000002323	14.00
Supplier#000002490	14.00
Supplier#000002993	14.00
Supplier#000003101	14.00
Supplier#000004489	14.00
Supplier#000005435	14.00
Supplier#000005583	14.00
Supplier#000005774	14.00
Supplier#000007579	14.00
Supplier#000008180	14.00
Supplier#000008695	14.00
Supplier#000009224	14.00
Supplier#00000357	13.00

<rows truncated>

100 rows processed.
Statement Processed in 47.53 seconds.

SQL statements processed: 1

22.log

```
-- using default substitutions

select
cntrycode,
count(*) as numcust,
sum(c_acctbal) as totacctbal
from
(
select
substr(c_phone, 1, 2) as cntrycode,
c_acctbal
from
customer
where
substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
and c_acctbal > (
select
avg(c_acctbal)
from
```

```

customer
where
c_acctbal > 0.00
and substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
)
and not exists (
select
*
from
orders
where
o_custkey = c_custkey
)
) custsale
group by
cntrycode
order by
cntrycode
```

CNTRYCODE	NUMCUST	TOTACCTBAL
13	888.00	6737713.99
17	861.00	6460573.72
18	964.00	7236687.40
23	892.00	6701457.95
29	948.00	7158866.63
30	909.00	6808436.13
31	922.00	6806670.18

7 rows processed.
Statement Processed in 3.67 seconds.

SQL statements processed: 1

Appendix E Seed and Input Parameters

seed

0808181512

stream00

14	1993-04-01
2	39 COPPER ASIA
9	spring
20	blanched 1993-01-01 CHINA
6	1993-01-01 0.04 24
17	Brand#42 MED DRUM
18	313
8	INDONESIA ASIA PROMO BURNISHED
COPPER	
21	ARGENTINA
13	unusual packages
3	AUTOMOBILE 1995-03-15
22	28 13 10 19 23 25
	20
16	Brand#14 MEDIUM ANODIZED 30
	4 2 38 22 49 10
	13
4	1995-05-01
11	UNITED KINGDOM 0.0000000333
15	1993-11-01
1	90
10	1994-10-01
19	Brand#31 Brand#14 Brand#15
	2 15 27
5	AMERICA 1993-01-01
7	INDIA INDONESIA
12	FOB TRUCK 1993-01-01

stream01

21	ROMANIA
3	FURNITURE 1995-03-01
18	314
5	ASIA 1993-01-01
11	IRAQ 0.0000000333
7	ALGERIA ARGENTINA
6	1993-01-01 0.02 24
20	lime 1996-01-01 INDIA
17	Brand#44 JUMBO BAG
12	MAIL REG AIR 1996-01-01
16	Brand#44 ECONOMY PLATED 33 25
	5 18 45 31 20 29
15	1996-05-01
13	unusual packages
10	1993-07-01
2	27 STEEL AFRICA
8	ARGENTINA AMERICA ECONOMY BRUSHED
COPPER	
14	1993-07-01
19	Brand#43 Brand#42 Brand#15
	8 16 23
9	seashell
22	18 11 12 16 21 10
	25
1	98
4	1993-02-01

stream02

6	1993-01-01	0.07 25
17	Brand#41	JUMBO PACK
14	1993-11-01	
16	Brand#24	STANDARD POLISHED 11
	21 32	47 50 34 40
	43	
19	Brand#45	Brand#35 Brand#54
	3 17	30
10	1994-04-01	
9	rose	
2	14 BRASS ASIA	
15	1994-02-01	
8	CHINA ASIA ECONOMY PLATED COPPER	
5	EUROPE 1993-01-01	
22	19 16 26 20 12 17	
	34	
12	TRUCK MAIL 1993-01-01	
7	MOZAMBIQUE CHINA	
13	unusual packages	
18	312	
1	106	
4	1995-09-01	
20	steel 1995-01-01 UNITED KINGDOM	
3	AUTOMOBILE 1995-03-17	
11	UNITED STATES 0.0000000333	
21	IRAQ	

stream03

8	IRAN MIDDLE EAST ECONOMY BURNISHED
TIN	
5	MIDDLE EAST 1994-01-01
4	1993-06-01
6	1994-01-01 0.04 24
17	Brand#43 JUMBO DRUM
7	INDIA IRAN
1	114
18	314
22	18 13 22 10 28 25
	19
14	1994-02-01
9	pink
10	1995-01-01
15	1996-09-01
11	JAPAN 0.0000000333
20	gainsboro 1993-01-01 JORDAN
2	2 TIN AFRICA
21	CANADA
19	Brand#42 Brand#13 Brand#53
	8 18 27
13	unusual packages
16	Brand#14 LARGE ANODIZED 24 6
	48 27 15 26 39 2
12	RAIL MAIL 1994-01-01
3	FURNITURE 1995-03-03

stream04

5	AFRICA 1994-01-01
21	SAUDI ARABIA
14	1994-05-01
19	Brand#54 Brand#51 Brand#52
3	19 23

15	1994-05-01						
17	Brand#55	WRAP BAG					
12	AIR MAIL	1994-01-01					
6	1994-01-01	0.02	24				
4	1996-01-01						
9	orange						
8	BRAZIL AMERICA	LARGE BRUSHED TIN					
16	Brand#45	PROMO BURNISHED	43				
	28	45	27	16	19	23	
	3						
11	ALGERIA	0.0000000333					
2	40	COPPER EUROPE					
10	1993-10-01						
18	315						
1	62						
13	unusual requests						
7	ALGERIA BRAZIL						
22	34	33	19	17	30	10	
	18						
3	MACHINERY	1995-03-19					
20	purple	1997-01-01	BRAZIL				

stream05

21	JAPAN						
15	1996-12-01						
4	1993-10-01						
6	1994-01-01	0.07	25				
7	PERU ROMANIA						
16	Brand#25	SMALL POLISHED	19	9			
	26	36	18	6	21	27	
19	Brand#51	Brand#34		Brand#42			
	9	20	30				
18	313						
14	1994-08-01						
22	25	29	32	12	33	14	
	17						
11	JORDAN	0.0000000333					
13	unusual requests						
3	BUILDING	1995-03-05					
1	70						
2	28 STEEL AFRICA						
5	AMERICA	1994-01-01					
8	ROMANIA EUROPE	LARGE PLATED TIN					
20	chocolate	1995-01-01	PERU				
12	SHIP FOB	1994-01-01					
17	Brand#52	WRAP PACK					
10	1994-08-01						
9	mint						

stream06

10	1993-05-01						
3	MACHINERY	1995-03-21					
15	1994-09-01						
13	express requests						
6	1994-01-01	0.05	24				
8	IRAQ MIDDLE EAST	LARGE ANODIZED TIN					
9	linen						
7	INDONESIA	IRAQ					
4	1996-05-01						
11	ARGENTINA	0.0000000333					
22	10	12	27	15	17	33	
	11						
18	314						
12	FOB RAIL	1994-01-01					
1	78						
5	ASIA	1994-01-01					

16	Brand#15	LARGE BRUSHED	8	12		
	6	15	36	10	47	22
2	16 BRASS	EUROPE				
14	1994-11-01					
19	Brand#53	Brand#12		Brand#41		
	4	10	26			
20	misty	1993-01-01	GERMANY			
17	Brand#54	WRAP DRUM				
21	EGYPT					

stream07

18	312					
8	CANADA AMERICA	MEDIUM POLISHED TIN				
20	yellow	1997-01-01	VIETNAM			
21	RUSSIA					
2	3 NICKEL	AMERICA				
4	1994-01-01					
22	31	27	20	15	32	16
	10					
17	Brand#51	SM BAG				
1	86					
11	KENYA	0.0000000333				
9	lace					
19	Brand#15	Brand#55	Brand#45			
	9	11	22			
3	BUILDING	1995-03-07				
13	express requests					
5	MIDDLE EAST	1994-01-01				
7	ARGENTINA	CANADA				
10	1994-02-01					
16	Brand#45	STANDARD BURNISHED	3			
	50	12	9	14	8	48
	31					
6	1994-01-01	0.02	24			
14	1995-03-01					
15	1997-04-01					
12	MAIL FOB	1995-01-01				

stream08

19	Brand#13	Brand#33	Brand#34			
	5	12	29			
1	94					
15	1994-12-01					
17	Brand#53	SM PACK				
5	AFRICA	1995-01-01				
8	ROMANIA EUROPE	MEDIUM BURNISHED NICKEL				
9	grey					
12	TRUCK FOB	1995-01-01				
14	1995-06-01					
7	CHINA ROMANIA					
4	1996-08-01					
3	HOUSEHOLD	1995-03-23				
20	ivory	1995-01-01	IRAQ			
16	Brand#25	MEDIUM PLATED	6	21		
	36	11	3	5	32	12
6	1995-01-01	0.08	25			
22	21	15	28	18	14	27
	19					
10	1994-11-01					
13	express requests					
2	41 COPPER	EUROPE				
21	KENYA					
18	313					
11	BRAZIL	0.0000000333				

Appendix F Benchmark Scripts

dbtables.sql

```

set echo on
set numwidth 25
spool rdbtablestest
SELECT COUNT(*) FROM LINEITEM;

SELECT * FROM LINEITEM
WHERE L_ORDERKEY IN
( 4, 26598, 148577, 387431, 56704, 517442,
600000)
AND L_LINENUMBER = 1
ORDER BY L_ORDERKEY;

SELECT * FROM REGION;

SELECT COUNT(*) FROM NATION;

SELECT * FROM NATION
WHERE N_NATIONKEY IN (3,10,14,20)
ORDER BY N_NATIONKEY;

SELECT COUNT(*) FROM ORDERS;

SELECT * FROM ORDERS
WHERE O_ORDERKEY IN ( 7, 44065, 287590, 411111,
483876, 599942 )
ORDER BY O_ORDERKEY;

SELECT COUNT(*) FROM PART;

SELECT * FROM PART
WHERE P_PARTKEY IN
(1,984,8743,9028,13876,17899,20000)
ORDER BY P_PARTKEY;

SELECT COUNT(*) FROM PARTSUPP;

SELECT* FROM PARTSUPP
 WHERE PS_PARTKEY = 3398
 AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
      FROM PARTSUPP WHERE PS_PARTKEY = 3398);

SELECT* FROM PARTSUPP
 WHERE PS_PARTKEY =15873
 AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
      FROM PARTSUPP WHERE PS_PARTKEY = 15873);

SELECT* FROM PARTSUPP
 WHERE PS_PARTKEY = 11394
 AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
      FROM PARTSUPP WHERE PS_PARTKEY = 11394);

SELECT* FROM PARTSUPP
 WHERE PS_PARTKEY = 6743
 AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
      FROM PARTSUPP WHERE PS_PARTKEY = 6743);

SELECT* FROM PARTSUPP

```

```

 WHERE PS_PARTKEY = 19763
 AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
      FROM PARTSUPP WHERE PS_PARTKEY =19763);

```

```

SELECT COUNT(*) FROM SUPPLIER;

SELECT * FROM SUPPLIER
WHERE S_SUPPKEY IN (83,265,492,784,901,1000)
ORDER BY S_SUPPKEY;

DROP TABLE MINMAX;

CREATE TABLE MINMAX
(TNAME CHAR(15),
KEYMIN INTEGER,
KEYMAX INTEGER);

INSERT INTO MINMAX
SELECT
'LINEITEM_ORD',MIN(L_ORDERKEY),MAX(L_ORDERKEY)
FROM LINEITEM ;

INSERT INTO MINMAX
SELECT
'LINEITEM_NBR',MIN(L_LINENUMBER),MAX(L_LINENUMBER)
FROM LINEITEM;

INSERT INTO MINMAX
SELECT
'ORDERTBL',MIN(O_ORDERKEY),MAX(O_ORDERKEY)
FROM ORDERS;

INSERT INTO MINMAX
SELECT 'CUSTOMER',MIN(C_CUSTKEY),MAX(C_CUSTKEY)
FROM CUSTOMER;

INSERT INTO MINMAX
SELECT 'PART',MIN(P_PARTKEY),MAX(P_PARTKEY)
FROM PART;

INSERT INTO MINMAX
SELECT 'SUPPLIER',MIN(S_SUPPKEY),MAX(S_SUPPKEY)
FROM SUPPLIER;

INSERT INTO MINMAX
SELECT
'PARTSUPP_PART',MIN(PS_PARTKEY),MAX(PS_PARTKEY)
FROM PARTSUPP;

INSERT INTO MINMAX
SELECT
'PARTSUPP_SUPP',MIN(PS_SUPPKEY),MAX(PS_SUPPKEY)
FROM PARTSUPP;

INSERT INTO MINMAX
SELECT
'NATION',MIN(N_NATIONKEY),MAX(N_NATIONKEY)
FROM NATION;

INSERT INTO MINMAX
SELECT
'REGION',MIN(R_REGIONKEY),MAX(R_REGIONKEY)
FROM REGION;

SELECT * FROM MINMAX;
spool off
exit;

```

```
/* end of file gtime.c */
```

gen_seed.sh

```
#!/bin/ksh

SEED_FILE=$1

#Generate the seed
echo "Setting the random number seed"
PSEED=`date +%m:%d:%H:%M:%S | sed -e 's/://g'` 
echo "Using ${PSEED} as seed0"
echo ${PSEED} > $SEED_FILE
echo "Done setting the random number seed"
```

gtime.c

```
/* Copyright (c) Oracle Corporation 2001. All
Rights Reserved. */

/*
NAME
    gtime.c - <one-line expansion of the name>

DESCRIPTION
    <short description of facility this file
declares/defines>

EXPORT FUNCTION(S)
    <external functions defined for use outside
package - one-line descriptions>

INTERNAL FUNCTION(S)
    <other external functions defined - one-
line descriptions>

STATIC FUNCTION(S)
    <static functions defined - one-line
descriptions>

NOTES
    <other useful comments, qualifications,
etc.>

MODIFIED   (MM/DD/YY)
mpoess     08/29/01 - Creation

*/
#include<stdio.h>
#include<stdlib.h>

# include <sys/time.h>

main ()
{
    struct timeval tv;

    (void) gettimeofday (&tv, (struct
timezone *) 0);

    printf ("% .2f\n", ((double) tv.tv_sec + (1.0e-
6 * (double) tv.tv_usec)) );
}
```

qexecpl.c

```
#ifdef RCSID
static char *RCSid =
    "$Header: qexecpl.c 17-oct-2001.09:29:47
mpoess Exp $ ";
#endif /* RCSID */

/* Copyright (c) 1999, 2001, Oracle Corporation.
All rights reserved. */

/*
NAME
    qexecpl.c - <one-line expansion of the
name>

DESCRIPTION
    SQL Execution Engine, Oracle v8, OCI
version

PRIVATE FUNCTION(S)
    <list of static functions defined in .c
file - with one-line descriptions>

MODIFIED   (MM/DD/YY)
mpoess     10/17/01 - add serialization
level in SQLInit
    mpoess   02/22/01 - add linux changes
    mpoess   08/05/99 - make compile
    mpoess   11/13/98 - fix pdll statement
    pswong   02/19/97 - migrating to version
8
    pswong   04/02/96 - more polishing
    pswong   03/25/96 - polish up
    pswong   03/06/96 - created

/*
#include <stdio.h>
#include <string.h>
#include <setjmp.h>
#include <sys/param.h>
#include <errno.h>
#include <math.h>
#include <string.h>
#include <sys/types.h>
#include <time.h>
#include <stdlib.h>
#include "qexecpl.h"

/* Function Prototypes */

extern double gettime();

/* function prototypes from gen.c */

int get_statement();

/* Declare error handling functions */

void sql_error();

/* Other prototypes */

int define_output_variables();
```

```

void process_select_list();
void usage();
void SQLinit();
void SQLexec();
void SQLexit();
void *memalloc();
void print_header();
void print_rows();
int OFEN();
void remove_newline();

char logname[UNAME_LEN]; /* username/password
combo */
char *passwd;

double tr_start = 0.0; /* query start time
*/
double tr_end = 0.0; /* query end time
*/
double s_tr_start = 0.0; /* statement start
time */
double s_tr_end = 0.0; /* statement end time
*/
/* For our purpose of timing, we will treat
comments as delimiters */
/* for queries. Thus, we will collect query
timings whenever we */
/* encounter a comment (of course not for the
first comment in a */
/* file).
*/
int end_flag = 0; /* flag to indicate
that we have reached */
/* the end of a query
*/
int stmt_cnt = 0; /* Number of
statements processed.
int qry_cnt = 0; /* Number of query
processed. */
double product = 1.0; /* cumulative product
of query times */
int rows_ret = 0; /* the number of rows
fetched */
int num_sel_list = 0; /* the number of
select list item */
long num_to_fetch = -1; /* Number of rows to
fetch. -1 means fetch all */

sltype slist[MAX_SEL_LIST]; /* Array for
describing Select List */
dltype *dlist[MAX_SEL_LIST]; /* Array of ptrs
for Defining Select List */

char stmt[SQL_LEN]; /* The SQL statement
or comment line. */
char qn[3]; /* Number of the query
being executed */
char qnp[3]; /* Number of the
previous query executed */
char cmt[5000]; /* Buffer to save
the comment. */
#ifndef LINUX
FILE *qtemp; /* fd for query template
*/
FILE *logfile; /* log and report files
*/
FILE *rep;
#else
FILE *qtemp = stdin; /* fd for query
template */
FILE *logfile = stdout; /* log and report
files */
FILE *rep = stdout;
#endif
void *defbuf; /* Buffer pointer for
ODEFIN */
int deflen = 0; /* Size of data type
for ODEFIN */
int deftype = 1; /* Oracle type number
for ODEFIN */
int pfmem = PFMEMSIZE; /* Memory to prefetch
rows */
time_t tim; /* To get wall clock
time */
/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIServer *tpcsrv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpcsvc = NULL;
OCISession *tpcusr = NULL;
OCIStmt *curq = NULL;
OCIStmt *cur_dml = NULL;
OCIStmt *cur_ddl = NULL;
OCIParam *tpcpar = NULL;

sword status = OCI_SUCCESS; /* OCI return value
*/
/* usage: prints the usage of the program */
void usage() {
    fprintf(stderr, "\nUsage: qexec
username/password [q<path name for query
template file>]\n");
    fprintf(stderr, " [l<path name
for log>] [r<path name for reports>]\n\n");
    fprintf(stderr, "Options:\n");
    fprintf(stderr, "q<path for query> :
full path name for the query template file.\n");
    fprintf(stderr, "
(default is stdin)\n");
    fprintf(stderr, "l<path name for log> :
full path name for log files\n");
    fprintf(stderr, "
(default is stdout)\n");
    fprintf(stderr, "r<path name for reports> :
full path name for reports\n");
    fprintf(stderr, "
(default is stdout)\n");
    exit(-1);
}

/* type: 0 if environment handle is passed, 1 if
error handle is passwd */

void sql_error(errhp,status,type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
}

```

```

ub4 errcode;
ub4 msglen;
int i,j;

switch(status) {
case OCI_SUCCESS_WITH_INFO:
    fprintf(stderr, "Error: Statement returned
with info.\n");
    if (type)
        (void)
OCIErrorGet(errhp,1,NULL,(sb4*)&errcode,(text*)m
sg,
                2048,OCI_HTYPE_ERROR);
else
    (void)
OCIErrorGet(errhp,1,NULL,(sb4*)&errcode,(text*)m
sg,
                2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
case OCI_ERROR:
    fprintf(stderr, "Error: OCI call error.\n");
    if (type)
        (void)
OCIErrorGet(errhp,1,NULL,(sb4*)&errcode,(text*)m
sg,
                2048,OCI_HTYPE_ERROR);
else
    (void)
OCIErrorGet(errhp,1,NULL,(sb4*)&errcode,(text*)m
sg,
                2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
case OCI_INVALID_HANDLE:
    fprintf(stderr, "Error: Invalid Handle.\n");
    if (type)
        (void)
OCIErrorGet(errhp,1,NULL,(sb4*)&errcode,(text*)m
sg,
                2048,OCI_HTYPE_ERROR);
else
    (void)
OCIErrorGet(errhp,1,NULL,(sb4*)&errcode,(text*)m
sg,
                2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
}

/* Rollback just in case */

(void)
OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

SQLexit();

exit(1);
}

#endif LINUX
int main(argc,argv)
#else
void main(argc,argv)
#endif
{
    int argc;
    char *argv[];
}

```

```

int i,pos,pos2;
int retcode; /* Return code for
get_statement */
#ifndef LINUX
logfile=fopen("/dev/stdout", "w");
qtemp=fopen("/dev/stdin", "rw");
rep=fopen("/dev/stdout", "w");
#endif
/* Initialize some variables */

if ((argc > 5) || (argc < 2)) {
    usage();
}

/* argv[1] -- User and Password for Database
*/
strcpy(logname, argv[1]);

/* Process optional parameters */

argc -= 1;
argv += 1;

while(--argc) {
    ++argv;
    switch(argv[0][0]) {
    case 'q':
        if ((qtemp = fopen(++(argv[0]),"r")) ==
NULL) {
            fprintf(stderr,"Unable to open file
'%s'\n", argv[0]);
            fprintf(stderr,"%s: %s\n", argv[0],
strerror(errno));
            exit(-1);
        }
        break;
    case 'r':
        if ((rep = fopen(++(argv[0]),"a")) ==
NULL) {
            fprintf(stderr,"Unable to open file
'%s'\n", argv[0]);
            fprintf(stderr,"%s: %s\n", argv[0],
strerror(errno));
            exit(-1);
        }
        break;
    case 'l':
        if ((logfile = fopen(++(argv[0]),"a")) ==
NULL) {
            fprintf(stderr,"Unable to open file
'%s'\n", argv[0]);
            fprintf(stderr,"%s: %s\n", argv[0],
strerror(errno));
            exit(-1);
        }
        break;
    default:
        fprintf(stderr,"Invalid Option: %c\n",
argv[0][0]);
        usage();
        break;
    }
}

/* Do some initialization and establish
connection with the database */

SQLInit();

/* May want to add some triggering mechanism
here */

```

```

    time(&tim);
    fprintf(logfile, "Begin Execution at %s\n\n",
ctime(&tim));
    fprintf(rep, "Begin Executing this Stream at
%s\n\n", ctime(&tim));
    /* Get the next statement and start processing
it */

while ((retcode = get_statement()) > 0) {

    switch (retcode) {

        /* If this is a comment, skips it */
        case COMMENT:
            /*if (end_flag) {
                end_flag = 0; /* reset query end
flag */
            /* save the comment so that we can print
it out later on */
            /* strcpy(cmnt, stmt);
            break;
        }*/
        if (stmt[3]== '@') {
            pos=4;
            strcpy(qnp,qn);
            while (stmt[pos] != ')') {
                pos++;
            }
            pos2=0;
            pos++;
            while (stmt[pos] != '.') {
                /*printf ("qn %d %c
\n",pos2,stmt[pos]);*/
                qn[pos2]=stmt[pos];
                pos2++;
                pos++;
            }
            qn[pos2] = 0;
            /* printf("found a new query:
%s\n",qn); */
        }
        /* save the comment so that we can print
it out later on */
        strcat(cmnt, stmt);
        break;

        /* if this is a set_row_fetch command */
        case SET_FETCHROW:
            fprintf(logfile,"Setting the number of
rows to fetch to: %ld\n\n",
                    num_to_fetch);
            break;

        /* if this is a SQL statement */
        case SQL_STMT:

            /* Executes the query */
            SQLExec();

            stmt_cnt++;
            qry_cnt++;
            fflush(rep);
            fflush(logfile);
            /*
            fprintf(logfile, "\nStatement Started at
%.2f\n", s_tr_start);
            fprintf(logfile, "Statement Ended at
%.2f\n", s_tr_end);

            fprintf(logfile,"Statement Processed in
%.2f seconds.\n",
(s_tr_end - s_tr_start));
            fprintf(rep, "Query %s: Execution Time:
%.2f started %.2f ended %.2f\n",
qn,(s_tr_end -
s_tr_start)s_tr_start,s_tr_end);
            fflush(rep);
            fflush(logfile);*/
            break;

        /* Should never reach here */
        default:
            fprintf(stderr, "Invalid statement
type!!\n");
            SQLExit();
            break;
    }

    /* Get Timing for the last query */

    tr_end = gettime();

    fprintf(logfile,"Query Processed in %.2f
seconds.\n\n", (tr_end - s_tr_start));

    /* print comments for this query that we have
saved */

    /* fprintf(logfile, "%s\n", cmnt); */

    /* fprintf(rep, "Query %s : Execution time
%.2f\n", qn,(tr_end - s_tr_start));*/
    fprintf(rep, "Query %s: Execution Time: %.2f
started %.2f ended %.2f\n",
qn,(tr_end -
s_tr_start),s_tr_start,tr_end);

    time(&tim);
    fprintf(logfile, "\nEnded Executing this Stream
at %s\n", ctime(&tim));
    fprintf(logfile, "\nStream Started at %.2f\n",
tr_start);
    fprintf(logfile, "Stream Ended at %.2f\n",
tr_end);
    fprintf(logfile,"Stream Processed in %.2f
seconds\n\n", (tr_end - tr_start));

    fprintf(rep, "\nEnded Executing this Stream at
%s\n", ctime(&tim));
    fprintf(rep, "\nStream Started at %.2f\n",
tr_start);
    fprintf(rep,"Stream Ended at %.2f\n", tr_end);
    fprintf(rep,"Stream Processed in %.2f
seconds\n\n",
(tr_end - tr_start));

    fprintf(logfile, "\nSQL statements processed:
%d\n", stmt_cnt);
    /*fprintf(logfile, "Queries processed: %d\n",
qry_cnt);*/

    fflush(rep);
    fflush(logfile);

    /* Close the query template file */

    fclose(qtemp);

    /* Disconnect from ORACLE. */

    SQLExit();
    exit(0);
}

```

```

}

/* SQLinit(): Perform initialization tasks.
*/
/*           Logs on to Oracle, opens some
files and open a cursor for */
/*           later use.
*/
void SQLinit() {

    int i;

    /* preallocate MAX_PREALLOC members of the
dlist array
   */
    /* initializes others to NULL so that we can
determine who to free later */

    for (i=0; i<MAX_SEL_LIST; i++) {
        if (i < MAX_PREALLOC) {
            dlist[i] = (dltype *) memalloc
(sizeof(dltype));
            dlist[i]->defhdl = NULL;
/* OCIalloc(curq,&(dlist[i]-
>defhdl),OCI_HTYPE_DEFINE); */
        }
        else
            dlist[i] = NULL;
    }

    /* Connect to ORACLE. Program will call
sql_error()          */
    /* if an error occurs in connecting to the
default database. */

    (void) OCIInitialize(OCI_DEFAULT,(dvoid
*)0,0,0);

    if((status=OCIEnvInit((OCIEnv
**)&tpcenv,OCI_DEFAULT,0,(dvoid **)) !=
    OCI_SUCCESS)
       sql_error(tpcenv, status, 0);

    OCIalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
    OCIalloc(tpcenv,&curq,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&cur_dml,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&cur_ddl,OCI_HTYPE_STMT);
    OCIalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
    OCIalloc(tpcenv,&tpcdrv,OCI_HTYPE_SERVER);
    OCIalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

    /* get username and password */

    passwd = strchr(logname, '/');
    *passwd = '\0';
    passwd++;

    if ((status =
OCIServerAttach(tpcdrv,errhp,(text
*)0,0,OCI_DEFAULT)) != OCI_SUCCESS)
        sql_error(errhp,status,1);

    OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcdrv,0,OCI_ATT
R_SERVER,errhp);

    OCIaset(tpcusr,OCI_HTYPE_SESSION,logname,strlen(
logname),OCI_ATTR_USERNAME,
errhp);
}
}

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(p
asswd),OCI_ATTR_PASSWORD,
errhp);

    if ((status = OCISessionBegin(tpcsvc, errhp,
tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) !=
OCI_SUCCESS)
        sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATT
R_SESSION,errhp);

/*
    if ((status=OCILogon((OCIEnv
*)tpcenv,(OCIError *)errhp,(OCISvcCtx *)tpcsvc,
(text *)logname,
strlen(logname), (text *)passwd,
strlen(passwd), (text *) 0, 0))
!= OCI_SUCCESS)
        sql_error(errhp, status, 1);
*/
    printf("\nConnected to ORACLE as user:
%s\n\n", logname);
}

/*
SQLExec()  Executes the SQL statement.
*/
/*
Parse the SQL statement.
*/
/*
If DDL or DML statements, execute
right away.
*/
/*
Else describe and define select
list outputs,
execute and fetch results.
*/
void SQLexec()
{
    int i;
    ub2 stmttyp = OCI_STMT_SELECT;      /* default
is a SELECT statement */

    /* Clause 5.3.6.2: QI(i,s) is the time between
the first character */
    /* of this query text is
submitted and the first */
    /* character of the next query
text is submitted. */

    if (qry_cnt) {
        time(&tim);
        s_tr_end = gettime();
        fprintf(logfile,"Query Processed in %.2f
seconds.\n\n",
        (s_tr_end - s_tr_start));

        /* print comments for this query that we
have saved */

        /* fprintf(logfile, "%s\n", cmnt); */

        /*fprintf(rep, "Query %s : Execution time
%.2f\n", qnp,(s_tr_end - s_tr_start));*/
        fprintf(rep, "Query %s: Execution Time:
%.2f started %.2f ended %.2f\n",

```

```

qnp,(s_tr_end -
s_tr_start),s_tr_start,s_tr_end);

/* Let's fflush stuff so that we can see
what's going on */

fflush(logfile);
fflush(rep);
}
else
    tr_start = gettimeofday();

s_tr_start = gettimeofday();

/* prepare the statement */

if ((status = OCISqlPrepare(curq, errhp,
(text*) stmt, (ub4) strlen(stmt),
OCI_NTV_SYNTAX,
OCI_DEFAULT)) != OCI_SUCCESS)
    sql_error(errhp,status,1);

/* Prints the query text and comment to the
logfile */

fprintf(logfile, "\n%s\n", cmnt);
cmnt[0]=0;
fprintf(logfile, "\n%s\n", stmt);

/* if this is a DDL or DML statement, execute
it right away */
/* only worries about SELECT statements right
now, cannot */
/* execute a stored PL/SQL procedure in thie
version */
}

OCIaget(curq,OCI_HTYPE_STMT,&stmttyp,NULL,OCI_AT
TR_STMT_TYPE,errhp);

if (stmttyp != OCI_STMT_SELECT) {
    OCIexec(tpcsvc,curq,errhp,1);
    return;
}

/* otherwise, this is a select statement */
/* Describe and define output variables */

/* first let's execute it to get the select-
list definition */

OCIaset(curq, OCI_HTYPE_STMT, &pfmem, 0,
OCI_ATTR_PREFETCH_MEMORY, errhp);

OCIexec(tpcsvc,curq,errhp,0);

num_sel_list = define_output_variables();

/* Executes the query and fetches the rows */
(void) process_select_list(num_sel_list);

/* Need to get the number of rows fetched
first */
/* since the following statements will screw it
up */

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_A
TTR_ROW_COUNT,errhp);
}

/* To control memory usage, let's free up the
extra dlist entries */
/* that we have allocated.
*/
i=MAX_PREALLOC;
while(dlist[i] != NULL) {
    free(dlist[i]);
    dlist[i+1] = NULL;
}

/* reset set_fetchrows */
num_to_fetch = -1;

}

void SQLexit() {
    int i;

OCILogoff(tpcsvc,errhp);
OCIhfree(tpcenv,OCI_HTYPE_STMT);
OCIhfree(tpcsvc,OCI_HTYPE_SVCCTX);
OCIhfree(tpcsrv,OCI_HTYPE_SERVER);
OCIhfree(tpcusr,OCI_HTYPE_SESSION);

/* free all memory */

for (i=0; i<MAX_SEL_LIST; i++) {
    if (dlist[i] != NULL) {
        free(dlist[i]);
    }
}

/* Flush all output */

fflush(rep);
fflush(logfile);

}

/* define_output_variables(): Describe and
define select-list items for */
/* a query statement.
*/
/* Returns the number
of select-list items */
/* for this query.
*/

int define_output_variables()
{
    int i;
    int retflag = 0;

    for (i=0; i<MAX_SEL_LIST; i++) {
        slist[i].buflen = MAX_COLNAME_SIZE;

        if (OCIParamGet(curq, OCI_HTYPE_STMT, errhp,
(dvoid **) &tpcpar,
POS(i)) !=
OCI_SUCCESS)
            break;

        /* dsize and nullok fields of dlist not used
*/
    }
}

```

```

OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].dbsize),
    NULL, OCI_ATTR_DATA_SIZE, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].dtype),
    NULL, OCI_ATTR_DATA_TYPE, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].buf),
    &(slist[i].buflen), OCI_ATTR_NAME,
errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].precision),
    NULL, OCI_ATTR_PRECISION, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].scale),
    NULL, OCI_ATTR_SCALE, errhp);

/* For formatting purpose, remove trailing
blanks in select-list name. */

/*
if (slist[i].buflen < MAX_COLNAME_SIZE)
    (slist[i].buf)[slist[i].buflen] = '\0';
*/
/* Well, we need to allocate for entries for
dlist */

if (i >= MAX_PREALLOC) {
    dlist[i] = (dltype *)
memalloc(sizeof(dltype));
    dlist[i]->defhdl = NULL;
}

/* Let's check the sizes and types for this
select list item */

switch (slist[i].dtype) {

case OCI_TYPECODE_NUMBER:

    /* The odescr will not give a good
estimate to the scale if */
    /* no scale was given in the Oracle table
definition. */

#endif HAVE_SCALE
    if (slist[i].scale != 0) {
        defbuf = (double *) dlist[i]->fbuf;
        deflen = FLT;
        deftype = OCI_TYPECODE_DOUBLE;
        slist[i].dtype = OCI_TYPECODE_DOUBLE;
    } else {
        defbuf = (int *) dlist[i]->ibuf;
        deflen = INT;
        deftype = OCI_TYPECODE_INTEGER;
        slist[i].dtype = OCI_TYPECODE_INTEGER;
    }
} else
    defbuf = (double *) dlist[i]->fbuf;
deflen = FLT;
deftype = OCI_TYPECODE_FLOAT;
slist[i].dtype = OCI_TYPECODE_FLOAT;
#endif /* HAVE_SCALE */

break;

default:

/* default is character string */

defbuf = (char **) dlist[i]->sbuf;

```

```

        rows_ret = num_so_far;
    }
    /* Print the final rows */
    OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,N
ULL,
        OCI_ATTR_ROW_COUNT,errhp);
    print_rows(num,(num_so_far-rows_ret));
    rows_ret = num_so_far;
} else {
    ntf -= MAX_ARRAY;

    while ((stats = OCISqlFetch(curq,errhp,
((ntf>MAX_ARRAY) ? MAX_ARRAY:ntf),
OCI_FETCH_NEXT, OCI_DEFAULT)) ==
            OCI_SUCCESS) {
        ntf -= MAX_ARRAY;

        OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
                OCI_ATTR_ROW_COUNT,errhp);
        print_rows(num,(num_so_far-rows_ret));
        rows_ret = num_so_far;
        if (ntf <= 0) break;
    }
    OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,N
ULL,
        OCI_ATTR_ROW_COUNT,errhp);
    print_rows(num,(num_so_far-rows_ret));
    rows_ret = num_so_far;
}
} else {
    OCISqlFetch(curq, errhp, ntf,
    OCI_FETCH_NEXT, OCI_DEFAULT);

    OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_A
TTR_ROW_COUNT,errhp);
    print_rows(num,rows_ret);
}

fprintf(logfile,"\\n\\n%d row%c processed.\\n",
rows_ret,
    rows_ret == 1 ? '\\0' : 's');

}

int get_statement()
{
    char line[128];
    char *pos, *str;

    /* Reset statement buffer */
    stmt[0] = '\\0';

    while (fgets(line, 127, qtemp) != NULL) {

        /* skip blank lines */
        if (line[0] == '\\n')
            continue;

        /* remove blanks */
        str = line;
        while (*str == ' ') str++;

        /* Let's get the line together first */
        strcat(stmt, str);

        /* if this is a comment line */
        if ((str[0] == '-') && (str[1] == '-'))
            return COMMENT;

        /* see if this is a set_fetchrows line */
        if (strncmp(str, "set_fetchrows", 13) == 0)
{
            pos = strchr(str, ';');
            *pos = '\\0';
            pos = strchr(str, '=');
            num_to_fetch = atol(++pos);
            return SET_FETCHROW;
        }

        /* if this is the end of the current
statement */
        if ((pos = strchr(stmt, ';')) != NULL) {
            *pos = '\\0';
            return SQL_STMT;
        }
        return END_OF_FILE;
    }

    /* memalloc(): Allocates memory, exit program if
we have a problem. */

    void *memalloc(size)
        int size;
{
    void *tmp;

    if ((tmp = (void *) malloc(size)) == NULL) {
        fprintf(stderr, "Error in malloc\\n");
        SQLexit();
        return NULL;           /* should never reach
here */
    } else {
        return tmp;
    }
}

void print_header(nsel)
    int nsel;                  /* Number of select
list items */
{
    int i, diff;
    char colname[MAX_COLNAME_SIZE];
    int len = 0;               /* Running column
length */
    int cwid = 0;

    fprintf(logfile, "\\n");

    for (i=0; i<nsel; i++) {

        /* extract the column name */

        strncpy((char *)colname, (char
*)slist[i].buf, slist[i].buflen);
        colname[slist[i].buflen] = '\\0';

        /* format the output a little */

```

```

        cwd = MAX(slist[i].dbsize,
slist[i].buflen);

/* do a little bit of formatting */

if (cwid > 80) {
    fprintf(logfile, "\n");
    len = 0;
} else if ((len += cwd) > 80) {
    fprintf(logfile, "\n");
    len = cwd;
}
#endif FORMAT1
if ((slist[i].dbtype == INT_TYPE) ||
(slist[i].dbtype == FLT_TYPE))
    fprintf(logfile, "%*s ", cwd,
slist[i].buf);
else /* string type */
    fprintf(logfile, "%*s ", -cwid,
slist[i].buf);
#else
    fprintf(logfile, "%*s ", -cwid, colname);
#endif /* FORMAT1 */
}

fprintf(logfile, "\n");
}

void print_rows(ncol, nrow)
int ncol;
int nrow;
{
    int i,j;
    int len;
    int diff;
    int cwd;

    for (i=0;i<nrow;i++) {

        len = 0;

        for (j=0;j<ncol;j++) {

            cwd = MAX(slist[j].dbsize,
slist[j].buflen);

            /* do a little bit of formatting */

            if (cwid > 80) {
                fprintf(logfile, "\n");
                len = 0;
            } else if ((len += cwd) > 80) {
                fprintf(logfile, "\n");
                len = cwd;
            }

            switch(slist[j].dbtype) {
                case INT_TYPE:
#endif HAVE_SCALE
                    fprintf(logfile, "%*ld|", cwd,
(dlist[j]->ibuf)[i]);
                    break;
#endif /* HAVE_SCALE */
                case FLT_TYPE:
#endif FORMAT1
                    fprintf(logfile,"%*.2f ", cwd,
(dlist[j]->fbuf)[i]);
#else
                    fprintf(logfile,"%*.2f ", -cwid,
(dlist[j]->fbuf)[i]);
#endif /* FORMAT1 */
                }
            }
        }
    }
}

#endif /* _QEXECPL_H_ */
#endif /* _QEXECPL_C_ */

```

```

#endif /* FORMAT1 */
        break;
    default:
        fprintf(logfile, "%*s ", -(cwid),
(dlist[j]->sbuf)[i]);
        break;
    }
    fprintf(logfile, "\n");
}

/* remove_newline(): Remove newline character
from str. */

void remove_newline(str)
char *str;
{
    char *p;

    while ((p = strchr(str, '\n')) != NULL)
        *p = ' ';
}

```

qexecpl.h

```

/*
 * $Header: qexecpl.h 13-nov-2001.17:52:35
mpoess Exp $
 */

/* Copyright (c) 1999, 2001, Oracle Corporation.
All rights reserved. */

/* NOTE: See 'header_template.doc' in the 'doc'
dve under the 'forms'
       directory for the header file template
that includes instructions.
*/
/*
  NAME
      qexecpl.h

  DESCRIPTION
      SQL statement execution front-end header
file.

  PUBLIC FUNCTION(S)
      <list of external functions
declared/defined - with one-line descriptions>

  PRIVATE FUNCTION(S)
      <list of static functions defined in .c
file - with one-line descriptions>

  EXAMPLES

  NOTES
      <other useful comments, qualifications,
etc.>

  MODIFIED      (MM/DD/YY)
  mpoess        11/13/01 - change DOP to 84 for
DML and DDL
  mpoess        02/22/01 - add linux changes
  mpoess        08/05/99 - make compile
  mpoess        07/15/99 - Creation

```

```

mpoess      07/15/99 - Creation

*/
/*
# ifndef S_ORACLE
# include <s.h>
# endif
*/
#ifndef QSTREAMPL_H
#define QSTREAMPL_H

#include <stdio.h>
#include <string.h>
#include <sys/param.h>
#include <sys/types.h>
#include <time.h>
#include <errno.h>
#include <math.h>

#include <oratypes.h>

#include <oratypes.h>

#ifndef OCIDFN
#include <ocidfn.h>
#endif /* OCIDFN */

#ifndef OCI_ORACLE
#include <oci.h>
#endif /* OCI_ORACLE */
/*
#ifndef __STDC__
#include <ociapr.h>
#else
#include <ocikpr.h>
#endif /* __STDC__ */

/* some basic definitions */

#define UNAME_LEN 64
#define MAX_FILE_PATH_LEN 128

#ifndef TRUE
#define TRUE 1
#endif /* TRUE */

#ifndef FALSE
#define FALSE 1
#endif /* FALSE */
#ifndef LINUX
#define MAX(x,y) ((x >= y) ? x : y)
#define MIN(x,y) ((x <= y) ? x : y)
#endif
/* defines and typedefs for parsing */

#define CRT_TBL 1
#define INS_STMT 3
#define SEL_STMT 4
#define UPD_STMT 5
#define DRP_VIEW 7
#define DRP_TBL 8
#define DEL_STMT 9
#define CRT_VIEW 10

/* defines and typedefs for query description */

#define MAX_COLNAME_SIZE 32 /* Maximum length
of Column name */
#define MAX_SEL_LIST 16 /* Maximum items
on a select list */

#define END_OF_LIST 1007 /* Error code when
we reach the end of the */
/* select list.

/* types for describe */

#define CHAR_TYPE 1
#define NUM_TYPE 2
#define INT_TYPE 3
#define FLT_TYPE 4
#define STR_TYPE 5
#define DATE_TYPE 12

#define NUMWIDTH 16 /* Width of the
numeric fields */

#define POS(i) (i+1) /* The position is
1...n instead */
#define IND(i) (i-1) /* of 0..n-1 as in
an array. */

typedef struct des
{
    ub2 dbsize;
    ub4 buflen;
/* sb2 dszie; */
    sb4 scale;
/* sb2 nullok; */
    OCITypeCode dbtype;
/* text buf[MAX_COLNAME_SIZE]; */
    text *buf;
    ub1 precision;
} sltype;

/* defines and typedefs for query select list
definition */

#define MAX_ARRAY 50 /* Maximum array size
for array fetch */
#define PFMEMSIZE 65536 /* Memory size of
prefetch buffer */

#define MAX_STR_LEN 256 /* Maximum size for
string variables */
#define MAX_PREALLOC 8 /* Maximum number of
preallocated select list */
/* definitions. */

#define INT sizeof(long)
#define STR sizeof(char)
#define FLT sizeof(double)

#define FLTP (double *)
#define INTP (long *)
#define STRP (char **)

typedef struct def
{
    long ibuf[MAX_ARRAY];
    double fbuf[MAX_ARRAY];
    char sbuf[MAX_ARRAY][MAX_STR_LEN];
    ub2 rlen[MAX_ARRAY]; /* return length
*/
    OCIDefine *defhdl;
} dlype;

extern int errno;

```

```

#define SQL_LEN 2048

#ifndef NULL
#define NULL 0
#endif

#ifndef NULLP
#define NULLP (void *)NULL
#endif /* NULLP */

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define NA -1 /* ANSI SQL NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-08177:
transaction not serializable */

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define SID(sid) ((sid == -1) ? 0 : sid)

/* For get_statement */

#define END_OF_FILE -1
#define COMMENT 1
#define SQL_STMT 2
#define SET_FETCHROW 3

#define OCIalloc(envh,hndl,htyp) \
    if((status=OCIAHandleAlloc((dvoid \
*)envh,(dvoid **)hndl,htyp,0,(dvoid \
**)0))!=OCI_SUCCESS) \
        sql_error(envh,status,0); \
    else \
        DISCARD 0

#define OCIhfree(hndl,htyp) \
    if((status=OCIAHandleFree((dvoid \
*)hndl,htyp)) == OCI_SUCCESS) \
        fprintf(stderr, "Error freeing handle of \
type %d\n", htyp)

#define OCIaget(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAAttrGet((dvoid \
*)hndl,htyp,(dvoid *)attp,(dvoid \
*)size,atyp,errh)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIaset(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAAttrSet((dvoid \
*)hndl,htyp,(dvoid *)attp,size,atyp,errh)) != \
OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \

```

```

if((status=OCIStmtExecute(svch,stmh,errh,iter,0, \
NULL,NULL,OCI_DEFAULT)) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
else \
    DISCARD 0

#define ISOTXT "alter session set \
isolation_level = serializable"
#define PDMLTXT "alter session force parallel \
dml parallel (degree 84)"
#define PDDLTXT "alter session force parallel \
ddl parallel (degree 84)"

#endif /* QSTREAMPL_H */

```

runTPCHall

```

#!/bin/ksh
. $KIT_DIR/env

ECHO=echo

sqlplus=$ORACLE_HOME/bin/sqlplus
GTIME=${KIT_DIR}/utils/gtime

RUN_ID_FILE=${KIT_DIR}/audit/r_id

if [ ! -f $RUN_ID_FILE ]
then
    echo "0" > $RUN_ID_FILE
fi

RUN_ID=`cat $RUN_ID_FILE` \
RUN_ID=`expr $RUN_ID + 1` \
echo $RUN_ID > $RUN_ID_FILE

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
    mkdir $OUT_DIR
fi

SCRIPT_LOG_FILE=${OUT_DIR}/main.out
RDB_TABLES=${OUT_DIR}/rdbtablest
FIRST_TEN=${OUT_DIR}/firstten
LD1DBCRC=${OUT_DIR}/Ld1dbcrc
LD2SCTSO=${OUT_DIR}/Ld2sctso
LD3DAPOP=${OUT_DIR}/Ld4dapop
LD4IXCRE=${OUT_DIR}/Ld5ixcre
LD5ANLYZ=${OUT_DIR}/Ld5anlyz
DAT_FILE=/dbms/oracle9i/kit/audit/1TB.dat

echo Start TPC-H Benchmark SEQUENCE NUMBER:
$RUN_ID > $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file:
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.log"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

mv $ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.log \
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.log.p
reAudit.$RUN_ID

```

```

touch
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.log

echo "Start: load database `date`" >>
$SCRIPT_LOG_FILE
bumpx.pl -s -x -o ${DAT_FILE} -p dbcre >
$LD1DBCRE
bumpx.pl -s -x -o ${DAT_FILE} -p sctso >
$LD2SCTSO
STIME=`$GTIME`
echo "Start: timed load portion `date`" >>
$SCRIPT_LOG_FILE
bumpx.pl -s -x -o ${DAT_FILE} -p dapop >
$LD3DAPOP
bumpx.pl -s -x -o ${DAT_FILE} -p ixcre >
$LD4IXCRE
bumpx.pl -s -x -o ${DAT_FILE} -p anlyz >
$LD5ANLYZ
tshut
tstart
ckpnt.sh
echo "End: timed load portion `date`" >>
$SCRIPT_LOG_FILE

$KIT_DIR/audit/gen_seed.sh $KIT_DIR/audit/seed
echo Generated seed: `cat $KIT_DIR/audit/seed` >> $SCRIPT_LOG_FILE

echo "Start: dbtables.sql and count.sql" >>
$SCRIPT_LOG_FILE
$sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/dbtables > ${RDB_TABLES} 2>&1
$sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/firstten > ${FIRST_TEN} 2>&1
echo "End: dbtables.sql and count.sql `date`" >>
$SCRIPT_LOG_FILE

tshut >> $SCRIPT_LOG_FILE
tstart >> $SCRIPT_LOG_FILE
ckpnt.sh
runTPCHpt ${SCALE_FACTOR} 1 ${RUN_ID}

tshut >> $SCRIPT_LOG_FILE
tstart >> $SCRIPT_LOG_FILE
ckpnt.sh
runTPCHpt ${SCALE_FACTOR} 2 ${RUN_ID}

sleep 600
tshut >> $SCRIPT_LOG_FILE

cp
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.log
$OUT_DIR

echo "End TPC-H Benchmark SEQUENCE NUMBER:
$RUN_ID `date`" >> $SCRIPT_LOG_FILE

```

runTPCHpt

```

#!/bin/ksh
. $KIT_DIR/env
#set -x
#ECHO=/bin/echo
SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the
location of the query template file
QGEN_DIR=${KIT_DIR}/dbgen

```

```

QGEN=${QGEN_DIR}/qgen
QEXEC=${SRC_DIR}

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

UPD_SQL=${UPD_DIR}/sql
UPD_SPT=${UPD_DIR}/scripts
UPD_SRC=${UPD_DIR}/source
UPD_DAT=${UPD_DIR}/data

TPCD_BIN=${KIT_DIR}/audit/bin

GTIME=${SRC_DIR}/gtime
SEED_FILE=${KIT_DIR}/audit/seed

DF=/dev/null
HID=1
INTERVAL=60
COUNT=1200

# The defaults

QPROG=${QEXEC}/qexec

usage () {

echo "
echo "Usage: $0 [-p <program for query stream>]
[-ul <program for UF1>]"
echo "           [-u2 <program for UF2>] [-o] [-s] [-h] [-u <user/password>]"
echo "           <scale factor> <run_number>""
echo ""
echo "scale factor      : The scale factor of the
run."
echo "update ||ism     : The parallelism to use
for the UFs."
echo ""
echo "-p <program>      : Program for Query
Stream."
echo ""              Default is $QPROG."
echo "-ul <program>    : Program for UF1."
echo ""              Default is $U1PROG."
echo "-u2 <program>    : Program for UF2."
echo ""              Default is $U2PROG."
echo "-o                : Collect Oracle
statistics."
echo "-s                : Collect System
statistics."
echo "-u <user/passwd> : User/Password. Default
is tpch/tpch."
echo "-h                : Displays this message."
}

set -- `getopt "p:ul:u2:osu:h" "$@"` || usage

while :
do
  case "$1" in
    -ul) shift; U1PROG=$1;;
    -u2) shift; U2PROG=$1;;
    -p) shift; QPROG=$1;;
    -o) OSTAT=1;;
    -s) SSTAT=1;;
    -h) usage; exit 0;;
    --) shift; break;;
    esac
  shift;
done

if [ "$#" -ne "3" ]

```

```

then
    usage
    exit 1
fi

SF=$1
PARA=$2
RUN_ID=$3

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
    mkdir $OUT_DIR
fi

TPCD_LOG=${OUT_DIR}
TPCD_RPT=${OUT_DIR}
OUT=${OUT_DIR}

let UF_SET="($PARA-1)*($NUM_STREAMS+1)+1"
START_SET=1
let STOP_SET=$NUM_STREAMS
let START_SET_UPDATE="($PARA-
1)*($NUM_STREAMS+1)+2"
let
STOP_SET_UPDATE="$START_SET_UPDATE+$NUM_STREAMS-
1"

TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s0
TPCD_RPT_FILE=${TPCD_RPT}/m${PARA}s0inter
QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s0
QUERY_PARAMETER=${TPCD_LOG}/qp${PARA}.0
SCRIPT_LOG_FILE=${TPCD_LOG}/m${PARA}timing
UF1_LOG=${TPCD_LOG}/m${PARA}s0rf1
UF2_LOG=${TPCD_LOG}/m${PARA}s0rf2
STREAM_COUNT_LOG=${TPCD_LOG}/m${PARA}tstrcnt

echo "TPC-H Test - RUN:${PARA}"
SEQUENCE:${RUN_ID} `date` > $SCRIPT_LOG_FILE
echo "TPC-H Test - RUN:${PARA}"
SEQUENCE:${RUN_ID} `date` > $TPCD_RPT_FILE
echo "Generates query template file with seed:
`cat $SEED_FILE` for stream 0" >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

${QGEN} -c -r `cat $SEED_FILE` -p 0 -s ${SF} -l
$QUERY_PARAMETER > ${QRY_FILE}

START=`$GTIME`
echo "Start Power Test - RUN:${PARA}"
SEQUENCE:${RUN_ID} Execution Starts $START,
`date` >> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

# Execute UF1

SDATE=`date`
UF1_START=`$GTIME`
echo "Start UF1 $UF1_START, `date`" >>
$SCRIPT_LOG_FILE

${ECHO} ${UPD_SPT}/runuf1.sh ${UF_SET} >>
$UF1_LOG 2>&1
# Execute Query Stream

UF1_END=`$GTIME`
E1DATE=`date`

UF1_TIME=`echo $UF1_END - $UF1_START | bc`
echo UF1: Execution Time: $UF1_TIME >>
${TPCD_RPT_FILE}

echo Start Time: $UF1_START, $SDATE >>
${TPCD_RPT_FILE}
echo End Time: $UF1_END, $E1DATE >>
${TPCD_RPT_FILE}
echo "" >> ${TPCD_RPT_FILE}

echo "End UF1 $UF1_END, ${E1DATE}" >>
$SCRIPT_LOG_FILE
echo UF1: Execution Time: $UF1_TIME >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "Start Query Part `\$GTIME`, `date`" >>
$SCRIPT_LOG_FILE

${QPROG} ${DATABASE_USER} q${QRY_FILE}
${TPCD_LOG_FILE} r${TPCD_RPT_FILE} > $DF 2>&1

# Execute UF2

UF2_START=`$GTIME`
E2DATE=`date`

echo "End Query Part `\$GTIME`, ${E2DATE}" >>
$SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

echo "Start UF2 $UF2_START, `date`" >>
$SCRIPT_LOG_FILE
${ECHO} ${UPD_SPT}/runuf2.sh ${UF_SET} >>
$UF2_LOG 2>&1
UF2_END=`$GTIME`
END=`$GTIME`
EDATE=`date`

echo "Start UF2 $UF2_START, `date`" >>
$SCRIPT_LOG_FILE
echo UF2: Execution Time: $UF2_TIME >>
${TPCD_RPT_FILE}
echo Start Time: $UF2_START, $E2DATE >>
${TPCD_RPT_FILE}
echo End Time: $UF2_END, $EDATE >>
${TPCD_RPT_FILE}

UF2_TIME=`echo $UF2_END - $UF2_START | bc`
echo UF2: Execution Time: $UF2_TIME >>
$SCRIPT_LOG_FILE
echo "End UF2 $UF2_END, $EDATE" >>
$SCRIPT_LOG_FILE
echo UF2: Execution Time: $UF2_TIME >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "End TPC-H Power Test - RUN:${PARA}"
SEQUENCE:${RUN_ID}, $END, $EDATE" >>
$SCRIPT_LOG_FILE
MEA_INT=`echo $END - $START | bc`
echo "Elapsed Time for TPC-H Power Test -
RUN:${PARA} SEQUENCE:${RUN_ID} is $MEA_INT" >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

${KIT_DIR}/audit/abridge.pl ${TPCD_LOG_FILE}

i=$START_SET
PSEED=`cat $SEED_FILE`

while [ $i -le $STOP_SET ]; do
    TPCD_LOG_FILE=${TPCD_LOG}/mt${RUN_ID}_${i}.log
    TPCD_RPT_FILE=${TPCD_RPT}/mt${RUN_ID}_${i}.rpt
    QUERY_PARAMETER=${TPCD_LOG}/qp${PARA}.${i}
}
    QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s${i}
    PSEED=`expr $PSEED + 1`
```

```

$ {QGEN} -c -r ${PSEED} -p ${i} -s ${SF} -l
$QUERY_PARAMETER > ${QRY_FILE}

i=`expr $i + 1`
done

TH_START_D=`date`
TH_START_T=`$GTIME`
echo >> $SCRIPT_LOG_FILE

rm -f /tmp/th_pipe1
mknod /tmp/th_pipe1 p
rm -f /tmp/th_pipe2
mknod /tmp/th_pipe2 p
i=$START_SET

echo "Start Throughput Test - RUN:${PARA}"
SEQUENCE:${RUN_ID} $TH_START_T, $TH_START_D" >>
$SCRIPT_LOG_FILE

# starts a script to count the streams during
# the throughput run
(scnt.sh $PARA $RUN_ID > $STREAM_COUNT_LOG &)

while [ $i -le $STOP_SET ]; do
  M_SDATE=`date`
  M_STIME=`$GTIME`
  TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s${i}
  TPCD_RPT_FILE=${TPCD_RPT}/m${PARA}s${i}.in
  echo "Start Query Stream $i $M_STIME,
${M_SDATE}" >> $SCRIPT_LOG_FILE
  QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s${i}
  ${QPROG} ${DATABASE_USER} q${QRY_FILE}
  l${TPCD_LOG_FILE} r${TPCD_RPT_FILE} | grep -v
  "Connected to ORACLE" >> $SCRIPT_LOG_FILE &
  i=`expr $i + 1`
done

(${KIT_DIR}/audit/runTPCHus $RUN_ID
$START_SET_UPDATE $STOP_SET_UPDATE ${SF} $PARA
>> $SCRIPT_LOG_FILE 2>&1 &)

wait
THQ_END_T=`$GTIME`
THQ_END_D=`date`
echo End all Query Streams $THQ_END_T,
$THQ_END_D >> $SCRIPT_LOG_FILE
print > /tmp/th_pipe1
read < /tmp/th_pipe2

TH_END_D=`date`
TH_END_T=`$GTIME`
echo End Update Stream ${TH_END_T}, ${TH_END_D}
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "End Throughput Test ${TH_END_T},
${TH_END_D}" >> $SCRIPT_LOG_FILE
echo Execution Time Throughput Test: `echo
${TH_END_T} - ${TH_START_T} | bc` >>
$SCRIPT_LOG_FILE

i=$START_SET
while [ $i -le $STOP_SET ]; do
  TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s${i}
  ${KIT_DIR}/audit/abridge.pl ${TPCD_LOG_FILE}
  i=`expr $i + 1`
done
PIDS=`ps -fu oracle | grep scnt.sh | grep -v
grep | awk '{print $2}'`'
kill -9 $PIDS
#calculate the metric

```

```

#analyze_streams.pl -f p -n $RUN_ID >
${TPCD_RPT}/tpch_metric.${RUN_ID}.${HID}.rpt

runTPCHus
#!/bin/ksh
. $KIT_DIR/env

SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
UPD_SPT=${UPD_DIR}/scripts
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the
location of the query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

RUN_ID=$1
START_SET_UPDATE=$2
STOP_SET_UPDATE=$3
SF=$4
PARA=$5

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
  mkdir $OUT_DIR
fi

TPCD_RPT=$OUT_DIR
SCRIPT_LOG_FILE=${OUT_DIR}/m${PARA}timing
OUT=$OUT_DIR

GTIME=${SRC_DIR}/gtime
HID=1

START=`$GTIME`
echo "Start Update Stream $START, `date`" >>
$SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

#waiting for all the query streams to finish
first
read < /tmp/th_pipe1

i=$START_SET_UPDATE
j=1
while [ $i -le $STOP_SET_UPDATE ]; do

  # Execute UF1
  UF1_LOG=${OUT_DIR}/m${PARA}s{j}rf1
  UF2_LOG=${OUT_DIR}/m${PARA}s{j}rf2
  RPT_FILE=${OUT_DIR}/m${PARA}s{j}inter

  SDATE=`date`
  UF1_START=`$GTIME`
  echo "Start UF1-${j} at ${UF1_START},
${SDATE}" >> ${RPT_FILE}

  ${UPD_SPT}/runuf1.sh ${i} >> ${UF1_LOG} 2>&1
  UF1_END=`$GTIME`
  EDATE=`date`
```

```

echo "End UF1-$j at ${UF1_END}, ${EDATE}" >>
${RPT_FILE}
    echo UF1-$j Execution Time: `echo
${UF1_END} - ${UF1_START} | bc` >> ${RPT_FILE}

# Execute UF2

SDATE=`date`
UF2_START=`$GTIME`
echo "Start UF2-$j ${UF2_START}, ${SDATE}"
>> ${RPT_FILE}

${UPD_SPT}/runuf2.sh $i >> ${UF2_LOG} 2>&1
UF2_END=`$GTIME`
EDATE=`date`
echo "End UF2-$j at ${UF2_END}, ${EDATE}" >>
${RPT_FILE}
    echo UF2-$j Execution Time: `echo
${UF2_END} - ${UF2_START} | bc` >> ${RPT_FILE}

i=`expr $i + 1`
j=`expr $j + 1`
done

print > /tmp/th_pipe2

```

runuf1.sh

```

#!/bin/ksh
#
# $Header: runuf1.sh 25-oct-2001.15:56:04 mpoess
Exp $
#
# runuf1.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation.
All rights reserved.
#
# NAME
#     runuf1.sh - <one-line expansion of the
name>
#
# DESCRIPTION
#     runuf1.sh -l [<path name for reports>] -u
[<uid/passwd>]
#             -p [<program>] <run_id> <scale
factor> <pair number>
#                 <parallelism>
# USAGE
#     To execute UF1.
#
# NOTES
#     <other useful comments, qualifications,
etc.>
#
#     MODIFIED      (MM/DD/YY)
#     mpoess        10/25/01 - change default
directory for update sets
#     mpoess        10/17/01 - add support for
external tables
#     mpoess        08/15/99 - Creation
#     mpoess        08/15/99 - Creation
#
. $KIT_DIR/env
O=${ORACLE_HOME}
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
UTILS_DIR=${KIT_DIR}/utils
LOG_DIR=${UPDATE_DIR}/log

```

```

GTIME=${UTILS_DIR}/gtyme
SF=${SCALE_FACTOR}
PAR_HINT=${UPDATE_DOP}

LOGPATH=.
PASSWD=${DATABASE_USER}

if [ $# -lt 1 ];
then
    echo runuf1.sh setnum
    exit 1
fi
SETNUM=$1
i=1
PID=""

# perform the update function 1
START=`$GTIME`

# first create the temp tables
sqlplus /NOLOG << !
connect $PASSWD;
set timing on
set serveroutput on
set echo on

drop directory data_dir;
create directory data_dir as
'/dbms/oracle9i/kit/update/update_sets';

drop table temp_l_et;
create table temp_l_et(
    l_shipdate      date ,
    l_orderkey      number ,
    l_discount      number ,
    l_extendedprice number ,
    l_suppkey       number ,
    l_quantity      number ,
    l_returnflag    char(1) ,
    l_partkey       number ,
    l_linenumber    char(1) ,
    l_tax           number ,
    l_commitdate    date ,
    l_receiptdate   date ,
    l_shipmode      char(10) ,
    l_linenumber    number ,
    l_shipinstruct  char(25) ,
    l_comment        varchar(44)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'l_et.$(SETNUM).bad'
    logfile 'l_et.$(SETNUM).log'
    fields terminated by '|'
    missing field values are null
)
location (
    'lineitem.tbl.u$(SETNUM)')
reject limit unlimited;

drop table temp_o_et;
create table temp_o_et(
    o_orderdate      date ,
    o_orderkey      number ,
    o_custkey       number ,

```

```

o_orderpriority      char(15) ,
o_shipppriority     number ,
o_clerk              char(15) ,
o_orderstatus        char(1) ,
o_totalprice         number ,
o_comment             varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'o_et.${SETNUM}.bad'
    logfile 'o_et.${SETNUM}.log'
    fields terminated by '|'
    missing field values are null
)
location (
    'orders.tbl.u${SETNUM}'))
reject limit unlimited;

alter table temp_l_et parallel ${PAR_HINT};
alter table temp_o_et parallel ${PAR_HINT};

alter session force parallel dml parallel
(degree ${PAR_HINT});
alter session set isolation_level =
serializable;
alter session set optimizer_index_cost_adj = 25;

commit;

insert into orders (select * from temp_o_et);

insert into lineitem (select * from temp_l_et);

commit;

drop table temp_l_et;
drop table temp_o_et;

exit;
!

END=`$GTIME` 

# Done

echo ""
echo "Update Function 1 Set $SETNUM done!"
echo "Elapsed Time is `echo $END - $START | bc`"
echo ""

# DESCRIPTION
#   runuf2.sh [-u <uid/passwd to login>] [-p
<program>] <run_id>
#                                     <scale factor> <pair number>
<parallelism>
# USAGE
#   To execute UF2.
#
#   NOTES
#       <other useful comments, qualifications,
etc.>
#
#   MODIFIED (MM/DD/YY)
#   mpoess 10/25/01 - change default
directory for update sets
#   mpoess 10/17/01 - add support for
external tables
#   mpoess 08/15/99 - Creation
#   mpoess 08/15/99 - Creation
#
. $KIT_DIR/env
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
UTILS_DIR=${KIT_DIR}/utils
GTIME=${UTILS_DIR}/gtme
LOG_DIR=${UPDATE_DIR}/log
PAR_HINT=${UPDATE_DOP}
SF=${SCALE_FACTOR}
PASSWD=${DATABASE_USER}

if [ $# -lt 1 ]
then
    usage
    exit 1
fi

SETNUM=$1

i=1
PID=""

START=`$GTIME`
# first create the temp tables

sqlplus /NOLOG << !
connect $PASSWD;
set timing on
set serveroutput on
set echo on

drop directory data_dir;
create directory data_dir as
'/dbms/oracle9i/kit/update/update_sets';

drop table temp_okey_et;
drop table temp_okey;

create table temp_okey_et(
    t_orderkey          number
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'okey.${SETNUM}.bad'
    logfile 'okey.${SETNUM}.log'
    fields terminated by '|'
    missing field values are null
)

```

runuf2.sh

```

#!/bin/ksh
#
# $Header: runuf2.sh 25-oct-2001.15:56:05 mpoess
Exp $
#
# runuf2.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation.
All rights reserved.
#
# NAME
#   runuf2.sh - <one-line expansion of the
name>
#

```

```

location (
    'delete.${SETNUM}')))
reject limit unlimited;

alter table temp_okey_et parallel ${PAR_HINT};

create table temp_okey parallel ${PAR_HINT}
nologging as select * from temp_okey_et;

create unique index i_temp_okey on temp_okey
(t_orderkey) parallel ${PAR_HINT} nologging
compute statistics;
alter index i_temp_okey parallel;
analyze table temp_okey estimate statistics
sample 2 percent;

alter session force parallel dml parallel
${PAR_HINT};
alter session set isolation_level=serializable;
alter session set optimizer_index_cost_adj=25;

delete from (select /*+ ordered index(o)
use_nl(o) */ o.rowid from orders o, temp_okey t
where o.o_orderkey = t.t_orderkey order by 1);

delete from (select /*+ ordered index(l)
use_nl(l) */ l.rowid from lineitem l,temp_okey t
where l.l_orderkey = t.t_orderkey order by 1);

commit;

drop table temp_okey;
drop table temp_okey_et;
exit;
!

END=`$GTIME` 

# Done

echo ""
echo "Update Function 2 Set $SETNUM done!"
echo "Elapsed Time is `echo $END - $START | bc`"
echo ""

audit_stream.sh

#!/bin/ksh
. $KIT_DIR/env
#set -x
#ECHO=/bin/echo
SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=$KIT_DIR/sql
UPD_DIR=$KIT_DIR/update
SRC_DIR=$KIT_DIR/utils
QRY_DIR=$KIT_DIR/queries # this is the
location of the query template file
QGEN_DIR=$KIT_DIR/dbgen
QGEN=${QGEN_DIR}/qgen
QEXEC=$SRC_DIR

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

RUN_ID_FILE=$KIT_DIR/r_id

UPD_SQL=${UPD_DIR}/sql
UPD_SPT=${UPD_DIR}/scripts

UPD_SRC=${UPD_DIR}/source
UPD_DAT=${UPD_DIR}/data

TPCD_BIN=${KIT_DIR}/audit/bin
TPCD_LOG=${KIT_DIR}/audit/log
TPCD_RPT=${KIT_DIR}/audit/rpt

OUT=${KIT_DIR}/audit/out
GTIME=${SRC_DIR}/gtime
SEED_FILE=${KIT_DIR}/audit/seed

DF=/dev/null
HID=1
INTERVAL=60
COUNT=1200

# The defaults

USER="tpch/tpch"
QPROG=${QEXEC}/qexec

usage () {

echo " "
echo "Usage: $0 [-p <program for query stream>]
[-ul <program for UF1>]"
echo "           [-u2 <program for UF2>] [-o] [-
s] [-h] [-u <user/password>]"
echo "           <scale factor> <run_number>"
echo " "
echo "scale factor      : The scale factor of the
run."
echo "update ||ism     : The parallelism to use
for the UFs."
echo " "
echo "-p <program>      : Program for Query
Stream."
echo "                      Default is $QPROG."
echo "-ul <program>     : Program for UF1."
echo "                      Default is $U1PROG."
echo "-u2 <program>     : Program for UF2."
echo "                      Default is $U2PROG."
echo "-o                 : Collect Oracle
statistics."
echo "-s                 : Collect System
statistics."
echo "-u <user/passwd>  : User/Password. Default
is tpch/tpch."
echo "-h                 : Displays this message."
}

set -- ` getopt "p:ul:u2:osu:h" "$@"` || usage

while :
do
    case "$1" in
        -ul) shift; U1PROG=$1;;
        -u2) shift; U2PROG=$1;;
        -p) shift; QPROG=$1;;
        -o) OSTAT=1;;
        -s) SSTAT=1;;
        -h) usage; exit 0;;
        --) shift; break;;
        esac
        shift;
done

if [ "$#" -ne "2" ]
then
    usage
    exit 1
fi

```

```

SF=$1
PARA=$2

if [ $PARA = first ]
then
    UF_SET=1
    START_SET=1
    STOP_SET=7
    START_SET_UPDATE=2
    STOP_SET_UPDATE=8
else
    UF_SET=9
    START_SET=1
    STOP_SET=7
    START_SET_UPDATE=10
    STOP_SET_UPDATE=16
fi

if [ ! -f $RUN_ID_FILE ]
then
    echo "0" > $RUN_ID_FILE
fi

RUN_ID=`cat $RUN_ID_FILE` 
RUN_ID=`expr $RUN_ID + 1` 
echo $RUN_ID > $RUN_ID_FILE

echo "TPC-H Test Run `date`" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "RUNID is $RUN_ID" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

TPCD_LOG_FILE=${TPCD_LOG}/query.${RUN_ID}.log
TPCD_RPT_FILE=${TPCD_RPT}/query.${RUN_ID}.rpt
QRY_FILE=${QRY_DIR}/qtemp.${RUN_ID}.${SF}

echo "Generates query template file with given
seed for stream 0" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

${QGEN} -c -r `cat $SEED_FILE` -p 0 -s ${SF} -l
qparameter0 > ${QRY_FILE}

echo "Done generating query template file with
given seed for stream 0" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

START=`$GTIME`
echo "TPC-H Power Test Execution Starts $START,
`date`"
echo "TPC-H Power Test Execution Starts $START,
`date`" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "" >> ${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

# Execute UF1

SDATE=`date`
UF1_START=`$GTIME`
echo "Start UF1 ${SDATE}"
echo "Start UF1 ${SDATE}" >>
${OUT}/uf1.${RUN_ID}.${HID} 2>&1
echo "Start UF1 ${UF1_START}, `date`" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

${ECHO} ${UPD_SPT}/runuf1.sh ${UF_SET} >>
${OUT}/uf1.${RUN_ID}.${HID} 2>&1

# Execute Query Stream

UF1_END=`$GTIME`
E1DATE=`date`

echo "End UF1, Start Query Stream ${E1DATE}"
echo "End UF1, Start Query Stream ${E1DATE}" >>
${OUT}/uf1.${RUN_ID}.${HID} 2>&1
echo "" >> ${OUT}/uf1.${RUN_ID}.${HID} 2>&1
echo "End UF1, Start Query Stream ${UF1_END},
${E1DATE}" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

${QPROG} tpch/tpch q${QRY_FILE}
1${TPCD_LOG_FILE} r${TPCD_RPT_FILE} >>
${OUT}/qs.${RUN_ID}.${HID} 2>&1

# Execute UF2

UF2_START=`$GTIME`
E2DATE=`date`

echo "End Query Stream, Start UF2 ${UF2_START},
${E2DATE}" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "End Query Stream, Start UF2 ${E2DATE}"
echo "End Query Stream, Start UF2 ${E2DATE}" >>
${OUT}/uf2.${RUN_ID}.${HID} 2>&1

${ECHO} ${UPD_SPT}/runuf2.sh ${UF_SET} >>
${OUT}/uf2.${RUN_ID}.${HID} 2>&1

UF2_END=`$GTIME`
END=`$GTIME`
EDATE=`date`

echo "End UF2 ${UF2_END}, ${EDATE}" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "END UF2 ${EDATE}"
echo "End UF2\${EDATE}" >>
${OUT}/uf2.${RUN_ID}.${HID} 2>&1

echo "TPC-H Power Test Execution Ends ${EDATE}" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "TPC-H Power Test Execution Ends ${EDATE}"
MEA_INT=`echo ${END} - ${START} | bc`
echo "Elapsed Time for TPC-H Power Test is
$MEA_INT"

UF1_TIME=`echo ${UF1_END} - ${UF1_START} | bc`
echo "Elapsed Time for Update Function is
${UF1_TIME}"
echo "-- UF1" >> ${TPCD_RPT_FILE}
echo "${UF1_TIME}" >> ${TPCD_RPT_FILE}

UF2_TIME=`echo ${UF2_END} - ${UF2_START} | bc`
echo "Elapsed Time for Update Function is
${UF2_TIME}"
echo "-- UF2" >> ${TPCD_RPT_FILE}
echo "${UF2_TIME}" >> ${TPCD_RPT_FILE}

echo ""
echo -----
echo ""

##${SRC_DIR}/metric ${SF} < ${TPCD_RPT_FILE} \
>> ${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

THRUPUT=`expr 22 \* 3600 \* ${SF}`
THRUPUT=`echo "scale=2\n${THRUPUT}/${MEA_INT}" |
bc`
echo "Real Throughput Metric is: $THRUPUT"

```

```

#echo "Real Throughput Metric is: $THRUPUT" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

echo "TPC-H Throughput Test Execution Starts
`date`" >> ${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt
echo "TPC-H Throughput Test Execution Starts
`date`"

i=$START_SET
PSEED=`cat $SEED_FILE`

while [ $i -le $STOP_SET ]; do

TPCD_LOG_FILE=${TPCD_LOG}/query.${RUN_ID}_${i}.log
og

TPCD_RPT_FILE=${TPCD_RPT}/query.${RUN_ID}_${i}.rpt
QRY_FILE=${QRY_DIR}/qtemp.${RUN_ID}_${i}.${SF}

echo "Generate query files for STREAM ${i}" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

PSEED=`expr $PSEED + 1` 
${QGEN} -c -r ${PSEED} -p ${i} -s ${SF} -l
parameter${i} > ${QRY_FILE}

i=`expr $i + 1`
done

echo "Done creating multiple streams" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

echo
I1DATE=`date`
M_START=`$GTIME` 
echo "Start Throughput Test $I1DATE"
echo "Start Throughput Test $M_START, $I1DATE"
>> ${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

rm -f /tmp/th_pipe1
mknod /tmp/th_pipe1 p
rm -f /tmp/th_pipe2
mknod /tmp/th_pipe2 p

i=$START_SET

while [ $i -le $STOP_SET ]; do
M_SDATE=`date` 
M_STIME=`$GTIME` 
echo "Start Query Stream $i $M_STIME,
${M_SDATE}" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

TPCD_LOG_FILE=${TPCD_LOG}/query.${RUN_ID}_${i}.log
og

TPCD_RPT_FILE=${TPCD_RPT}/query.${RUN_ID}_${i}.rpt
QRY_FILE=${QRY_DIR}/qtemp.${RUN_ID}_${i}.${SF}
${QPROG} tpch/tpch q${QRY_FILE}
${TPCD_LOG_FILE} >>
${OUT}/qs.${RUN_ID}_${i}.${HID} 2>&1 &
i=`expr $i + 1`
done
sleep.sh &
(${KIT_DIR}/audit/update_stream.sh ${RUN_ID}
$START_SET_UPDATE $STOP_SET_UPDATE ${SF} >>
${OUT}/us.${RUN_ID}_1.${HID} 2>&1 &

```

```

wait
print > /tmp/th_pipe1
read < /tmp/th_pipe2

M_EDATE=`date` 
M_END=`$GTIME` 
echo "End Throughput Test $M_END"
echo "End Throughput Test $M_END, $M_EDATE" >>
${TPCD_RPT}/tpch.${RUN_ID}.${HID}.rpt

#calculate the metric
analyze_streams.pl -f p -n $RUN_ID >
${TPCD_RPT}/tpch_metric.${RUN_ID}.${HID}.rpt

```

tstart

```

#!/bin/ksh

if [ $# -ne 0 ]; then
INUM=$1
else
INUM=1
fi

echo
echo "Starting instance $INUM"

if [ -f $ORACLE_HOME/dbs/init_"$ORACLE_SID".ora ];
then
PFILE=$ORACLE_HOME/dbs/init_"$ORACLE_SID".ora
else
if [ -f $ORACLE_HOME/work/t_init$INUM.ora ];
then
if [ $INUM -ne 1 ]; then
export ORACLE_SID="$ORACLE_SID$INUM"
fi
PFILE=$ORACLE_HOME/work/t_init$INUM.ora
else
echo "What pfile should I use ???"
exit 1
fi
fi
fi

sqlplus /NOLOG << !
connect / as sysdba
startup pfile=$PFILE
exit
!
/Lvm/set_queue

```

tshut

```

#!/bin/ksh

if [ "$2" != "" -a "$2" != "1" ]; then
INUM=$2
if [ -f $ORACLE_HOME/work/t_init$INUM.ora ];
then
export ORACLE_SID="$ORACLE_SID$INUM"
fi
fi

```

```

if [ "$1" = "abort" ]; then
sqlplus /NOLOG << !
connect / as sysdba
shutdown abort
exit
!
else
sqlplus /NOLOG << !
connect / as sysdba
shutdown immediate
exit
!
fi

set_queue

/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c144t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c192t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c115t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c154t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c137t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c129t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c117t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d7

```

```
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c188t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c25t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c159t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c29t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c155t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c51t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c51t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c51t0d2
```



```

/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c91t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c146t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c81t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c168t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c40t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d6

```

```

/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c102t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c64t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c49t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c194t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c58t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d7

```

```
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c19t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c66t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c23t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c57t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c3t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c13t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c13t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c13t0d2
```



```

/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c142t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c177t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c125t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c198t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c131t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c183t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c82t0d7
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d0
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d1
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d2
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d3
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d4
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d5
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d6
/usr/sbin/scsictl -m queue_depth=32
/dev/rdsk/c186t0d7

```

Appendix G Price Quotes

The following pages contain the price quotes for the hardware included in this FDR.

-----Original Message-----

From: MaryBeth Pierantoni [mailto:mary.beth.pierantoni@oracle.com]

Sent: Monday, October 25, 2002 2:47 PM

To: lucille_boushey@hp.com

Cc: mary.beth.pierantoni@oracle.com

Subject: TPC-H Pricing

A.1 Product	Price	Quantity	Extended Price
Oracle9i Database Enterprise Edition Release 2, Named User Plus for 3 years	\$10,000	64	\$640,000
Partitioning, Named User Plus for 3 years	\$2,500	64	\$160,000
Oracle Database Server Support Package for 3 years	\$2,000	1	\$10,000
Oracle Mandatory E-Business Discount (license and Support)*			<\$161,200>

Oracle pricing contact: MaryBeth Pierantoni, mary.beth.pierantoni@oracle.com, 650-506-2118

Juergen Mueller
 HP
 Cupertino, CA 95014
 October 28, 2002



HP Unix Sales Development
 19111 Pruneridge Avenue
 Cupertino, CA 95014
 (408) 447-2320

		HP 9000 Superdome Enterprise Server			TPC-H Rev 2.0	
					Report Date: October 28, 2002	
Description	Part Number	Source Price	Reference Price	Qty	Extended Price	3 yr. Maint. Price
Server Hardware						
Super Dome left chassis (support includes hardware, services, and support)	A5201A, Opt. 429	1	205,840	1	205,840	268,626
Super Dome right chassis	A5202A, Opt. 429	1	218,435	1	218,435	
Memory module - 2 GB	A5198A, Opt. 0D1	1	14,000	64	896,000	
I/O enclosures	A4856A, Opt. 0D1	1	14,805	9	133,245	
PDCA Redundant Power Source	A5800A, Opt. 0D1	1	578	2	1,156	
Cell Board with 4 PA-8700 875MHz Processors	A6862A	1	10,080	16	161,280	
ICOD right to use processor (support includes hardware, services, and support)	A6885A, Opt. 429	1	23,000	64	1,472,000	403,392
Super Dome PCI Core I/O card	A6865A, Opt. 0D1	1	1,045	1	1,045	
I/O Expansion Power/Utilities Subsystem	A5861A	1	34,860	1	34,860	
I/O Chassis Enclosure (ICE)	A5862A	1	25,725	1	25,725	
1.6m Expansion Cabinet	A4901A	1	1,820	1	1,820	
PCI Dual FWD SCSI-2 Card	A5159A, Opt 0D1	1	1,245	2	2,490	
PCI 1000BT Lan Adapter	A4926A, Opt. 0D1	1	2,135	1	2,135	
PCI Fibre Channel 2X	A5158A, Opt 0D1	1	2,240	99	221,760	
RackInstallation Kit	A5170A, Opt 0D1	1	410	1	410	
DVD-ROM (includes SCSI-2 card, cables, enclosures)	C7499A	1	3,503	1	3,503	
HP9000 A500 Support Management Station (includes memory,CPU,lan card,disk,OS, etc)	A5570B	1	11,780	1	11,780	
hp surestore disk system 2100	A5675A	1	700	1	700	
1-18GB FWD disk module	A6537A	1	525	3	1,575	
5m SCSI-2 Cable	C2978B	1	99	1	99	
				Subtotal	3,395,858	672,018
Server Software						
HP-UX 11i LTU	B9088AC, Opt AAF	1		1	0	
HP-UX 11i Media	B3920EA, Opt UM9	1		1	0	
HP-UX 11i	B3920EA, Opt OD1	1		1	0	
HP-UX 11.i Factory Integration	B3920EA, Opt AAF	1	520	1	520	
				Subtotal	520	0
Storage						
Surestore VA 7100 w/dual controllers 512MB cache	A6262A	1	44,250	99	4,380,750	363,726
18GB 15K RPM FC HDD	A6191A, Opt. 0D1	1	914	1485	1,357,290	
16 meter Fibre Optic Cable	A3531AR	1	170	99	16,830	
HP9000 Std. Rack System E41	A4902A	1	1,910	9	17,190	
Modular Power Dist.	A5137AZ	1	145	33	4,785	
200-240 Volts	A5137AZ, Opt AW4	1	94	33	3,102	
				Subtotal	5,779,947	363,726
Large Configuration Discount and Support Prepayment*					Total	9,176,325
						(4,691,918)
					Grand Total	4,484,407
						631,845
					3-yr Cost of Ownership:	\$ 5,116,253

All the components in the price list are currently available. Maintenance support price is for 24 hours, 7 days with 4 hour response time.