DØLLEMC			werEdge /415	TPCx-IoT TPC-Pricing Report Date:	v1.0.3 v2.3.0 May 24, 2019		
Total System Cost		TPCx-IoT Performance Metric		Price/Performance			
265,084 USD		354,811.45 ІоТрѕ		0.75 US	D \$/IoTps		
Number of Records	DBMS Software	Operating System	Other Software	Availability Date			
600 Millions	HBase 2.0.0 on Cloudera Distribution for Apache Hadoop 6.0	Red Hat Enterprise Linux Server Release 7.5	None	May 24, 2019			


**System Configuration** 

1x Dell PowerEdge R7415 Server (Master Node) 1x AMD EPYC 7401P 24-Core Processor

256 GB (8x 32GB RDIMM 2666MT/s Dual Rank)

1x 240GB SSD SATA 2.5in Hot-plug Drive

1x Mellanox Dual Port 25GbE SFP28 NIC



7x Dell PowerEdge R7415 Servers (Data Nodes)
1x AMD EPYC 7401P 24-Core Processor
256 GB (8x 32GB RDIMM 2666MT/s Dual Rank)
1x 240GB SSD SATA 2.5in Hot-plug Drive
1x 1.6 TB Dell NVMe
1x Mellanox Dual Port 25GbE SFP28 NIC

Total Number of Servers:		8x Dell PowerEdge R7415		
Total Processors/Cores/Threads:		8/192/384		
	Processors	1x AMD EPYC 7401P 2.0GHz 24-Core		
	Memory	256GB		
Server Configuration (each)	Storage Controller	Perc H740P		
	Storage Device	1x 240GB SSD SATA (all nodes)		
		1x Dell 1.6TB NVMe (Data Nodes)		
	Network	1x Mellanox Dual Port 25GbE SFP28 NIC		
	Connectivity:	Dell S-Series (S5048F-ON) Network Switch		
Total Rack Units:		(8x7415) + (1xS5048F) = (8x2) + (1x1) = 17RU		



# Dell PowerEdge R7415

TPCx-IoT v1.0.3
TPC-Pricing v2.3.0

Report Date: May 24, 2019

				1101	port Date.	1114 2 1, 2
Description						Part
Number Key Unit Price Qty	Extended Price	3 yr. N	Maint. Price			
ARDWARE COMPONENTS						
owerEdge R7415 Server		210-ANKR	1 \$23,619.			
PowerEdge R6415/R7415 Motherboard		384-BBSR		00 7		
No Trusted Platform Module		461-AADZ	1 0.			
Chassis with up to 24 x 2.5" Drives including Maximum of 8 SAS/SATAor up to 23 NVMe Drives		321-BDEL	1 0.			
PowerEdge R7415 Shipping		340-BVTK		00 7		
PowerEdge R7415 x4 or x10 Drive Shipping Material		343-BBGJ	1 0.			
AMD EPYCTM 7401P 2.0GHz/2.8GHz, 24C/48T, 64M Cache (155W/170W) DDR4-2400/2666		338-BNCT		00 7		
Standard Heatsink		322-BBBL	1 0.			
2666MT/s RDIMMs		370-ADNU		00 7		
Performance Optimized		370-AAIP		00 7		
Unconfigured RAID		780-BCDS	1 0.			
PERC H740P RAID Controller, 8GB NV Cache, Mini card		405-AAMS		00 7		
Red Hat Enterprise Linux Non Factory Install,x64,Req Lic⋐ Selection		421-4727	1 \$0.		* * * * * * * * * * * * * * * * * * * *	
iDRAC9,Enterprise		385-BBKT	1 0.			
iDRAC Group Manager, Disabled		379-BCQY		00 7		
iDRAC,Factory Generated Password		379-BCSF	1 0.			
Riser Config 1, 2 x 16 LP		330-BBJH	1 0.			
On-Board LOM		542-BBBP	1 0.			
No Internal Optical Drive		429-AAIQ		00 7		
Dual, Hot-plug, Redundant Power Supply (1+1) 495W for x24 chassis		450-AGZB		00 7		
No Bezel		350-BBBW	1 0.			
Dell EMC Luggage Tag		350-BBMI		00 7		
No Quick Sync		350-BBKU	1 0.			
Performance BIOS Settings		384-BBBL	1 0.			
UEFI BIOS Boot Mode with GPT Partition		800-BBDM		00 7		
ReadyRails Sliding Rails With Cable Management Arm		770-BBBR	1 0.			
No Systems Documentation, No OpenManage DVD Kit		631-AACK	1 0.			
US Order		332-1286	1 0.			
Dell Hardware Limited Warranty Plus On-Site Service		816-3842	1 \$200.			1,400.00
ProSupport Mission Critical: 7x24 HW / SW Technical Support and Assistance, 3 Years		816-3859	1 \$1,438.			10,066.00
3 Years ProSupport and Mission Critical 4Hr Onsite Service		816-3843	1 \$262.			1,834.00
Thank you choosing Dell ProSupport. For tech support, visit //www.dell.com/support or call 1-800- 945-3355		989-3439	1 \$0.			0.00
On-Site Installation Declined		900-9997	1 \$0.	00 7	'	0.00
32GB RDIMM 2666MT/s Dual Rank		370-ADNF	1 \$0.			
240GB SSD SATA Mixed Use 6Gbps 512e 2.5in Hot Plug S4610 Drive		400-BDSS	\$0.			
Dell 1.6TB, NVMe, Mixed Use Express Flash, 2.5 SFF Drive, U.2, PM1725a with Carrier		400-AWLD	1 \$0.			
Mellanox ConnectX-4 Lx Dual Port 25GbE SFP28 Network Adapter, Low Profile		406-BBLD	1 \$0.			
C13 to C14, PDU Style, 12 AMP, 6.5 Feet (2m) Power Cord, North America		492-BBDI	1 \$0.			
Dell EMC S5048F-0N Switch,48x 25GbE,6x 100GbE QSFP28, I0 to PSU,2 PSU,0S10		210-ANRH	1 \$25,129.			
QSFP28, 10 to PSU airflow, 2x PSU, OS9Software, Rights to use L3 on OS9, S5048-0N		634-BQCB	1 \$0.		* * * * * * * * * * * * * * * * * * * *	
Dell Networking, Cable, SFP28 to SFP28, 25GbE, Passive Copper Twinax Direct Attach Cable, 2 Meter		470-ACET	1 \$0.			
Dell EMC S5048 Series User Guide		343-BBGU	1 \$0.		*****	
US No Canada Ship Charge		332-1286	1 \$0.			
Force10, Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13, S-Series		450-AAFH	1 \$0.	00 2	\$0.00	
Dell Hardware Limited Warranty 1 Year		815-5868	1 \$422.	00 1		422.00
ProSupport Mission Critical Package: 4-Hour 7x24 On-Site Service withEmergency Dispatch, 1 Year		815-5876	1 \$111.	00 1		111.00
ProSupport Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Extended to 2 Years		815-5877	1 \$423.	00 1		423.00
ProSupport Mission Critical:7x24 HW/SW Technical Support and Assistance, 3 Years		815-5887	1 \$5,956.	00 1		5,956.00
Dell Limited Hardware Warranty Extended Year(s		975-3461	1 \$0.	00 1		0.00
Thank you choosing Dell ProSupport. For tech support, visit //www.dell.com/support or call 1-800- 945-3355		989-3439	1 \$0.	00 7		0.00
Info 3rd Party Software Warranty provided by Vendor		997-6306	1 \$0.	00 1		0.00
On-Site Installation Declined		900-9997	1 \$0.	00 1		0.0
APC NetShelter SX 24U 600mm x 1070mm Deep Enclosure		A7067508	1 \$1,079.	99 1	1,079.99	
Rack PDU, Basic, Zero U, 15A, 120V, 5-15 input, (14) 5-15 output		A7541364	1 \$174.		174.99	
Logitech MK120 Keyboard and Mouse		A6999510	1 \$15.	99 1	15.99	
Dell 24 Monitor		210-AIWG	1 \$0.			
					\$191,732.97	

 	_		
	L 1	\ /I	
_	-1	VI	\ ,

#### Dell PowerEdge R7415

TPCx-IoT v1.0.3

TPC-Pricing v2.3.0

Report Date: May 24, 2019

Descrip						Part
Number Key Unit Pr	- ,	Extended Price	,	int. Price		
PowerEdge R7415 Server	210-ANKR	l	\$20,360.00	1	\$20,360.00	
PowerEdge R6415/R7415 Motherboard	384-BBSR	l	\$0.00	l	\$0.00	
No Trusted Platform Module	461-AADZ	l	\$0.00	l	\$0.00	
2.5" Chassis with up to 10 Hard Drives, including up to 8 SAS/SATA or 9	321-BDEL		\$0.00	l	\$0.00	
NVME Drives		l				
PowerEdge R7415 Shipping	340-BVTK	l	\$0.00	l	\$0.00	
PowerEdge R7415 x4 or x10 Drive Shipping Material	343-BBGJ	l	\$0.00	1	\$0.00	
AMD EPYCTM 7401P 2.0GHz/2.8GHz, 24C/48T, 64M Cache (155W/170W) DDR4-	338-BNCT		\$0.00	l	\$0.00	
2400/2666	550 BN01	l				
Standard Heatsink	322-BBBL	1	\$0.00	1	\$0.00	
2666MT/s RDIMMs	370-ADNU	1	\$0.00	1	\$0.00	
Performance Optimized	370-AAIP	l	\$0.00	l	\$0.00	
Unconfigured RAID	780-BCDS	l	\$0.00	l	\$0.00	
PERC H740P RAID Controller, 8GB NV Cache, Mini card	405-AAMS	1	\$0.00	1	\$0.00	
Red Hat Enterprise Linux Non Factory Install,x64,Req Lic⋐ Selection	421-4727	1	\$0.00	3	\$0.00	
iDRAC9,Enterprise	385-BBKT	1	\$0.00	1	\$0.00	
iDRAC Group Manager, Disabled	379-BCQY	1	\$0.00	1	\$0.00	
iDRAC,Factory Generated Password	379-BCSF	1	\$0.00	1	\$0.00	
Riser Config 1, 2 x 16 LP	330-BBJH	l	\$0.00	1	\$0.00	
On-Board LOM	542-BBBP	1	\$0.00	1	\$0.00	
No Internal Optical Drive	429-AAIQ	1	\$0.00	1	\$0.00	
Dual, Hot-plug, Redundant Power Supply (1+1) 750W for x24 chassis	450-AGUL	1	\$0.00	1	\$0.00	
No Bezel	325-BCHU	1	\$0.00	1	\$0.00	
Dell EMC Luggage Tag	350-BBMI	1	\$0.00	1	\$0.00	
No Quick Sync	350-BBKU	1	\$0.00	1	\$0.00	
Performance BIOS Settings	384-BBBL	1	\$0.00	1	\$0.00	
UEFI BIOS Boot Mode with GPT Partition	800-BBDM	1	\$0.00	1	\$0.00	
ReadyRails Sliding Rails With Cable Management Arm	770-BBBR	1	\$0.00	1	\$0.00	
No Systems Documentation, No OpenManage DVD Kit	631-AACK	1	\$0.00	1	\$0.00	
US Order	332-1286	1	\$0.00	1	\$0.00	
Dell Hardware Limited Warranty Plus On-Site Service	816-3842	1	\$200.00	1		\$200.0
ProSupport Mission Critical: 7x24 HW / SW Technical Support and Assistance,	01 ( 00 00		\$262.00	1		\$262.0
3 Years	816-3859	1				
3 Years ProSupport and Mission Critical 4Hr Onsite Service	816-3843	1	\$1,438.00	1		\$1,438.0
Thank you choosing Dell ProSupport. For tech support, visit			\$0.00	1		\$0.0
//www.dell.com/support or call 1-800- 945-3355	989-3439	1				***
On-Site Installation Declined	900-9997	1	\$0.00	1		\$0.0
32GB RDIMM 2666MT/s Dual Rank	370-ADNF	·	\$0.00	8	\$0.00	
240GB SSD SATA Boot 6Gbps 512n 2.5in Hot-plug Drive, 1 DWPD, 219 TBW	400-BDSS	·	\$0.00	j.	\$0.00	
Mellanox ConnectX-4 Lx Dual Port 25GbE SFP28 Network Adapter, Low Profile	406-BBLD	1	\$0.00	1	\$0.00	
C13 to C14, PDU Style, 12 AMP, 6.5 Feet (2m) Power Cord, North America	492-BBDI	·	\$0.00	2	\$0.00	
Sub Total		•	40.00		\$20,360.00	\$1,900.0
HARDWARE COMPONENTS				Subtotal	\$212,092.97	\$22,112.0
SOFTWARE COMPONENTS Cloudera Enterprise Operational DB Edition, Node License, 24x7, 1YR	CEODN-GOLD	1	\$6,000.00	24		\$144,000.0
* *	421-5721	1	\$3,702	8		\$144,000.0
Red Hat Enterprise Linux,1-2SKT,3yr Premium Subscription,1 Virtual Guest	421-5/21	1	\$5,702	ŏ		\$29,010.0

by a regular customer.			\$	/IoTps:		0.75
* Discount based upon total system cost as purchased				IoTps:		354,811.45
Pricing: 1 Dell EMC		Three-Year	Cost Own	ership:		\$265,084
Large Purchase Discount (35%)*					-74,232.54	-68,504.80
Total		_			\$212,092.97	\$195,728.00
SOFTWARE COMPONENTS				Subtotal	\$0.00	\$173,616.00
Red Hat Enterprise Linux,1-2SKT,3yr Premium Subscription,1 Virtual Guest	421-5721	1	\$3,702	8		\$29,616.00
Cloudera Enterprise Operational DB Edition, Node License, 24x7, 1YR	CEODN-GOLD	1	\$6,000.00	24		\$144,000.00
SOFTWARE COMPONENTS						

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org.



# Dell PowerEdge R7415

TPCx-IoT v1.0.3

TPC-Pricing v2.3.0

Report Date: May 24, 2019

#### Measurement Results for Performance Run

Total Number of Records 600 Millions

Warmup Run - Start Time 2019-02-10 21:21:37 Warmup Run - End Time 2019-02-10 22:08:45

Warmup Run Elapsed Time in Seconds 2,826.715

 Measured Run Start Time
 2019-02-10 22:08:45

 Measured Run End Time
 2019-02-10 22:36:57

Total Time In Seconds 1,691.039

### Measurement Results for Repeatability Run

Total Number of Records 600 Millions

Warmup Run Start Time 2019-02-10 22:49:56 Warmup Run End Time 2019-02-10 23:33:25

Warmup Run Elapsed Time in Seconds 2,608.359

 Measured Run Start Time
 2019-02-10 23:33:25

 Measured Run End Time
 2019-02-11 00:01:22

Total Time In Seconds 1,676.257



## **Dell PowerEdge 7415**

TPCx-IoT v1.0.3

TPC-Pricing v2.3.0

Report Date: May 24, 2019

### **Run Report for Performance Run**

TPCx-IoT Performance Metric (IoTps) Report

Total Time For Warmup Run In Seconds = 2,826.72

Total Time In Seconds = 1,691.04

Total Number of Records = 600 Millions

TPCx-IoT Performance Metric (IoTps): 354,811.45

### Run Report for Repeatability Run

\_\_\_\_\_\_

TPCx-IoT Performance Metric (IoTps) Report

Total Time For Warmup Run In Seconds = 2,608.36

Total Time In Seconds = 1,676.26

Total Number of Records = 600 Millions

TPCx-IoT Performance Metric (IoTps): 357,940.34