


Servidor Itautec ZX400 1P C/S with Servidor Itautec MX200 1P

TPC-C Rev. 5.6

Report Date: 04/12/2006

| Total System Co | st TP | TPC-C Throughput | | Price/Performance | | | Availability Date | |
|---|--|------------------|------------------------------|-------------------|-----------------------|------------------------------|--------------------|--|
| R\$ 675,661 BRL | | 57,552 F | | R\$ B | R\$ BRL / tpmC: 11.74 | | 04/12/2006 | |
| Processors | Databa Manag | | Operating | System | Othe | er Software | Number of Users | |
| 1 Intel Xeon EM64T, 2 Cores, 4 Threads @ 3GHz - Server 1 Intel Xeon EM64T 3.06 GHz - Client | Microsof Server 2 Standa Editio | 2005 ard | Windows 2003 Ent Editi | terprise | | oft Visual C++ osoft COM+ | 46,000 | |



| System Components | | Server | Each Client | | |
|--------------------------|----------|--|-------------|---|--|
| System compensation | Quantity | Description | Quantity | Description | |
| Processor/ Cores/Threads | 1/2/4 | 3.0 GHz Intel Xeon EM64T 2+2M w/ 2 MB cache / 800 MHz FSB | 1/1/2 | 3.06 GHz Intel Xeon EM64T w/1MB cache | |
| Memory | 16 | 2GB Register DDR2 @ 400MHz | 2 | 512 MB Register ECC DDR DIMM @ 266 MHz | |
| Disk Controllers | 4 1 | LSI Logic MegaRAID SCSI 320-2E LSI Logic MegaRAID SCSI 320-2X | 1 | Intel® 82801EB I/O Controller Hub 5 | |
| Disk Drives | 114 8 | 36.4 GB SCSI Drive 15 Krpm 73 GB SCSI Drive 15Krpm | 1 | 80 GB 7200 SATA Drive | |
| Total Storage | | 4733.6 GB | | 80 GB | |

Numerical Quantities Summary

MQTh, Computed Maximum Qualified Throughput 57,552 tpmC

Response Times (in seconds)

| | Average | 90 th | Max |
|------------------------|---------|-------|------|
| New Order | 0.39 | 0.63 | 5.40 |
| Payment | 0.35 | 0.59 | 4.53 |
| Order Status | 0.37 | 0.61 | 5.40 |
| Delivery (interactive) | 0.11 | 0.11 | 1.76 |
| Delivery (deferred) | 0.25 | 0.40 | 1.08 |
| Stock Level | 0.59 | 0.92 | 2.60 |
| Menu | 0.11 | 0.11 | 1.76 |

Response time delay added for emulated components

Menu 0.1

Resp. 0.1

Transaction Mix, in percent of total transactions

| New Order | 44.93% |
|--------------|--------|
| Payment | 43.02% |
| Order-Status | 4.01% |
| Delivery | 4.02% |
| Stock-Level | 4.02% |

Keying/Think Times (in seconds)

| | Min | | Average | | Max | |
|--------------|-------|------|---------|-------|-------|--------|
| New Order | 18.02 | 0.00 | 18.03 | 12.07 | 18.07 | 120.54 |
| Payment | 3.02 | 0.00 | 3.03 | 12.06 | 3.07 | 120.54 |
| Delivery | 2.02 | 0.00 | 2.03 | 5.06 | 2.07 | 50.52 |
| Stock Level | 2.02 | 0.00 | 2.03 | 5.07 | 2.07 | 50.52 |
| Order Status | 2.02 | 0.00 | 2.03 | 10.06 | 2.06 | 100.53 |

Test Duration

| Ramp-up time | 19 minutes |
|--|-------------|
| Measurement interval | 120 minutes |
| Number of checkpoints | 4 |
| Checkpoint interval | 30 minutes |
| Number of transactions (all types) completed in measurement interval | 15.988.092 |

| Itautec Servidor Itautec ZX400 1P Report Date: | |
|--|-------------------------|
| Part Number I mile Party Unit Price Quantity Price Brand Pricing R\$ Server Hardware | |
| Brand Pricing R\$ Server Hardware | |
| | |
| Servidor Itautec ZX400 IP | |
| | |
| | ,966 - |
| 2 GB DDR2-400 SDRAM I2393 Itautec 1 - 16 | |
| 36 GB Ultra320 15Krpm HDD Included Itautec 1 - 2 | |
| On-Board LAN Broadcom NetXtreme 1000Gbps Included Itautec 1 - 2 | |
| CD-ROM, Internal SCSI Adapter Included Itautec 1 - 1 | |
| Upgrade to 3-year / 4-hour response / 7days - 24hrs 2106_05 Itautec 1 12,345 1 | - 12,345 |
| Monitor 15" Sync Master 591S I1555 Itautec 1 330 1 UPS SMART APC 1 F2643 Itautec 1 1,621 1 | 330 - |
| | 1,621 - 5,917 12,345 |
| Disk Subsystem | |
| SCSI RAID Controller U320 2-channel PCI-E II710 Itautec 1 4,110 4 16 | ,440 - |
| SCSI RAID Controller U320 2-channel PCI-X G7622 Itautec 1 3,810 1 3 | 3,810 - |
| 36 GB Ultra320 15K rpm F6853 Itautec 1 2,420 112 271 | ,040 - |
| 73 GB Ultra320 15K rpm F4641 Itautec 1 3,453 8 27 | ,624 - |
| 36 GB Ultra320 15K rpm (10% spare) F6853 Itautec 1 2,420 12 | - 29,040 |
| 73 GB Ultra320 15K rpm (10% spare) F4641 Itautec 1 3,453 2 | - 6,906 |
| Storage Itautec S320 F1390 Itautec 1 20,321 9 182 | ,892 - |
| Kit Rack for Storage F1781 Itautec 1 345 9 | 3,105 - |
| Rack Itautec F2400 Itautec 1 5,281 3 15 | ,843 - |
| | ,754 35,946 |
| Server Software | |
| Microsoft Windows 2003 Server Enterprise Edition x86 P72-00981 Microsoft 1 1 | - |
| | 4,115 - 4,115 - |
| Client Hardware | 4,110 |
| Servidor Itautec MX-200 | |
| Base System with 1 x Xeon EM64T 3.06GHz/1MB C0V4F Itautec 1 8,657 4 34 | ,628 - |
| 2 x 512MB Memory Included Itautec 1 - 4 | |
| 1x 80GB SATA 7200rpm Included Itautec 1 - 4 | |
| 2 x Intel Pro/1000 Server Adapter Included Itautec 1 4 | |
| CD-ROM, On-Board LAN Included Itautec 1 - 4 | |
| Upgrade to 3-year / 4-hour response / 7days - 24hrs 001839 Itautec 1 467 4 | - 1,868 |
| Monitor 15" SYNC MASTER 551S E9801 Itautec 1 404 4 | 1,616 - |
| Subtotal 36 | ,244 1,868 |
| Client Software | |
| • | ,504 - |
| Visual C++.NET Standard 254-00257 Microsoft 1 336 1 Subtotal 13 | 336 - ,840 - |
| Network components | ,040 - |
| · | .200 - |
| · | ,200 - |
| | ,200 - |
| | |
| | ,070 50,159 |
| Large volume purchase with cash in advance Discount on Itautec Hardware (11.58%) 79 | ,568 |
| TOTAL 625 | ,502 50,159 |
| 3-Yr. Cost of Owner | |
| Pricing: 1- Itautec tymic R: | |
| | |
| R\$ / tp | mC: 11.74 |

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these items, please inform the TPC at pricing@tpc.org.

Audited By Lorna Livingtree of Performance Metrics Inc.